

PUBBLICAZIONI EDITE A STAMPA

1978

1. G La Greca, S Biasioli, U Coli, A Fabris, S Ferasin, E Pisani, **C Ronco**, V Cambi, L Arisi: Low efficiency extra or intracorporeal hemodialysis therapy in the treatment of chronic renal failure. Atti del "Symposium on chronic peritoneal dialysis". Piacenza 19.3.1978, 38-45, 1978
2. G La Greca, S Biasioli, A Fabris, S Ferasin, M Feriani, E Pisani, **C Ronco**: La fosfomicina in nefrologia. Chemiot. antimicrob.3, 366-375, 1978

1979

3. G La Greca, S Biasioli, A Fabris, S Ferasin, M Feriani, E Pisani, **C Ronco**: Squilibri idroelettrici e dialisi peritoneale. Atti del Convegno su "Alterazioni idroelettriche in medicina generale". Parma, Maggio1979, 179-194, 1979

1980

4. A Fabris, P Messa, N Tessitore, P Morachiello, **C Ronco**, G Bertoli, A D'Angelo, G Maschio: Effetti della somministrazione endovenosa di aminoacidi essenziali sul metabolismo dell'azoto nella sindrome nefrosica e nella insufficienza renale cronica. In: Minerva Nefrologica, vol.26, 4, 635-640, 1980
5. G La Greca, S Biasioli, A Fabris, M Feriani, E Pisani, **C Ronco**: Possible factors involved in urinary bicarbonate excretion in subjects with mild reduction of renal function. N.U.A. I, 131-136, 1980
6. G La Greca, S Biasioli, A Fabris, M Feriani, **C Ronco**: Le diverse strategie nella dialisi peritoneale cronica. Attualita` Nefrologiche e Dialitiche, XI, 104-135, 1980
7. G La Greca, P Dettori, S Biasioli, A Fabris, M Feriani, V Pinna, E Pisani, **C Ronco**, G Ronzani: La tomografia assiale computerizzata cerebrale in emodialisi. Atti dell'incontro Hospal sul poliacrilonitrile-AN 69. Santa Margherita di Pula 9.5.1980, 201-211, 1980
8. G La Greca, P Dettori, S Biasioli, A Fabris, M Feriani, V Pinna, E Pisani, **C Ronco**: Brain density changes during hemodialysis. Lancet II, 582, 1980

1981

9. S Biasioli, S Chiamonte, A Fabris, M Feriani, E Pisani, **C Ronco**, G La Greca: Acid base balance in peritoneal dialysis using acetate and lactate. In: Uremic acidosis and extracorporeal treatment. Proceeding of the Milan Workshop 81. 97, 1981
10. S Chiamonte, S Biasioli, A Bogoni, A Fabris, M Feriani, L Martimbianco, E Pisani, **C Ronco**, F Tasinazzo, F Zen, G La Greca: Modifiche indotte dall'azosemide sulle clearances peritoneali. In: Nefrologia, Dialisi e Trapianto 1981. Casa ed. Wichtig, Milano, 269-272, 1981
11. M Feriani, S Biasioli, G Cantarella, S Chiamonte, A Fabris, E Pisani, **C Ronco**, G La Greca: Aspetti ventilatori in CAPD: importanza degli indici dinamici. In: Nefrologia, Dialisi e Trapianto 1981. Casa ed. Wichtig, Milano. 301-304, 1981

12. M Feriani, S Biasioli, S Chiaramonte, M Davi, A Fabris, E Pisani, **C Ronco**, G La Greca: Basi anatomo- fisiologiche della permeabilita` peritoneale. Atti del III Incontro Italo-Jugoslavo di Nefrologia e Dialisi. Cervignano 20.11.1981. 1-11, 1981
13. G La Greca, S Biasioli, S Chiaramonte, M Davi, A Fabris, M Feriani, E Pisani, **C Ronco**, F Zen: Acid-base balance on peritoneal dialysis. Clinical Nephrology 16, 1-7, 1981
14. G La Greca, S Biasioli, A Fabris, S Ferasin, M Feriani, E Pisani, **C Ronco**: L'impiego della fosfomicina in nefrologia. In: Atti del Convegno Internazionale di Farmacologia Clinica. Catania-Taormina, 24-26 Nov. 1978 vol. I, 171-177, 1981
15. G Segoloni, B Scarduelli, G Civati, A Cantaluppi, M Martegani, A Giangrande, R Broccoli, R Poisetti, L Fabbri, **C Ronco**, G Cappelli, S Alloatti, S Zini, A Ramello: Studio multicentrico sulla CAPD in Italia: rapporto preliminare. In: Nefrologia, Dialisi e Trapianto, 309-312, 1981
16. G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, V Pinna, E Pisani, **C Ronco**: L'analisi densitometrica computerizzata con TAC cerebrale nello studio dell'encefalopatia del dializzato. Min. Nefrol. 28, 143-146, 1981
17. G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**: La dialisi peritoneale. La Medicina Internazionale 28, 7-445, 1981
18. G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**: Which buffer for CAPD? Proceedings of First Italian Congress on CAPD. Siena 13.3.1981, 51-56, 1981
19. G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**, F Zen: Bilancio di basi in corso di dialisi peritoneale (IPD e CAPD) con acetato o lattato. Min. Nefrol. 28, 359-364, 1981
20. G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**: Acetate, lactate and bicarbonate kinetics in peritoneal dialysis. In: Peritoneal Dialysis (Atkins RC, Thomson NM, Farrel PC, eds.), Casa ed. Churchill Livingstone, 217-224, 1981
21. G La Greca, P Dettori, S Biasioli, S Chiaramonte, A Fabris, M Feriani, V Pinna, E Pisani, **C Ronco**: Study on morphological and densitometrical changes in the brain after hemodialysis and peritoneal dialysis. Trans. Am. Soc. Artif. Intern. Organs XXVII, 40-44, 1981
22. G La Greca, P Dettori, S Biasioli, S Chiaramonte, A Fabris, M Feriani, V Pinna, E Pisani, **C Ronco**: Effects on brain tissue of peritoneal dialysis CAPD vs IPD. Proceedings of II International Symposium on PD. ED. Gahl., Kessel, Nolph. Berlin 16.6.1981. 359, 1981
23. E Pisani, S Biasioli, S Chiaramonte, A Fabris, M Feriani, **C Ronco**, G La Greca: Permeabilita` peritoneale al cefuroxim. Nefrologia Veneta I, 10, 1981
24. **C Ronco**, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, M Scabardi, M Martimbianco, G La Greca: La cateterografia dinamica in dialisi peritoneale. Atti del III Incontro Italo-Jugoslavo di Nefrologia e Dialisi. Cervignano 20.11.1981. 13-35, 1981
25. **C Ronco**, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, G La Greca: Fattori influenzanti il rendimento della dialisi peritoneale. Atti del I Convegno Piemontese di Nefrologia e Dialisi. Torre Pellice, Aprile 1981, 85-90, 1981
26. **C Ronco**, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, V Pinna, P Dettori, G La Greca: Morfodensitometria cerebrale del nefropatico e del dializzato. Studio con metodiche computerizzate. In: Nefrologia, Dialisi e Trapianto 1981. Casa ed. Wichtig, Milano, 231-234, 1981

27. G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**: Italian clinical experience of CAPD. In: Peritoneal Dialysis (Atkins RC, Thomson NM, Farrel PC, eds) Casa ed Churchill Livingstone, 136-138, 1981

1982

28. G La Greca, S Biasioli, **C Ronco**, eds: Peritoneal Dialysis. Proceedings of First International Course on Peritoneal Dialysis. Ed. Wichtig, Milano, 1982

29. S Biasioli, S Chiaramonte, G Cantarella, A Fabris, M Feriani, E Pisani, **C Ronco**, G La Greca: Compensatory hyperventilation in CAPD patients. Perit. Dial. Bull. 2, 191, 1982

30. S Biasioli, A Fabris, M Feriani, **C Ronco**, S Chiaramonte, G La Greca: Sodium lactate and other buffers for peritoneal dialysis. Part. I, Contemporary Dialysis October, 46-49, 1982

31. S Biasioli, A Fabris, M Feriani, **C Ronco**, S Chiaramonte, G La Greca: Sodium lactate and other buffers for peritoneal dialysis. Part. II, Contemporary Dialysis December, 40-43, 1982

32. S Biasioli, M Feriani, D Borin, A Brendolan, S Chiaramonte, A Fabris, L Martimbianco, E Pisani, **C Ronco**, F Zen, G La Greca: Acid-base changes and acetate metabolism with a cellulose-hydrate membrane. In: Proceedings of the First Sifra Meeting on New Dialysis Trend. Ed. Wichtig, Milano, 123/128, 1982

33. S Biasioli, M Feriani, S Chiaramonte, A Fabris, E Pisani, **C Ronco**, G La Greca: Biochemistry of buffers. In: Peritoneal Dialysis. (G La Greca, S Biasioli, C Ronco, eds.) Casa ed. Wichtig, Milano, 161-173, 1982

34. S Chiaramonte, S Biasioli, A Bogoni, D Borin, A Fabris, M Feriani, L Martimbianco, G Petrini, E Pisani, **C Ronco**, G La Greca: Il corretto impiego dei radioisotopi nella misurazione dei volumi di scambio in dialisi peritoneale intermittente (IPD). Atti del II Convegno di Nefrologia e Dialisi Bardonecchia, 17-18.4.1982. 227-228, 1982

35. P Dettori, G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, V Pinna, E Pisani, **C Ronco**: Changes of cerebral density in dialyzed patients. Neuroradiology 23, 95-99, 1982

36. A Fabris, S Biasioli, D Borin, S Chiaramonte, M Feriani, E Pisani, **C Ronco**, G La Greca: Home intermittent peritoneal dialysis. In: Peritoneal Dialysis (G La Greca, S Biasioli, C Ronco, eds). Wichtig Ed, Milano, 335-341, 1982

37. A Fabris, S Biasioli, S Chiaramonte, M Feriani, E Pisani, **C Ronco**, G Cantarella, G La Greca: Buffer metabolism in continuous ambulatory peritoneal dialysis (CAPD): Relationship with respiratory dynamics. Trans. Am. Soc. Artif. Intern. Organs XXVIII, 270-274, 1982

38. M Feriani, S Biasioli, A Brendolan, S Chiaramonte, A Fabris, E Pisani, **C Ronco**, G La Greca: La dialisi peritoneale nell'insufficienza renale acuta: 10 anni di esperienza. Atti del II Convegno di Nefrologia e Dialisi. Bardonecchia 17-18.4.1982. 219-221, 1982

39. M Feriani, S Biasioli, S Chiaramonte, A Fabris, L Martimbianco, E Pisani, **C Ronco**, G La Greca: La sindrome epatorenale. In: Convegno di aggiornamento su Argomenti di Epatologia. Vicenza, Maggio 1982

40. M Feriani, S Biasioli, S Chiaramonte, A Fabris, E Pisani, **C Ronco**, G La Greca: Anatomical bases of peritoneal permeability: a reappraisal. Int. J. Art. Org. 5, 345-348, 1982

41. G La Greca, S Biasioli, A Brendolan, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**: Buffer balance in peritoneal dialysis. In: Peritoneal Dialysis (G La Greca, S Biasioli, C Ronco, eds). Casa ed. Wichtig, Milano, 175-187, 1982
42. G La Greca, S Biasioli, S Chiaramonte, P Dettori, A Fabris, M Feriani, V Pinna, E Pisani, **C Ronco**: Studies on brain density in hemodialysis and peritoneal dialysis. Nephron 31, 146-150, 1982
43. G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**, L Xerri: Pharmacokinetics of intravenous and intraperitoneal cefuroxime during peritoneal dialysis. Int. J. Clin. Pharmacol. 20, 92-94, 1982
44. E Pisani, S Biasioli, D Borin, S Chiaramonte, A Fabris, M Feriani, **C Ronco**, G La Greca: Overview of peritoneal access. In: Peritoneal Dialysis (G La Greca, S Biasioli, C Ronco, eds). Casa ed. Wichtig, Milano, 119-129, 1982
45. **C Ronco**, S Biasioli, D Borin, A Brendolan, S Chiaramonte, A Fabris, M Feriani, E Pisani, G La Greca: Patologia neurologica in dialisi. Min. Nefrol. 29, 185-193, 1982
46. **C Ronco**, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, G La Greca, P Parisien, G D'Andrea: Modifiche ematoliquorali indotte dalla dialisi extracorporea (HD) e peritoneale (IPD e CAPD). In: Nefrologia, Dialisi e Trapianto 1982. Casa ed. Wichtig, Milano, 439-454, 1982
47. **C Ronco**, A Fabris, S Chiaramonte, D Borin, M Feriani, S Biasioli, A Brendolan, E Pisani, F Ferromilone, G La Greca: Neurological complications of peritoneal dialysis. In: Peritoneal Dialysis (G La Greca, S Biasioli, C Ronco, eds). Casa ed. Wichtig, Milano, 439-454, 1982

1983

48. S Biasioli, S Chiaramonte, U Coli, A Fabris, M Feriani, E Pisani, **C Ronco**, G La Greca: Acid-base balance on peritoneal dialysis. Acta del Simposio "Fundacion A.J. Roemmers" (30 giugno-1 luglio 1980). Marti' ML, Locatelli AJ eds. Casa ed. Argentina, 97-134, 1983
49. S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**, A Valli, T Della Fior, G D'Andrea, G La Greca: Neurotransmitter imbalance in plasma and cerebrospinal fluid during dialytic treatment. Proceeding ASAIO XXIX, 44-49, 1983
50. S Biasioli, S Chiaramonte, A Fabris, M Feriani, **C Ronco**, G D'Andrea, D Borin, A Brendolan, G Oldirizzi, G La Greca: Ruolo dei neurotrasmettitori nella genesi della encefalopatia dialitica. In: Dialisi Peritoneale. Atti del II Convegno Nazionale sulla Dialisi Peritoneale. Ed. Wichtig, Milano. Capri 6-8 Sett. 1983
51. S Biasioli, M Feriani, S Chiaramonte, A Fabris, E Pisani, **C Ronco**, G La Greca: Buffers for peritoneal dialysis. Sodium acetate. Part. I. Contemporary Dialysis 3, 16-21, 1983
52. S Biasioli, M Feriani, S Chiaramonte, A Fabris, E Pisani, **C Ronco**, G La Greca: Buffers for peritoneal dialysis. Sodium acetate. Part. II. Contemporary Dialysis 4, 40-41, 1983
53. JP Bosch, A Saccaggi, A Lauer, **C Ronco**, M Belledonne, S Glabman: Renal functional reserve in humans. Effect of protein intake on glomerular filtration rate. The American Journal of Medicine, vol. 75, 943-950, 1983
54. S Chiaramonte, S Biasioli, D Borin, A Brendolan, A Fabris, M Feriani, E Pisani, **C Ronco**, G La Greca: Accesso vascolare transcutaneo in biocarbone per emodialisi: 10 mesi di esperienza. Atti del III° Convegno di Nefrologia e Dialisi. Bardonecchia 24-25 Marzo 1983, 145-146

55. S Chiaramonte, S Biasioli, D Borin, A Brendolan, A Fabris, M Feriani, G Petrini, E Pisani, **C Ronco**, G La Greca: Significance of residual volumes in correct evaluation of peritoneal clearances. A study using radioisotopes. In: Proceedings of II Mitteleuropean Meeting on Nephrologie, Dialysis & Transplantation. Ed. Wichtig, Milano. 217-219, 1983
56. S Chiaramonte, S Biasioli, A Fabris, M Feriani, **C Ronco**, D Borin, A Brendolan, F Baron, I Piacentini, G La Greca: Influenza delle soluzioni per dialisi peritoneale sulla crescita batterica. Atti del II° Convegno Nazionale sulla Dialisi Peritoneale. Ed. Wichtig, Milano. Capri 6-8 Sett. 1983
57. A Fabris, S Biasioli, S Chiaramonte, M Feriani, I Piacentini, E Pisani, **C Ronco**, A Viviani, G La Greca: An unusual form of fusarium verticilloides peritonitis in a patient on chronic peritoneal dialysis. Dial. and Transpl. 12, 644, 1983
58. M Feriani, A Fabris, D Borin, A Brendolan, S Biasioli, S Chiaramonte, **C Ronco**, G La Greca: La peritonite fungina in dialisi peritoneale: confronto tra le diverse modalità terapeutiche. Atti del III° Convegno di Nefrologia e Dialisi. Bardonecchia 24-25 Marzo 1983, 245-247
59. M Feriani, A Fabris, D Borin, A Brendolan, S Biasioli, S Chiaramonte, **C Ronco**, G La Greca: La peritonite fungina in dialisi peritoneale: confronto tra le diverse modalità terapeutiche. In: Dialisi Peritoneale Atti del II Convegno Nazionale sulla Dialisi Peritoneale. Ed. Wichtig, Milano. Capri 6-8 Sett. 1983
60. G La Greca, S Biasioli, D Borin, A Brendolan, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**: Drug and dialysis. Int. J. Art. Org. 6, 139-156, 1983
61. A Lauer, A Saccaggi, **C Ronco**, M Belledonne, S Glabman, JP Bosch: Continuous arterio-venous hemofiltration in the critically ill patient. Annals of Internal Medicine vol. 99, 455-460, 1983
62. **C Ronco**, S Biasioli, D Borin, A Brendolan, S Chiaramonte, A Fabris, M Feriani, E Pisani, A Saccaggi, G La Greca: L'ultrafiltrazione artero-venosa continua nei pazienti a rischio. Atti del III Convegno di Nefrologia e Dialisi. Bardonecchia 24-25 Marzo 1983, 71
63. **C Ronco**, S Biasioli, A Brendolan, S Chiaramonte, A Fabris, M Feriani, A Saccaggi, G La Greca: Aspetti teorici ed applicazione clinica della ultrafiltrazione artero-venosa continua. Min. Nefrol. 30, 195-206, 1983
64. **C Ronco**, D Borin, A Brendolan, S Chiaramonte, M Feriani, G La Greca: Il coefficiente di ultrafiltrazione nella valutazione della capacità filtrante della membrana peritoneale. Atti del II Convegno Nazionale sulla Dialisi Peritoneale. Ed. Wichtig, Milano. Capri 6-8 Sett. 1983
65. **C Ronco**, A Fabris, S Biasioli, D Borin, A Brendolan, S Chiaramonte, M Feriani, A Saccaggi, G La Greca: La ultrafiltrazione artero-venosa continua in pazienti a rischio come alternativa ad altre metodiche dialitiche. In: Atti del II Corso di aggiornamento nefrologico della Magna Grecia. Crotone 22 Sett. 1983, 153-164
66. S Chiaramonte, S Biasioli, D Borin, A Brendolan, A Fabris, M Feriani, G Petrini, E Pisani, **C Ronco**, G La Greca: Significance of residual volumes in correct evaluation of peritoneal clearances. 2nd Mitteleuropean Meeting on Nephrology, Dialysis and Transplantation, 217-219, 1983

1984

67. **C Ronco**: Continuous Arteriovenous Hemofiltration in newborns. In: Proceedings of the First International Symposium on Acute Continuous Renal Replacement Therapy, Cleveland, Ohio, 87-96, 1984
68. S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**, D Borin, A Brendolan, G La Greca: Bacillus cereus as agent of peritonitis during peritoneal dialysis. Nephron 37, 211-212, 1984
69. S Biasioli, G D'Andrea, S Chiaramonte, A Fabris, M Feriani, **C Ronco**, D Borin, A Brendolan, G La Greca: The role of neurotransmitters in the genesis of uremic encephalopathy. Int. J. Artif. Organs 7, 101-106, 1984
70. S Biasioli, M Feriani, S Chiaramonte, A Fabris, **C Ronco**, A Brendolan, G La Greca: I tamponi per la dialisi peritoneale: aspetti metabolici ed implicazioni cliniche. Giornale Italiano di Nefrologia 1/2, 79-86, 1984
71. A Fabris, S Biasioli, D Borin, A Brendolan, S Chiaramonte, M Feriani, E Pisani, **C Ronco**, G La Greca: Fungal peritonitis in peritoneal dialysis: our experience and review of treatments. Perit. Dial. Bull. Apr.-Jun., 75-77, 1984
72. M Feriani, S Chiaramonte, S Biasioli, D Borin, A Brendolan, L Bragantini, A Fabris, **C Ronco**, G La Greca: Esperienza clinica con il column disc catheter (CDC) In: Nefrologia, Dialisi e Trapianto. Ed. Wichtig, Milano, 361-362, 1984
73. G La Greca, S Biasioli, D Borin, L Bragantini, A Brendolan, S Chiaramonte, A Fabris, M Feriani, P Mentasti, M Milan, **C Ronco**: Influenza della insufficienza renale sulla morbilità materno-infantile. Giornale Veneto di Scienze Mediche 36, 57, 1984
74. G La Greca, S Biasioli, D Borin, A Brendolan, S Chiaramonte, A Fabris, M Feriani, **C Ronco**: L'encefalopatia dialitica. In: Attualità Nefrologiche e Dialitiche '83. Ed. Wichtig, Milano, 13-26, 1984
75. G La Greca, S Biasioli, A Fabris, S Chiaramonte, M Feriani, E Pisani, **C Ronco**, D Borin, A Brendolan: Considerazioni clinico-statistiche in tema di dialisi peritoneale. Giornale Veneto di Scienze Mediche 35, S2, 35-37, 1984
76. I Mastrogiacomo, L Debesi, E Serafini, S Zussa, P Zucchetta, GF Romagnoli, E Saporiti, P Dean, **C Ronco**, A Adami: Hyperprolactinemia and sexual disturbances among uremic women on hemodialysis. Nephron 37, 195-199, 1984
77. I Piacentini, S Biasioli, S Chiaramonte, A Fabris, M Feriani, E Pisani, **C Ronco**, G La Greca: Fusarium verticilloides, un nuovo patogeno opportunisto. Giornale di Malattie Infettive e Parassitarie 36, 64-67, 1984
78. **C Ronco**, A Brendolan, S Biasioli, D Borin, S Chiaramonte, A Fabris, M Feriani, G La Greca: Self-limited dehydration during Continuous A-V Hemofiltration. Blood Purification 2, 88-92, 1984
79. **C Ronco**, A Brendolan, D Borin, S Chiaramonte, A Fabris, M Feriani, L Bragantini, G La Greca: Il coefficiente di ultrafiltrazione (K) come indice della capacità filtrante della membrana peritoneale. In: Nefrologia, Dialisi e Trapianto. Ed. Wichtig, Milano, 313-317, 1984
80. **C Ronco**: L'ultrafiltrazione artero-venosa continua nel trattamento dell'edema refrattario da insufficienza cardiaca congestizia. In: Le basi razionale della terapia, vol. XIV, 10, 625-627, 1984

1985

- 81. C Ronco**, A Brendolan, D Borin, L Bragantini, A Fabris, M Feriani, S Chiaramonte, G La Greca: Permeability characteristics of polysulfonic membranes in CAVH. Int. Conf. on CAVH, Aachen 1984, 59-63, Karger Basel, 1985
- 82. C Ronco**, A Brendolan, D Borin, L Bragantini, A Fabris, M Feriani, S Chiaramonte, G La Greca: Continuous Arteriovenous Hemofiltration in newborns. Int. Conf. on CAVH, Aachen 1984, 76-79, Karger Basel, 1985
- 83. C Ronco**, D Borin, A Brendolan, L Bragantini, A Fabris, M Feriani, S Chiaramonte, G La Greca: Is dehydration self-limiting in CAVH? Int. Conf. on CAVH, Aachen 1984, 125-128, Karger Basel, 1985
- 84. C Ronco**, D Borin, A Brendolan, L Bragantini, A Fabris, M Feriani, S Chiaramonte, G La Greca: Kinetics of water transport in Continuous Arterio-Venous Hemofiltration (CAVH). Int. Conf. on CAVH, Aachen 1984, 240-245, Karger Basel, 1985
- 85.** A Brendolan, L Bragantini, S Chiaramonte, R Dell'Aquila, A Fabris, M Feriani, A Frigiola, **C Ronco**, G La Greca: Trattamento dell'insufficienza renale acuta (IRA) del neonato con emofiltrazione artero-venosa continua (CAVH). In: Nefrologia, Dialisi e Trapianto 1985, Ed. Wichtig, Milano, 231-234, 1985
- 86.** S Chiaramonte, M Feriani, S Biasioli, D Borin, L Bragantini, A Brendolan, R Dell'Aquila, A Fabris, **C Ronco**, G La Greca: Esperienze cliniche con un catetere peritoneale corto. In: Dialisi Peritoneale. Atti del III Convegno Nazionale 1985. Ed. Wichtig, Milano. 191-196, 1985
- 87.** S Chiaramonte, M Feriani, S Biasioli, L Bragantini, A Brendolan, R Dell'Aquila, A Fabris, **C Ronco**, G La Greca: Clinical experience with short peritoneal catheters. Proc. EDTA-ERA 22, 426-430, 1985
- 88.** M Feriani, S Biasioli, D Borin, L Bragantini, A Brendolan, S Chiaramonte, R Dell'Aquila, A Fabris, **C Ronco**, G La Greca: Bicarbonate buffer for CAPD solution. Trans. ASAIO XI, 668-672, 1985
- 89.** M Feriani, S Biasioli, D Borin, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, **C Ronco**, G La Greca: Bicarbonate solutions for peritoneal dialysis: a reality. The Int. J. of Artif. Organs 8: 57-58, 1985
- 90.** M Feriani, S Biasioli, L Bragantini, A Brendolan, D Borin, S Chiaramonte, R Dell'Aquila, A Fabris, **C Ronco**, G La Greca: Utilizzazione del bicarbonato come tampone nella dialisi peritoneale e nella emofiltrazione. In: Nefrologia, Dialisi e Trapianto 1985, Ed. Wichtig, Milano: 163-166, 1985
- 91.** M Feriani, S Biasioli, A Fabris, S Chiaramonte, **C Ronco**, L Bragantini, A Brendolan, R Dell'Aquila, G La Greca: Calcium and bicarbonate containing solutions for peritoneal dialysis and hemofiltration. In: Progress in Artificial Organs (Nosè Y, Kjellstrand C, Ivanovich P, eds): 277-281, 1985
- 92.** G La Greca, S Biasioli, D Borin, A Brendolan, S Chiaramonte, A Fabris, M Feriani, **C Ronco**: Dialytic encephalopathy. Contr. Nephrol. 45: 9-28, (Karger Basel) 1985
- 93*.** G La Greca, L Bragantini, A Brendolan, S Chiaramonte, R Dell'Aquila, A Fabris, M Feriani, M Milan, **C Ronco**: Insufficienza renale e gravidanza. In: Aggiornamenti nefrologici della Magna Grecia. Crotone 26-28 Sett. 1985: 61-69
- 94.** G La Greca, S Chiaramonte, A Fabris, M Feriani, **C Ronco**, eds.: Peritoneal Dialysis. Wichtig Editore, Milano 1985
- 95.** M Feriani, S Biasioli, L Bragantini, D Borin, A Brendolan, S Chiaramonte, R Dell'Aquila, A Fabris, **C Ronco**, G La Greca: Il bicarbonato come tampone in CAPD. In: Dialisi Peritoneale. Atti del III Convegno Nazionale 1985. Ed. Wichtig, Milano: 113-116, 1985

96. G La Greca, M Feriani, S Biasioli, L Bragantini, A Brendolan, S Chiaramonte, R Dell'Aquila, A Fabris, M Milan, **C Ronco**: Il ruolo della dialisi peritoneale nel trattamento dell'epatite acuta fulminante. In: L'Epatite fulminante. Atti del I Congresso Nazionale Salsomaggiore Terme 1985: 273-280, 1985
97. **C Ronco**: Arterio-venous hemodiafiltration (A-V HDF): a possible way to increase urea removal during CAVH. The Int. J. of Artif. Organs 8: 61-62, 1985
98. **C Ronco**, L Bragantini, A Brendolan, R Dell'Aquila, A Fabris, S Chiaramonte, M Feriani, L Laquaniti, G La Greca: Arteriovenous hemofiltration (AVHDF) combined with continuous arteriovenous hemofiltration (CAVH). Trans. Am. Soc. Artif. Intern. Organs XXXI, 349-352, 1985
99. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, M Feriani, A Fabris, G La Greca: Continuous Arterio-Venous Hemofiltration. Contr. Nephrol. 48: 70-88, Karger Basel 1985
100. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, A Frigiola, G La Greca: Treatment of acute renal failure in the newborn by continuous arteriovenous hemofiltration. Trans. Am. Soc. Artif. Intern. Organs XXXI: 634-638, 1985
101. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, L Menicanti, A Saccaggi, G La Greca: Treatment of acute renal failure in the newborn by continuous arteriovenous hemofiltration. Proc. EDTA-ERA 22: 1187-1192, 1985
102. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, M Feriani, A Fabris, R Dell'Aquila, M Milan, G La Greca: Flusso ematico capillare effettivo nel sistema dialitico peritoneale. Valutazione teorica ed effetti sull'ultrafiltrazione. In: Dialisi Peritoneale. Atti del III° Convegno Nazionale 1985. Ed. Wichtig, Milano: 21-28, 1985
103. **C Ronco**, A Fabris, M Feriani, S Chiaramonte, A Brendolan, M Scabardi, L Laquaniti, L Bragantini, G La Greca: Emofiltrazione artero-venosa continua. In: Attualità Nefrologiche e dialitiche '85. Ed. Wichtig, Milano: 65-78, 1985
104. A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, R Dell'Aquila, **C Ronco**, G La Greca: Trattamento dell'insufficienza renale acuta (IRA) del neonato con emofiltrazione artero-venosa continua (CAVH). In: I Congresso Nazionale della Società Italiana di Nefrologia Pediatrica. Edefonti A, Sereni F, eds. Ed. Abetere, Milano: 125, 1985

1986

105. S Chiaramonte, M Feriani, S Biasioli, A Fabris, **C Ronco**, D Borin, L Bragantini, A Brendolan, R Dell'Aquila, M Milan, G La Greca: Clinical experience with short peritoneal catheters. In: Perit. Dial. Proc. 2nd Int. Course. Ed. Wichtig, Milano: 161-164, 1986
106. A Fabris, G La Greca, Cortesi S, S Biasioli, A Brendolan, L Bragantini, S Chiaramonte, M Feriani, **C Ronco**, R Dell'Aquila, M Milan: Ipernatremia essenziale e sarcoidosi sistemica. Ruolo della inadeguata secrezione di ADH. Giornale It. di Nefrologia 3, 2: 81-86, 1986
107. M Feriani, S Biasioli, D Borin, L Bragantini, A Brendolan, S Chiaramonte, R Dell'Aquila, A Fabris, **C Ronco**, G La Greca: Bicarbonate buffer for peritoneal dialysis: dream or reality? In: Perit. Dial. Proc. 2nd Int. Course. Ed. Wichtig, Milano: 143-148, 1986
108. M Feriani, S Biasioli, L Bragantini, R Dell'Aquila, S Chiaramonte, A Fabris, A Brendolan, **C Ronco**, G La Greca: Influenza delle variazioni del pK e del fattore di solubilità della CO₂ sulla

determinazione del bicarbonato nel liquido di dialisi. In: Bicarbonato dialisi: realtà e prospettive. Zucchelli P, Santoro A eds.: 23-30, 1986

109. M Feriani, S Biasioli, L Bragantini, R Dell'Aquila, A Fabris, **C Ronco**, S Chiaramonte, A Brendolan, M Milan, G La Greca: Buffer balance in bicarbonate hemodiafiltration. Trans. Am. Soc. Artif. Intern. Organs XXXII: 422-424, 1986

110. M Feriani, S Biasioli, S Chiaramonte, A Fabris, **C Ronco**, A Brendolan, L Bragantini, R Dell'Aquila, A Zambello, G La Greca: Substitution of sodium bicarbonate for sodium acetate/lactate in CAPD fluid. In: Advances in Continuous Ambulatory Peritoneal Dialysis (Kansas City 1986): 16-19, 1986

111. M Feriani, L Bragantini, R Dell'Aquila, S Chiaramonte, A Fabris, S Biasioli, **C Ronco**, A Brendolan, G La Greca: Buffer kinetics in biofiltration. Int. J. of Artif. Organs 9 (S 3): 1-4, 1986

112. G La Greca, S Biasioli, S Chiaramonte, A Fabris, M Feriani, **C Ronco**, L Bragantini, A Brendolan, R Dell'Aquila: Neuro-hormonal derangements in uremic encephalopathy? In: Perit. Dial. Proc. 2nd Int. Course. Ed. Wichtig, Milano: 235-240, 1986

113. **C Ronco**, D Borin, A Brendolan, L Bragantini, S Chiaramonte, M Feriani, A Fabris, G La Greca: Influence of blood flow in peritoneal dialysis. In: Frontiers in Peritoneal Dialysis Field, New York 1986: 82-87, 1986

114. **C Ronco**, D Borin, A Brendolan, L Bragantini, S Chiaramonte, M Feriani, A Fabris, G La Greca: Studies on peritoneal UF loss: the UF coefficient (K) as an index of the PM filtration efficiency. In: Frontiers in Peritoneal Dialysis Field, New York 1986:100-105, 1986

115. **C Ronco**, L Bragantini, S Chiaramonte, R Dell'Aquila, A Fabris, M Feriani, A Brendolan, G La Greca: Factors affecting peritoneal dialysis efficiency. In: Perit. Dial. Proc. 2nd Int. Course. Ed. Wichtig, Milano: 59-70, 1986

116. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, R Dell'Aquila, A Fabris, M Feriani, M Milan, G La Greca: Arteriovenous hemodiafiltration associated with continuous arterio-venous hemofiltration: a combined therapy for acute renal failure in the hypercatabolic patients. Proc. of the International Symposium on CAVH (G La Greca, A Fabris, C Ronco, eds.), Wichtig ed., Milano:171-183, 1986

117. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, R Dell'Aquila, M Milan, G La Greca: Preliminary technical and clinical evaluation of a new hollow fiber dialyzer with a 5um thick cuprophan membrane. Clin. Nephrol. 26 (S 1):17-21, 1986

118. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, L Menicanti, A Frigiola, G La Greca: Treatment of acute renal failure in the newborn by Continuous Arterio-Venous Hemofiltration. Proc. of the International Symposium on CAVH (G La Greca, A Fabris, C Ronco, eds.), Wichtig ed., Milano: 263-276, 1986

119. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, M Feriani, A Fabris, G La Greca: Studies on ultrafiltration in peritoneal dialysis: Influence of plasma proteins and capillary blood flow. Perit Dial. Bull 6: 93-97, 1986

120. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, M Feriani, A Fabris, R Dell'Aquila, G La Greca: Treatment of acute renal failure in newborns by Continuous Arterio-Venous Hemofiltration. Kidney Int 28: 908-915, 1986

121. **C Ronco**: Facts and conjectures about peritoneal ultrafiltration. The Int J of Artif Organs 9: 149-152, 1986

122. **C Ronco**, JP Bosch, S Lew, L Fecondini, A Fabris, M Feriani, S Chiaramonte, A Brendolan, L Bragantini, G La Greca: Technical and clinical evaluation of a new hemofilter for CAVH: Theoretical concepts and practical application of a different blood flow geometry. In: Proc. of the International Symposium on CAVH (G La Greca, A Fabris, C Ronco, eds.). Ed. Wichtig, Milano. 1986
123. L Fecondini, **C Ronco**: Flow dynamic studies in the CAVH circuit. In: Proc. of the International Symposium on CAVH (G La Greca, A Fabris, C Ronco, eds.). Ed. Wichtig, Milano. 1986
124. **C Ronco**: Continuous Arterio-Venous Hemofiltration in infants. In: Acute Continuous Renal Replacement Therapy Paganini EP, ed. Martinus Nijhoff Publ.: 201-245, 1986
125. **C Ronco**: Basi razionali per una dialisi ultrabreve. Giornale It. di Nefr., vol. 3, 4: 229-234, 1986
- 125 bis. S Biasioli, G D'Andrea, M Feriani, S Chiaramonte, A Fabris, **C Ronco**, G La Greca: Uremic encephalopathy: an updating. Clinical Nephrology, 25, 2, 57-63, 1986

1987

126. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, R Dell'Aquila, M Milan, G La Greca: Arteriovenous Hemofiltration associated with Continuous Arterio-Venous Hemofiltration: a combined therapy for acute renal failure in the hypercatabolic patient. Blood Purification 5: 33-40, 1987
127. **C Ronco**, A Brendolan, L Bragantini, A Fabris, M Feriani, S Chiaramonte, R Dell'Aquila, M Milan, G La Greca: Solute and water transport during Continuous Arterio-Venous Hemofiltration (CAVH). The Int J of Artif Organs 10, 3: 179-184, 1987
128. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, R Dell'Aquila, M Milan, E De Dominicis, G La Greca: Valutazione tecnica e clinica dei vari schemi di dialisi breve. In: Attualità Nefrologiche e Dialitiche '86, Ed. Wichtig, Milano: 35-50, 1987
129. **C Ronco**, L Bragantini, A Brendolan, S Chiaramonte, M Feriani, A Fabris, G La Greca: Riserva funzionale renale in gravidanza. Giornale Italiano di Nefrologia vol. 4, 3: 129-134, 1987
130. M Feriani, S Biasioli, S Chiaramonte, L Bragantini, A Brendolan, R Dell'Aquila, A Fabris, M Milan, **C Ronco**, I Piacentini, G La Greca: Will Bicarbonate-CAPD strengthen the natural defence by having a physiological pH and a natural buffer? Contr Nephrol, 57: 101-109, 1987
131. M Feriani, S Biasioli, L Bragantini, A Brendolan, A Fabris, S Chiaramonte, R Dell'Aquila, M Milan, **C Ronco**, G La Greca: Effetti delle variazioni del pK nella determinazione del bicarbonato nel liquido di dialisi. Atti del XXVIII Congresso Nazionale della Società Italiana di Nefrologia, Torino: 393-396, 1987
132. M Feriani, S Biasioli, L Bragantini, R Dell'Aquila, A Fabris, M Milan, S Chiaramonte, A Brendolan, **C Ronco**, G La Greca: Bilancio di basi in bicarbonato emodiafiltrazione. Atti del XXVIII Congresso Nazionale della Società Italiana di Nefrologia, Torino: 397-400, 1987
133. M Feriani, S Biasioli, L Bigi, R Dell'Aquila, M Milan, L Bragantini, S Chiaramonte, A Fabris, A Brendolan, **C Ronco**, G La Greca: Alterazioni del ciclo di Krebs nell'uremia. Atti del XXVIII Congresso Nazionale della Società Italiana di Nefrologia, Torino: 243-246, 1987
134. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, R Dell'Aquila, M Milan, G La Greca: Arteriovenous Hemofiltration associated with Continuous Arterio-Venous Hemofiltration: a

combined therapy for acute renal failure in the hypercatabolic patient. In: Blood purification in perspective: new insights and future trends (Man NK, Mion C, Henderson LW, eds) Artif Organs ISAO Press: 168-173, 1987

135. G La Greca, M Feriani, **C Ronco**: Cinetica degli scambi peritoneali in CAPD. In: CAPD (Di Paolo N, ed.). Ed. Wichtig, Milano: 27-71, 1987

136. JP Bosch, B von Albertini, **C Ronco**: Hemofiltration and Hemodiafiltration. In: Current therapy in Nephrology and Hypertension 2. Glassock RJ ed. BC Decker Inc. Toronto-Philadelphia, 258-263, 1987

137. **C Ronco**: Basi razionali ed approccio tecnologico per una dialisi ad alta efficienza. In: Tecniche Nefrologiche e Dialitiche (Di Paolo N, Buoncristiani U, eds.) Ed. Wichtig, Milano: 57-72, 1987.

138. **C Ronco**: Acute renal failure in infancy treatment by continuous arteriovenous hemofiltration. In: Proceeding of the 3. International Symposium on Acute Continuous Renal Replacement Therapy. Fort Lauderdale-Florida: 111-135, 1987.

139. G La Greca, M Feriani, A Brendolan, L Bragantini, S Chiaramonte, R Dell'Aquila, A Fabris, M Milan, **C Ronco**: Correzione dell'equilibrio acido-basico con la CAPD. In: Acidosi uremica: possibilita` terapeutiche. XV Simposio Nefrologico Veneziano (Saporiti E, Agazia B, eds.). ed. Acta Medica: 57-66, 1987.

140. **C Ronco**, M Feriani, S Chiaramonte, A Fabris, A Brendolan, L Bragantini, C Pietribiasi, S Meli, G La Greca: Biocompatibility of synthetic membranes and blood-membrane interaction. Int J of Artif Organs 10, 3: 205, 1987.

141. G Castaman, PM Mannucci, R Lombardi, E Di Bona, M Ruggeri, A Fabris, **C Ronco**, E Dini, F Rodeghiero: Malattia di von Willebrand acquisita in due pazienti con insufficienza renale cronica. In: Attualità in ematologia 1987. Ed. Manduzzi: 481-486, 1987.

142. S Biasioli, M Feriani, L Bigi, R Dell'Aquila, L Bragantini, S Chiaramonte, A Fabris, A Brendolan, **C Ronco**, M Pradella, A Cesaro, G La Greca: Tricarboxylic acid cycle intermediates in cronic renal failure. Nephrol, Dial, Transpl. 2: 313-315, 1987.

143. A Fabris, L Bragantini, S Chiaramonte, M Feriani, **C Ronco**, A Brendolan, G La Greca: Hemomediastinum and hemotorax: a late complication of subclavian catheter insertion for hemodialysis. Nephron 47: 75-76, 1987.

144. **C Ronco**: Requisiti tecnici per una dialisi ad alta efficienza. Dialisi oggi 14: 45-57, 1987.

145. **C Ronco**, A Fabris, M Feriani, S Chiaramonte, A Brendolan, M Scabardi, L Laquaniti, L Bragantini, G La Greca: Emofiltrazione arterovenosa continua. In: Atti del XVI Corso Nazionale di Aggiornamento in Rianimazione e Terapia Intensiva. Milano 6-8 giugno 1986. Ed. Piccin: 3-24, 1987.

1988

146. **C Ronco**, A Brendolan, R Dell'Aquila, L Bragantini, S Chiaramonte, A Fabris, M Feriani, M Milan, M Scabardi, V Pinna, G La Greca: Technical and clinical evaluation of different short, highly efficient dialysis techniques. Contr. Nephrol. 61: 46-68. Karger, Basel, 1988.

147. **C Ronco**, A Brendolan, L Bragantini, A Fabris, M Feriani, S Chiaramonte, M Milan, R Dell'Aquila, G La Greca: Technical and clinical evaluation of a new polyamide hollow fiber hemofilter for CAVH. Int J of Artif Organs 11, 1: 33-38, 1988.

148. TA Golper, **C Ronco**, A Kaplan: Continuous arteriovenous hemofiltration: improvements, modifications and future directions. *Seminars in dialysis* 1, 1: 50-54, 1988.
149. **C Ronco**, A Brendolan, L Bragantini, M Milan, R Dell'Aquila, G Frigato, M Feriani, S Chiaramonte, A Fabris, P Conz, G La Greca: Il problema della backfiltration nella dialisi moderna. *Acta Medica* 1, 1: 55-65, 1988.
150. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, A Fabris, M Feriani, R Dell'Aquila, M Milan, P Mentasti, G La Greca: Renal functional reserve in pregnancy. *Nephrol Dial Transplant* 2: 157-161, 1988.
151. A Fabris, S Chiaramonte, **C Ronco**, M Feriani, L Bragantini, A Brendolan, R Dell'Aquila, M Milan, G La Greca: Rene a spugna midollare e sindrome nefrosica. *Giornale Italiano di Nefrologia* 3: 227-230, 1988.
152. G La Greca, **C Ronco**: Peritoneal dialysis: how much is enough? *Seminars on dialysis* 2: 77-78, 1988.
153. **C Ronco**, A Brendolan, L Bragantini, S Chiaramonte, M Feriani, A Fabris, R Dell'Aquila, G La Greca, M Milan: Continuous arteriovenous hemofiltration with AN69S membrane; procedures and experience. *Kidney Int* 33 (S24): 150-153, 1988.
154. **C Ronco**, A Fabris, S Chiaramonte, E De Dominicis, M Feriani, A Brendolan, L Bragantini, M Milan, R Dell'Aquila, G La Greca: Comparison of four different short dialysis techniques. *Int J of Artif Organs* 3:169-174, 1988.
155. **C Ronco**, A Fabris, A Brendolan, M Feriani, S Chiaramonte, M Milan, R Dell'Aquila, S Biasioli, E Pisani, G La Greca: High-flux haemodialysis with 1.5 m² modified cuprammonium rayon membrane: technical and clinical evaluation. *Nephrol Dial Transplant* 3: 440-447, 1988.
156. A Fabris, G La Greca, S Chiaramonte, M Feriani, A Brendolan, L Bragantini, R Dell'Aquila, MV Pellanda, C Crepaldi, **C Ronco**: The importance of ultrafiltration on acid-base status in a dialysis population. *Trans ASAIO XXXIV*, 3: 200-201, 1988.
157. A Fabris, G La Greca, S Chiaramonte, M Feriani, A Brendolan, L Bragantini, M Milan, MV Pellanda, C Crepaldi, **C Ronco**: Total solute extraction versus clearance in the evaluation of standard and short hemodialysis. *Trans ASAIO XXXIV*, 3: 627-629, 1988.
158. **C Ronco**, A Fabris, M Feriani, S Chiaramonte, A Brendolan, L Bragantini, M Milan, R Dell'Aquila, P Conz, G Frigato, M Borra, B von Albertini, G La Greca: Technical and clinical evaluation of a new system for ultrafiltration control during hemodialysis. *Trans ASAIO XXXIV*, 3: 613-615, 1988.
159. S Biasioli, M Feriani, S Chiaramonte, **C Ronco**, L Petrosino, P Porena, A Zambello, A Cesaro, R Foroni, M Pradella: Hormonal status. In: *Peritoneal Dialysis*. Ed. Wichtig, Milano: 247-252, 1988.
160. M Feriani, S Biasioli, L Bragantini, A Fabris, R Dell'Aquila, S Chiaramonte, M Milan, A Brendolan, P Conz, **C Ronco**, G La Greca: Buffers for CAPD. In: *Peritoneal Dialysis*. Ed. Wichtig, Milano: 253-258, 1988.
161. A Fabris, S Chiaramonte, G La Greca, M Feriani, **C Ronco**, A Brendolan, L Bragantini, P Conz, MV Pellanda, C Crepaldi: Fungal peritonitis. In: *Peritoneal Dialysis*. Ed. Wichtig, Milano: 73-76, 1988.

162. C Ronco, A Brendolan, L Bragantini, A Fabris, M Feriani, M Milan, S Chiaramonte, R Dell'Aquila, P Conz, S Omodei-Sale, D Rodighiero, G La Greca: Is peritoneal blood flow a major determinant of peritoneal dialysis efficiency? In: Peritoneal Dialysis. Ed. Wichtig, Milano: 23-33, 1988.

163. S Chiaramonte, M Feriani, A Fabris, **C Ronco**, L Bragantini, A Brendolan, M Milan, R Dell'Aquila, P Conz, G La Greca: Catheter malfunction. In: Peritoneal Dialysis. Ed. Wichtig, Milano: 161-163, 1988

164. C Ronco: Backfiltration: a controversial issue in modern dialysis. Int J of Artif Organs 11: 69-74, 1988

165. G La Greca, S Chiaramonte, A Fabris, M Feriani, **C Ronco:** Peritoneal Dialysis. Wichtig ed. Milano 1988

1989

166. M Feriani, S Biasioli, L Bragantini, **C Ronco**, G La Greca: Risposta cardiovascolare all'emofiltrazione (HDF) con diversi tamponi. In: Il cuore nelle nefropatie e nella dialisi. Ed. Monduzzi, Bologna: 499-505, 1989

167. C Ronco, A Fabris, A Brendolan, M Feriani, L Bragantini, S Chiaramonte, M Milan, R Dell'Aquila, S Biasioli, E Pisani, G La Greca: Rapid high efficiency bicarbonate hemodialysis technical and clinical evaluation. Int J of Artif Organs 12 (S4): 167-173, 1989

168. P Conz, D Bernardini, S Chiaramonte, M Feriani, **C Ronco**, A Brendolan, L Bragantini, M Milan, R Dell'Aquila, A Campesato, G La Greca: L'infezione da *Campylobacter pylori* nel paziente uremico in trattamento dialitico. Giornale Italiano di Nefrologia 6, 2: 79-83, 1989

169. P Conz, S Chiaramonte, **C Ronco**, M Feriani, G La Greca: *Campylobacter pylori* in uremic patients. Nephron 53: 90, 1989

170. A Brendolan., G La Greca., L Fecondini., L Bragantini., S Chiaramonte., A Fabris., M Feriani., M Dal Santo., A D'Alessandro, L Lora, **C Ronco.**: New method of extracorporeal concentration of ascitic fluid as a treatment of refractory ascites. The Int. Journal of Artif. Organs, 12, 5:339-344, 1989

171. A Brendolan., **C Ronco.**: Patologia cardiovascolare a lungo termine nel dializzato. In: Tecniche nefrologiche e dialitiche. Ed. Wichtig, Milano: 135-142, 1989

172. C Ronco, A Fabris, M Feriani, S Chiaramonte, A Brendolan, G Emiliani, G La Greca: Technical and clinical evaluation of a new synthetic low flux polysulphon membrane for hemodialysis. The Int. Journal of Artif. Organs, 12, 7:450-460,1989

173. C Ronco, M Feriani, S Chiaramonte, G Frigato, L Fecondini, A Brendolan, L Bragantini, M Milan, R Dell'Aquila, P Conz, G La Greca: La backfiltration in dialisi: natura idraulica del fenomeno, risvolti clinici e possibili approcci al problema. Attualità nefrologiche e dialitiche, Wichtig ed. Milano, 95-107, 1989

174. M Feriani, S Biasioli, Barbacini S, **C Ronco**, S Chiaramonte, L Bragantini, R Dell'Aquila, M Milan, A Brendolan, G La Greca: Acid-base correction in bicarbonate CAPD. Advances in Continuous Ambulatory Peritoneal Dialysis, Dallas,191-194, 1989

175. M Feriani, S Biasioli, **C Ronco**, L Bragantini, G La Greca: Cinetica dei tamponi in emodiafiltrazione. In: L'emodiafiltrazione ed i trattamenti ad alti flussi. Minetti L., Petrella A., G Orlandini., Wichtig ed. Milano, pp. 47-53, 1989

176. L Bragantini, M Feriani, S Biasioli, S Chiaramonte, R Dell'Aquila, A Brendolan, M Milan, **C Ronco**, P Conz, C Crepaldi, G La Greca: Stabilità cardiovascolare e tamponi in emodiafiltrazione. In: L'emodiafiltrazione ed i trattamenti ad alti flussi. Minetti L., Petrella A., G Orlandini., Wichtig ed. Milano, pp. 545-548, 1989

177. **C Ronco**, M Feriani, S Chiaramonte, P Conz, A Brendolan, L Bragantini, R Dell'Aquila, M Milan, C Crepaldi, G La Greca: Meccanismi di trasporto dei soluti e dell'acqua nell'ambito di trattamenti misti diffusivo convettivi. In: L'emodiafiltrazione ed i trattamenti ad alti flussi. Minetti L., Petrella A., G Orlandini., Wichtig ed. Milano, pp. 179-188, 1989

178. **C Ronco**, L Fecondini: Water and solute transport in mixed diffusive-convective treatments. Giornale Italiano di Nefrologia, 4:225-235, 1989

179. JP Bosch, **C Ronco**: Continuous Arteriovenous Hemofiltration (CAVH) and Other Continuous Replacement Therapies: Operational Characteristics and Clinical Use. In: Replacement of Renal Function by Dialysis. Edited by John F. Maher, Kluwer Acc. Publishers, Dordrecht, The Netherlands, pp. 347-359, 1989

180. G La Greca, A Fabris, M Feriani, S Chiaramonte, **C Ronco**: Acid-Base Homeostasis in Clinical Dialysis. In: Replacement of Renal Function by Dialysis. Edited by John F. Maher, Kluwer Acc. Publishers, Dordrecht, The Netherlands, pp. 808-826, 1989

181. **C Ronco**: Continuous arterio-venous hemofiltration: optimization of technical procedures and new directions. In: New perspectives in hemodialysis, peritoneal dialysis, arteriovenous hemofiltration and plasmapheresis. Ed. by W.H.Horl, P.J. Schollmeyer, Plenum Publishing Corp., pp.167-179, 1989

182. **C Ronco**, A Fabris, M Feriani, A Brendolan, S Chiaramonte, G La Greca: Hydraulic properties and flow-dynamic characteristics of the new low flux polysulfone F6 membrane. Contr. to Nephrol., 74: 34-42, 1989

183. **C Ronco**: Paired filtration dialysis: studi sulla efficienza e sulle proprietà fluidodinamiche ed idrauliche del sistema. Atti dell'incontro di studio sulla PFD, a cura di Saporiti E, Romagnoli G., Padova 1989, pp. 3-12

1990

184. **C Ronco**: Backfiltration in clinical dialysis: nature of the phenomenon, mechanisms and possible solutions. The Int. Journal of Artif. Organs, 1990

185. A Fabris, **C Ronco**, MV Pellanda, C Gardin, Chiaramonte C, M Feriani, G La Greca: Fluctuation of Vasopressin Secretion in Chronic Hypernatremia. Nephron 54: 245-248, 1990

186. **C Ronco**, A Brendolan, L Bragantini, M Feriani, P Conz, S Chiaramonte, R Dell'Aquila, C Crepaldi, G La Greca: High performance CAVH in infants with a new polysulphon minifilter. Intensiv-behandlung, Dustri- Verlag, Abs, from II Int. Conf. on Continuous Hemofiltration. pp.121, 1990

187. **C Ronco**, A Brendolan, L Bragantini, M Feriani, P Conz, M Milan, A Fabris, D Dissegna, S Chiaramonte, R Dell'Aquila, C Crepaldi, B Agazia, G Finocchi, E De Dominicis, G La Greca: Impact of high blood flows on vascular stability in hemodialysis. Nephrol.Dial. Transplant. Suppl. 1: 109-114, 1990

188. **C Ronco**, M Feriani, S Chiaramonte, A Brendolan, L Bragantini, P Conz, R Dell'Aquila, M Milan, G La Greca: Pathophysiology of Ultrafiltration in peritoneal dialysis. *Perit. Dial. International*, 10: 119 - 126, 1990
189. **C Ronco**: Problematica relativa alla backfiltration. In: Trattato Italiano di dialisi a cura di V. Cambi. Wichtig Ed. Milano, cap. XII.2, 1990
190. **C Ronco**, C Crepaldi, M Milan: Emofiltrazione artero-venosa continua. In: Trattato Italiano di dialisi a cura di V. Cambi. Wichtig Ed. Milano, cap. VII.4, 1990
191. **C Ronco**, F Mantovani: Criteri generali per la valutazione tecnica e clinica dei dializzatori e delle membrane per emodialisi. In: Trattato Italiano di dialisi a cura di V. Cambi. Wichtig Ed. Milano, cap. XII.5, 1990
192. **C Ronco**, D Journois: Aspects theoriques de l'hemofiltration arterioveineuse continue. MAPAR 90, Paris-France, pp 575-594, 1990
193. **C Ronco**, D Journois: Continuous arteriovenous hemofiltration: theoretical background and system optimization. MAPAR 90, Paris-France, pp 596-620, 1990
194. D Journois, D Safran, MH Castelain, **C Ronco**: Aspects pratiques de l'emofiltration continue en reanimation. MAPAR 90, Paris-France, pp 621-646, 1990
195. **C Ronco**, M Feriani, S Chiaramonte, A Brendolan, L Bragantini, P Conz, M Milan, R Dell'Aquila, G La Greca: Backfiltration in clinical dialysis. Nature of the phenomenon and possible solutions. *Contr. to Nephrol.* 77: 96-105, 1990
196. **C Ronco**, A Brendolan, L Bragantini, M Feriani, P Conz, M Milan, S Chiaramonte, R Dell'Aquila, C Crepaldi, M Scabardi, G La Greca: Paired filtration dialysis studies on efficiency, flow dynamics and hydraulic properties of the system. *Blood Purif.*, 8: 126-140, 1990
197. P Conz, PA Bevilacqua, **C Ronco**, M Feriani, A Brendolan, R Dell'Aquila, G Pietribiasi, S Meli, G La Greca: Alpha-1-antichymotrypsin in renal biopsies. *Nephron*, 56: 387-390, 1990
198. P Conz, **C Ronco**, M Feriani, PA Bevilacqua, A Brendolan, R Dell'Aquila, G Pietribiasi, G La Greca: L'alfa-1-antichimotripsina nelle biopsie renali. *Acta medica* Vol. II, n.3-4: 917-919, 1990
199. **C Ronco**: Continuous renal replacement therapy in intensive care. *Advanced Hospital Technology*, 25-33, 1990
200. **C Ronco**, M Feriani, A Brendolan, S Chiaramonte, M Milan, R Dell'Aquila, L Bragantini, P Conz, C Crepaldi, G La Greca: Paired filtration dialysis: Studies on efficiency, flow dynamics and hydraulic properties of the system. *Artif. Organs*, 14, Suppl.2: 97-104, 1990
201. **C Ronco**: Problems related to backfiltration in hemodialysis. *Nefrologia*, X, Suppl.3, 33-43, 1990
202. G La Greca, **C Ronco**: La terapia dialitica nella insufficienza renale cronica. Atti della XXXV Settimana Medica degli Ospedali E.S.M.O. *Acta Medica Edizioni e Congressi* 1990, pp.313-320
203. G La Greca, **C Ronco**, M Feriani, S Chiaramonte, A Brendolan, C Crepaldi, P Conz, L Bragantini, M Milan, R Dell'Aquila: Importanza della qualità dell'acqua e della soluzione dializzante nella terapia dialitica moderna. In: *Attualità nefrologiche e dialitiche '89*. Wichtig Ed., 197-212, 1990

204. C Ronco, A Brendolan: Continuous arterio-venous hemofiltration: optimization of technical procedures and new directions. Recent advances in Anaesthesia pain intensive care and emergency, 341-349, 1990

205. C Ronco, M Feriani, A Brendolan, S Chiaramonte, M Milan, R Dell'Aquila, M Scabardi, L Bragantini, P Conz, G La Greca: Paired filtration dialysis: studies on efficiency, flow dynamics and hydraulic properties of the system. Blood Purif, 8, 126-140, 1990

206. S Chiaramonte, L Bragantini, M Vidali, M Feriani, P Conz, **C Ronco**, A Brendolan, C Crepaldi, R Dell'Aquila, M Milan, G Segato, G La Greca: Rimozione tardiva del catetere peritoneale nei pazienti in CAPD sottoposti a trapianto renale. Nefrologia, Dialisi, Trapianto, Atti del XXXI Congresso Nazionale della Società Italiana di Nefrologia, Siena 9-12 maggio, 1990

207. P Conz, S Dante, **C Ronco**, M Feriani, S Chiaramonte, A Brendolan, M Milan, L Bragantini, R Dell'Aquila, C Crepaldi, PA Bevilacqua, G La Greca: Beta-2-microglobulina e infezione da *helicobacter pylori* nella gastrite cronica attiva del paziente uremico in dialisi. Nefrologia, Dialisi, Trapianto, Atti del XXXI Congresso Nazionale della Società Italiana di Nefrologia, Siena 9-12 maggio, 1990

208. S Chiaramonte, C Crepaldi, A Basso, L Bragantini, A Brendolan, P Conz, R Dell'Aquila, M Feriani, M Milan, R Mingardi, **C Ronco**, A Fortunato, S Cortesi, G La Greca: Studio sul metabolismo glucidico in emodialisi: rapporto con l'età dialitica. Nefrologia, Dialisi, Trapianto, Atti del XXXI Congresso Nazionale della Società Italiana di Nefrologia, Siena 9-12 maggio, 1990

209. G La Greca, P Conz, S Chiaramonte, M Feriani, A Brendolan, L Bragantini, R Dell'Aquila, M Milan, C Crepaldi, **C Ronco**: Principi e caratteristiche dell'emodialisi. La Diagnosi e la terapia dell'Insufficienza Renale Cronica (a cura di G. Buccianti), 117-127, Aspremare, 1990

1991

210. M Feriani, **C Ronco**, S Biasioli, L Bragantini, G La Greca: Effect of dialysate and substitution fluid buffer on buffer flux in hemodiafiltration. Kidney Int. 39:711-717, 1991.

211. C Ronco: Aspetti e prospettive della dialisi ad alta efficienza. Giornale Italiano di Nefrologia, 2:55-59,1991.

212. J Botella, P Ghezzi, C Sanz-Moreno, M Milan, P Conz, G La Greca and **C Ronco** : Multicentric Study on Paired Filtration dialysis as a short, Highly Efficient Dialysis Technique. Nephrol. Dial. Transplant. 1991

213. M Scabardi, S Chiaramonte, **C Ronco**: Dynamic catheterography in the early diagnosis of peritoneal catheter malfunction. In: Peritoneal dialysis, Wichtig ed. Milano, 91-98, 1991.

214. C Ronco: Pathophysiology of ultrafiltration in peritoneal dialysis. In: Peritoneal dialysis, Wichtig ed. Milano, 71-81, 1991.

215. C Ronco, A Brendolan, C Crepaldi: Emofiltrazione artero-venosa continua. In: Nefrologia Pediatrica, Editoriale Bios, Cosenza, 429-455, 1991.

216. G La Greca, **C Ronco**: Insufficienza renale cronica: Personalizzazione della terapia dialitica. Medicina Generale, 3:191-199,1991.

217. C Ronco, A Brendolan, C Crepaldi, R Dell'Aquila, M Milan, G La Greca: Importance of hollow fiber geometry in Continuous Arterio-Venous Hemofiltration. Contr. To Nephrology, Karger, Basel , Vol 93, 175-178, 1991 .

- 218. C Ronco**, A Lupi, A Brendolan, G La Greca: Ultrafiltration and pressure profiles in Continuous Arterio-Venous Hemofiltration Studied by Computerized Scintigraphic Imaging. *Contr. To Nephrology*, Karger, Basel , Vol. 93, 179-183, 1991 .
- 219.** C Crepaldi, **C Ronco**, A Brendolan, G La Greca: Importanza dei flussi ematici sulla stabilità cardiovascolare in emodialisi. In: *Cardioneurology* Wichtig Ed. Milano, 373-383, 1991.
- 220. C Ronco**, A Brendolan, L Bragantini, C Crepaldi, R Dell'Aquila, M Milan, M Feriani, S Chiaramonte, P Conz, G La Greca: High performance continuous arteriovenous hemofiltration in infants with the new minifilter plus. *Contr. to Nephrol.* 93: 254-256, 1991.
- 221.** A Brendolan, **C Ronco**, M Feriani, S Chiaramonte, L Bragantini, M Dal Santo, L Lora, M D'Alessandro, G La Greca: Extracorporeal treatment of ascitic fluid and intraperitoneal reinfusion in patients with refractory ascites. *Contr. to nephrol.* 93: 241-244, 1991.
- 222. C Ronco**: Aspetti idraulici ed idrodinamici della dialisi. In: *Atti del workshop su "I liquidi nella dialisi"*, G La Greca, E. Petrella, A. Cioni Eds., Ghedini editore, Milano, 1991, pp. 149-160.
- 223. C Ronco**, A Lupi, A Brendolan, M Feriani, C Crepaldi, G La Greca: Ultrafiltration and pressure profiles in continuous arterio-venous hemofiltration, studied by computerized scintigraphic imaging. *Int. Journal of Artif. Organs*, 8: 457-462, 1991.
- 224.** L Bragantini, S Chiaramonte, M Feriani, R Dell'Aquila, A Brendolan, P Conz, C Crepaldi, M Milan, **C Ronco**: Rimozione tardiva del catetere peritoneale nei pazienti in CAPD sottoposti a trapianto renale. *Dialisi Peritoneale, Atti del VI Congresso Nazionale*, 599-603, Wichtig Ed., 1991

1992

- 225.** S Chiaramonte, L Bragantini, G Scalco, M Feriani, P Conz, **C Ronco**, A Brendolan, C Crepaldi, R Dell'Aquila, M Milan, G Segato, G La Greca: Late removal of peritoneal catheter in transplanted patients. In: *Current concepts in peritoneal dialysis*, K.Ota, J.F. Maher, JF Winchester, P. Hirszel Eds. Excerpta Medica, Tokyo 1992, pp753-756.
- 226. C Ronco**, A Brendolan, M Feriani, M Milan, P Conz, A Lupi, P Berto, MC Bettini, G La Greca: A new scintigraphic method to characterize ultrafiltration in hollow fiber dialyzers. *Kidney Int.* 41: 1383-1393, 1992.
- 227. C Ronco**: Il problema dell'equilibrio idrico nelle diverse metodiche dialitiche. In: *Tecniche nefrologiche e dialitiche*. Ed. Bios, 1992, pp. 109-125.
- 228. C Ronco**, M Feriani, S Chiaramonte, A Brendolan, R Dell'Aquila, C Crepaldi, F Tasinazzo, Fruner L, G La Greca: Long term permeability of AN69S membrane: comparison between CAVH and CVVH. *Kidney Int. Supplemento* 1992, 311-315.
- 229.** M Feriani, L Bragantini, M Milan, P Conz, D Dissegna, **C Ronco**, G La Greca: Influence of ultrafiltration on bicarbonate kinetics in hemodiafiltration. *Kidney Int. Supplemento* 1992, 155-159.
- 230.** M Feriani, L Bragantini, M Milan, S Chiaramonte, R Dell'Aquila, **C Ronco**, G La Greca. Bicarbonate Kinetics in Acetate Free Biofiltration. *Kidney Int. Supplemento* 1992, 160-164.
- 231. C Ronco**, A Brendolan, C Crepaldi, G La Greca: Ultrafiltration rate und dialysis hypotension. *Dialyse Journal*,40, 8-15, 1992.

232. S Chiaramonte, L Bragantini, A Brendolan, P Conz, C Crepaldi, R Dell'Aquila, M Feriani, M Milan, **C Ronco**, G La Greca: Long-term experience with the Vicenza catheter. Current concepts in peritoneal dialysis, Proceedings of the Fifth Congress of International Society for Peritoneal Dialysis, Kyoto, July 21-24, 1990, 1992

233. C Crepaldi, A Brendolan, **C Ronco**, M Feriani, G La Greca: Fisiopatologia dell'ultrafiltrazione in dialisi peritoneale. Aggiornamenti Nefrologici della Magna Graecia, Crotona, 25-28 settembre 1991, 203-220, Ed. Bios, 1992

234. A Brendolan, **C Ronco**, L Bragantini, C Crepaldi, M Feriani, G La Greca, Alarabi A, Danielson B, Wikstrom B: Studio comparativo sull'utilizzazione della emofiltrazione artero venosa continua nel trattamento dell'insufficienza renale acuta in due centri. Aggiornamenti Nefrologici della Magna Graecia, Crotona, 25-28 settembre 1991, 279-284, Ed. Bios, 1992

1993

235. Pellanda MV, A Fabris, **C Ronco**: Etiology and pathophysiology of acute renal failure. In: Pathophysiologic foundations of critical care medicine. M.J. Pinsky and J.F. Dhainaut Eds, Williams and Wilkins, Baltimore, 1993, Chapter 34, pp. 571-585.

236. **C Ronco**, H Burchardi: Management of acute renal failure in the critically ill patient. In: Pathophysiologic foundations of critical care. M.J. Pinsky and J.F. Dhainaut Eds, Williams and Wilkins, Baltimore, 1993, Chapter 34, pp. 630-676.

237. **C Ronco**: Hemofiltration and hemodiafiltration. In: Hemodialysis; high efficiency treatments. J.P. Bosch Ed., Churchill Livingstone, New York, 1993. pp 119, 133.

238. **C Ronco**, A Brendolan, C Crepaldi: Water and dialysate treatment for hemodialysis. In: Hemodialysis; high efficiency treatments. J.P. Bosch Ed., Churchill Livingstone, New York, 1993. pp 41-61.

239. JP Bosch, **C Ronco**: High-efficiency treatments: risks and common problems encountered in clinical application. In: Hemodialysis; high efficiency treatments. J.P. Bosch Ed., Churchill Livingstone, New York, 1993. pp 209-224.

240. **C Ronco**, A Brendolan, C Crepaldi, MC Bettini, Cappellari F, Tasinazzo L, Fortunato L, G La Greca: Technical and clinical evaluation of a new assymmetric polysulfone membrane (biosulfane). Int. Journal of Artif. Organs. 8: 573-584, 1993.

241. M Milan, **C Ronco**: Emofiltrazione arterovenosa continua e tecniche derivate. Trattato Italiano di dialisi, Capitolo 4, Wichtig Ed. Ottobre 1993, pp. 4-14.

242. **C Ronco**: Introduction to the round table on Evolution in PD Industry. Perit. Dial. Int. 13:Sppl. 2, S560, 1993.

243. **C Ronco**: Continuous renal replacement therapies for the treatment of acute renal failure in intensive care patients. Clin. Nephrol.vol 40 n.4: 187-198, 1993.

244. **C Ronco**, M Feriani, S Chiaramonte, A Brendolan, L Bragantini, M Milan, R Dell'Aquila, C Crepaldi, G La Greca: High performance CAVH: impact of a new modified polysulfone membrane and new filter geometry. Revista Portuguesa de Nefrologia e Hipertensao. 3: 271-284, 1993.

245. **C Ronco**, A Brendolan, C Crepaldi, M Feriani, G La Greca: Continuous high flux dialysis (CHFD) : a new form of continuous renal replacement therapy in intensive care patients. In: Proceedings 3rd

Int. Symposium on Acute renal failure, Halkidiki, Greece, M. Papadimitriou, E. Alexopoulos eds, University studio Press, 1993, pp. 624-634.

246. C Ronco, A Brendolan, L Bragantini, C Crepaldi, P Conz, R Dell'Aquila, M Milan, M Feriani, S Chiaramonte, G La Greca: Treatment of acute renal failure in the newborn by continuous renal replacement therapies (CAVH-CAVHD-CVWH-CVVHD). In: Proceedings 3rd Int. Symposium on Acute renal failure, Halkidiki, Greece, M. Papadimitriou, E. Alexopoulos eds, University studio Press, 1993, pp. 616-623.

247. C Ronco, L Fecondini, L Gavioli, P Conz, M Milan, R Dell'Aquila, L Bragantini, S Chiaramonte, C Crepaldi, M Feriani, G La Greca: Study on pressure drop inside the blood compartment of the filter during continuous veno-venous hemofiltration as an early sign of fiber clotting with a pressure sensitive blood module. In: Proceedings 3rd Int. Symposium on Acute renal failure, Halkidiki, Greece, M. Papadimitriou, E. Alexopoulos eds, University studio Press, 1993, pp. 607-615.

248. C Ronco: Dialysis delivery versus dialysis prescription. Int. Journal of Artif. Organs, 16: 628-635, 1993.

249. C Ronco, L Fecondini, L Gavioli, P Conz, M Milan, R Dell'Aquila, L Bragantini, S Chiaramonte, A Brendolan, C Crepaldi, M Feriani, G La Greca: A new blood module for continuous renal replacement therapies. Int. Journal of Artif. Organs, 1: 14-18, 1994.

250. C Crepaldi, **C Ronco**, A Fabris, M Feriani, S Chiaramonte, R Dell'Aquila, M Milan, A Brendolan, L Bragantini, G La Greca: Rimozione di fosfati nelle dialisi ad alta efficienza. Problematiche della terapia sostitutiva, Kemer, 4-7 ottobre 1992, Ed. Bios, 1993.

251. C Ronco, A Brendolan, M Milan: Dialisi brevi ad alta efficienza. Terapia Nefrologica, Francesco P. Schena, Ed. Utet, 497-506, 1993.

252. A Brendolan, **C Ronco**, C Crepaldi, M Feriani, M Milan, L Fecondini, G La Greca: Clinical use of a new fluid balancing system: a useful complement to continuous replacement therapies. Journal of Nephrology, vol. 6, n. 3, 149-152, 1993.

1994

253. C Ronco: Paired filtration dialysis: una tecnica dialitica in evoluzione. Giornale Italiano di Nefrologia, 1:1-5, 1994.

254. C Ronco, P Conz, Agostini F, JP Bosch, S LewQ, G La Greca: The concept of adequacy in peritoneal dialysis. Peritoneal Dialysis International, 14 (Suppl.3) ; S93-S98, 1994.

255. KD Nolph, G La Greca, **C Ronco**: Future trends in peritoneal dialysis. Peritoneal Dialysis International, 14 (Suppl.3) ; S169-S170, 1994.

256. C Ronco: Continuous renal replacement therapies in the treatment of acute renal failure in intensive care patients. Part 1: Theoretical aspects and techniques. Nephrol, Dial, Transplant. 1994.

257. C Ronco: Continuous renal replacement therapies in the treatment of acute renal failure in intensive care patients. Part 2: Clinical indications and prescription. Nephrol, Dial, Transplant. 1994.

258. C Ronco, A Digito, M Dan: Continuous high flux dialysis (CHFD). Yearbook of intensive care and emergency medicine, J.L. Vincent ed. Springer Verlag, 1994, pp. 671-677.

- 259. C Ronco**, P Conz, JP Bosch, S LewQ, G La Greca: Assessment of adequacy in peritoneal dialysis. *Advances in Renal replacement therapy*, Vol. 1, 1: 15-23, 1994.
- 260. C Ronco**, JP Bosch, S LewQ, M Feriani, S Chiaramonte, P Conz, A Brendolan, G La Greca: Adequacy of continuous ambulatory peritoneal dialysis: Comparison with other dialysis techniques. *Kidney Int.* 46 (Suppl 48), S18-S24, 1994.
- 261. C Ronco**, C Tetta, A Lupi, E Galloni, MC Bettini, L Sereni, F Mariano, A De Martino, G Montrucchio, G Camussi, G La Greca: Removal of platelet activating factor by continuous hemofiltration. *Critical Care Medicine*, 23 n. 1, 99-107, 1995.
- 262. C Ronco**, A Brendolan, C Crepaldi, M Milan, L Bragantini, G La Greca: In vitro study of the modified cellulose triacetate dialyzer series "sureflux". In *Cellulose triacetate: evolution of a dialysis membrane*, G La Greca-C Ronco Eds, Wichtig Editore, Milano, pp 21-30, 1994.
- 263.** A Brendolan, **C Ronco**, C Crepaldi, M Feriani, S Chiaramonte, D Dissegna, G La Greca: Technical and clinical evaluation of the sureflux dialyzer series with modified cellulose triacetate membrane. In *Cellulose triacetate: evolution of a dialysis membrane*, G La Greca-C Ronco Eds, Wichtig Editore, Milano, 1994, pp 45-53.
- 264.** A Lupi, **C Ronco**, MC Bettini, G La Greca: Ultrafiltration and backfiltration profiles in hollow fiber dialyzers with different membranes. In *Cellulose triacetate: evolution of a dialysis membrane*, G La Greca-C Ronco Eds, Wichtig Editore, Milano, 1994, pp 63-74
- 265.** C Crepaldi, **C Ronco**, A Brendolan, R Dell'Aquila, Tasinazzo L, MC Bettini, G La Greca: Impact of diffusion coefficients and membrane structure on phosphate clearance in hemodialysis. In *Cellulose triacetate: evolution of a dialysis membrane*, G La Greca-C Ronco Eds, Wichtig Editore, Milano, 1994, pp 75-85
- 266.** F Locatelli, F Mastrangelo, B Redaelli, **C Ronco**, D Marcelli, G Orlandini, et Al.: Effetto di differenti membrane e tecniche dialitiche sulla tolleranza al trattamento e sui parametri nutrizionali dei pazienti emodializzati. *Razionale e protocollo di studio*. In: *Evolution in dialysis '94*, Springer Verlag, Milano 1994, pp. 30-40.
- 267.** Comelli M, D Marcelli, F Locatelli, F Mastrangelo, B Redaelli, **C Ronco**, G Orlandini et Al.: Effetto di differenti membrane e tecniche dialitiche sulla tolleranza al trattamento e sui parametri nutrizionali dei pazienti emodializzati. *II Analisi statistica*. In: *Evolution in dialysis '94*, Springer Verlag, Milano 1994, pp. 41-44.
- 268.** F Mastrangelo, F Locatelli, B Redaelli, **C Ronco**, D Marcelli, G Orlandini, et Al.: Effetto di differenti membrane e tecniche dialitiche sulla tolleranza al trattamento e sui parametri nutrizionali dei pazienti emodializzati. *III. Razionale e metodologia per lo studio dello stato nutrizionale*. In: *Evolution in dialysis '94*, Springer Verlag, Milano 1994, pp. 46-51.
- 269. C Ronco**, A Lupi, G Berto, A Brendolan, C Crepaldi, F Gastaldon, G La Greca: Profili di ultrafiltrazione nei dializzatori a fibre cave. In: *Evolution in dialysis '94*. , Springer Verlag, Milano 1994, pp. 65-81.
- 270. C Ronco**, JP Bosch, S LewQ, M Feriani, S Chiaramonte, P Conz, A Brendolan, G La Greca: Adequate CAPD- ein Vergleich mit anderen Dialyseverfahren. *Nieren und Hochdruck krankheiten*23, 2: S110-S115, 1994.
- 271.** A Brendolan, **C Ronco**, C Crepaldi, L Bragantini, M Milan, F Gastaldon, G La Greca. Double pass dialysis: a new method of renal replacement in patients with malfunctioning vascular access. *Int J Artif Organs*, vol 17: 379-384, 1994

272. M Milan, **C Ronco**: Emofiltrazione arterovenosa continua e tecniche derivate. Giornale di tecniche nefrologiche e dialitiche. 3, 1-15, 1994.

273. **C Ronco**, G Cappelli, M Ballestri, E Lusvarghi, P Frisone, M Milan, R Dell'Aquila, C Crepaldi, D Dissegna, F Gastaldon, G La Greca: On-line filtration of dialysate: structural and functional features of an asymmetric polysulfone hollow fiber ultrafilter (Diaclean). Int J artif organs, 10: 515-520, 1994.

274. **C Ronco**, A Brendolan, C Crepaldi, P Conz, L Bragantini, M Milan, G La Greca: Ultrafiltration and clearance studies in human isolated peritoneal vascular loops. Blood Purif 12: 233-242, 1994.

1995

275. **C Ronco**, L Parenzan: Acute renal failure in infancy: treatment by continuous renal replacement therapy. Intensive Care Med 21: 490-499, 1995.

276. **C Ronco**, R Bellomo: Adequacy of renal replacement therapy. In: Update in intensive care and emergency medicine, Vol. 20, Springer Verlag, Heidelberg, pp. 364-384, 1995.

277. **C Ronco**: Acute renal failure in the neonate: Treatment by continuous renal replacement therapy. In: Update in intensive care and emergency medicine, Vol. 20, Springer Verlag, Heidelberg, pp. 246-264, 1995.

278. R Bellomo, **C Ronco**: Acute renal failure in the intensive care unit: which treatment is the best? In: Update in intensive care and emergency medicine, Vol. 20, Springer Verlag, Heidelberg,, pp. 385-406, 1995

279. C Tetta, G Montrucchio, **C Ronco**, G Camussi: Mechanisms of tissue damage in Acute renal failure. In: Update in intensive care and emergency medicine, Vol. 20, Springer Verlag, Heidelberg, , pp. 64-89, 1995

280. **C Ronco**, R Bellomo: Kontinuierliche Nierenersatzverfahren: Wirkungsprinzipien. Dialyse Journal, 50: 19-24, 1995.

281. **C Ronco**, R Bellomo: Continuous renal replacement therapies: the need for a standard nomenclature. Contrib Nephrol, 116: 28—33, 1995

282. **C Ronco**, A Fabbri, M Dan, R Bellomo: Role of continuous therapies in patients with acute renal failure and multiple organ system dysfunction. Cardionephrology. M. Timio, W. Witzeman and M. Venanzi eds. Bios editore, pp. 491-501, 1995.

283. AA Alarabi, **C Ronco**, A Brendolan, F Raimondi, B Wikstrom and BG Danielson: Treatment of acute renal failure in intensive care patients by continuous arteriovenous hemofiltration (CAVH): Two years experience in two centres. Upsala J Med Sci 100: 143-149, 1995.

284. **C Ronco**, R Bellomo: Wirkungsprinzipien kontinuierlicher Nierenersatzverfahren. Anästhesiologie Intensivmedizin. 10: 272-276, 1995.

285. **C Ronco**, R Bellomo: Basic mechanisms and definitions for continuous renal replacement therapies. Proc 8th European Congress of Intensive care medicine, Athens, pp. 363- 367, 1995.

286. **C Ronco**, A Brendolan, C Crepaldi, P Frisone, F Ghiotto, S Zamboni, F Gastaldon, G La Greca: On-line urea monitoring: a further step towards adequate dialysis prescription and delivery. Int J artif organs, 9:534-543, 1995.

287. C Ronco, S Barbacini, A Digito, C Zoccali: Achievements and New directions in continuous renal replacement therapies. *New Horizons*, 4: 708-716, 1995.

288. C Ronco, G La Greca: Integration of peritoneal dialysis in active uremia treatment. *Rev Port Nefrol Hipert*, 9 (4): 305-312, 1995.

1996

289. H Burchardi, **C Ronco**: Preface to Special issue of the International Journal of Artificial Organs dedicated to Continuous renal replacement therapies in intensive care medicine. 81, 1996.

290. C Ronco , H Burchardi: Introduction to Special issue of the International Journal of Artificial Organs dedicated to Continuous renal replacement therapies in intensive care medicine. 82, 1996.

291. C Ronco: Historical background. Special issue of the International Journal of Artificial Organs dedicated to Continuous renal replacement therapies in intensive care medicine. 83, 1996.

292. C Ronco, R Bellomo: Basic mechanisms and definitions for continuous renal replacement therapies. Special issue of the International Journal of Artificial Organs dedicated to Continuous renal replacement therapies in intensive care medicine. 95-99, 1996.

293. R Bellomo, **C Ronco**: Adequacy of dialysis in the acute renal failure of the critically ill: the case for continuous therapies. Special issue of the International Journal of Artificial Organs dedicated to Continuous renal replacement therapies in intensive care medicine. 129-142, 1996

294. C Ronco, R Bellomo: Continuous high flux dialysis: an efficient renal replacement. *Yearbook of intensive care and emergency medicine*. J L Vincent ed, Springer Int, pp. 690-696, 1996.

295. C Ronco, A Brendolan, C Crepaldi, D Dissegna, F Gastaldon, Z Samuele, G La Greca: Measurement of effective delivery of the prescribed dialysis treatment. *Nephrol Dial Transplant*, 68-74, 1996

296. C Ronco: The nearest capillary hypothesis: a novel approach to peritoneal transport physiology. *Perit Dial Int* 16: 121-125, 1996.

297. R Bellomo, **C Ronco**: Acute renal failure in the ICU: adequacy of dialysis and the case for continuous therapies. *Nephrol Dial Transplant*, 1996, 11:424-428, 1996.

298. C Crepaldi, A Brendolan, **C Ronco**: Trombosi di vena iliaca esterna sinistra, dopo posizionamento a cielo aperto di catetere venoso con tunnel sottocutaneo. Sua riabilitazione mediante attivatore tissutale umano del plasminogeno. *Giornale Italiano di Nefrologia*, 2: 109-113, 1996.

299. M Feriani, **C Ronco**, G La Greca: Acid-Base balance with different CAPD solutions. *Peritoneal Dialysis International*, 16 (S1), 1996

300. R Bellomo, **C Ronco**: The changing pattern of acute renal failure. *Nephrology*, 2: 149-154, 1996.

301. C Ronco, R Bellomo: Continuous hemofiltration in acute renal failure. *Current opinion in Anaesthesiology*. 2:166-170, 1996.

- 302. C Ronco**, P Conz, L Bragantini, R Dell'Aquila, C Crepaldi, D Dissegna, F Gastaldon, G La Greca: Integration of peritoneal dialysis in active uremia treatment. *Peritoneal Dialysis International*, 16 (S1), 393-397,1996
- 303. C Ronco**, M Feriani, S Chiaramonte, A Brendolan, M Milan, G La Greca: Peritoneal Blood Flow: does it matter? *Peritoneal Dialysis International*, 16 (S1), 70-75,1996
- 304. C Ronco**, R Bellomo, ML Wratten, C Tetta: R Bellomo: Future technology for CRRT. *American Journal of Kidney disease*, 5 (S3), 121-129, 1996
- 305.** R Bellomo, **C Ronco**, RL Metha: Nomenclature for continuous renal replacement therapies. *American Journal of Kidney disease*, 5 (S3), 2-7, 1996
- 306.** R Bellomo, **C Ronco**: The Nutritional management of acute renal failure in the critically ill patient. *American Journal of Kidney disease*, 5 (S3), 58-61, 1996
- 307. C Ronco**, R Bellomo: Complications with continuous renal replacement therapies. *American Journal of Kidney Disease*,28,5 (S3), 100-104, 1996
- 308. C Ronco**, R Bellomo: Acute renal failure in patients with kidney transplant: continuous versus intermittent renal replacement therapy. *Renal Failure* 18 (3), 461-470, 1996.
- 309. C Ronco**, R Bellomo, ML Wratten, C Tetta: Today's technology for continuous renal replacement therapies. *Clinical Intensive Care*; 7, 198-205, 1996
- 310. C Ronco**: Limitations of peritoneal dialysis. *Kidney International*, vol 50, suppl. 56, 69-74, 1996
- 311. C Ronco**, M Feriani, F Gastaldon, A Brendolan, C Crepaldi, W Goepel, G La Greca: Il concetto di adeguatezza in dialisi peritoneale. *Attualità nefrologiche e dialitiche*. Wichtig Ed. 157-165, 1996
- 312. C Ronco**, W Goepel, A Brendolan, C Crepaldi, G La Greca: Funzioni e caratteristiche del liquido di dialisi. *Tecniche nefrologiche e dialitiche*. Wichtig Ed. , 165-175, 1996
- 313. C Ronco**, A Brendolan, C Crepaldi, M Feriani, G La Greca: Continuous high-flux dialysis (CHFD): a new form of continuous renal replacement therapy in intensive care patients. *Lijec Vjesn*, 118 (supl.2), 157-160, 1996
- 314.** F Locatelli, F Mastrangelo, B Redaelli, **C Ronco**, D Marcelli, G La Greca, G Orlandini, and the Italian Cooperative Dialysis Study Group: Effects of different membranes and dialysis technologies on patient treatment tolerance and nutritional parameters. *Kidney International*, vol. 50, 1293-1302, 1996

1997

- 315. C Ronco**: Adequacy of peritoneal dialysis is more than Kt/V. *Nephrol Dial Transplant*, 12, suppl 1, 68-73, 1997
- 316.** R Bellomo, **C Ronco**: Nutrition au cours de l'insuffisance rénale aiguë. *Nutrition Clinique et Métabolisme*, vol 11, n 4, pp 499-509, 1997
- 317.** I Gopal, S Bhonagiri, **C Ronco**, R Bellomo: Out of hospital outcome and quality of life in survivors of combined acute multiple organ and renal failure treated with continuous venovenous hemofiltration/hemodiafiltration. *Intensive Care Med*, 23, 766-772, 1997

- 318. C Ronco:** Integration of peritoneal dialysis in active uremia treatment. Séminaires d'uro-néphrologie, Masson, 115-126, 1997
- 319. C Ronco,** M Dan: Continuous hemofiltration - developments and new directiond. Continuous hemofiltration in the intensive care unit. Ed. Journois, 115-120, 1997
- 320. C Tetta, F Mariano, J Buades, C Ronco, ML Wratten, G Camussi:** Relevance of platelet-activating factor in inflammation and sepsis: mechanisms and kinetics of removal in extracorporeal treatments. American Journal of Kidney Diseases, vol 30, n 5, suppl 4 (November), pp S57-S65, 1997.
- 321. C Ronco,** R Bellomo: Continuous renal replacement therapies. Mediguide to Nephrology, vol 5, issue 6, pp 1-8, 1997
- 322. C Ronco,** R Bellomo: The rising era of critical care nephrology. Current Opinion in Critical Care, 3, 405-407, 1997
- 323. C Ronco,** R Bellomo: The evolving technology for continuous renal replacement therapy from current standards to high-volume hemofiltration. Current Opinion in Critical Care, 3, 426-433, 1997
- 324. C Ronco,** M Scabardi, F Goldoni, A Brendolan, C Crepaldi, G La Greca: Impatto di una nuova configurazione del comparto del liquido di dialisi sulla distribuzione del flusso del dialisato e sulla performance del dializzatore. Tecniche nefrologiche e dialitiche. Ed. Bios, 211-217, 1997
- 325. A Brendolan, C Crepaldi, C Ronco, M Milanani S, C Pellegrin, G La Greca:** Cuffed venous catheters: experience of four years in a hemodialysis center. Angioaccess for Hemodialysis, Proceedings of the International Multidisciplinary Symposium, Tours, France, June 3-5 1996, Gambro & Guebert Publications, Paris, 141-143, 1997
- 326. C Ronco,** M Scabardi, M Goldoni, A Brendolan, C Crepaldi, G La Greca: Impact of spacing filaments external to hollow fibers on dialysate flow distribution and dialyzer performance. The International Journal of Artificial Organs, 20, 5, 261-266, 1997
- 327. C Ronco,** A Heifetz, K Fox, C Curtin, A Brendolan, F Gastaldon, C Crepaldi, A Fortunato, G Pietribiasi, A Caberlotto, A Brunello, M S Milanani, M Zanella, G La Greca: Beta 2-microglobulin removal by synthetic dialysis membranes. The International Journal of Artificial Organs, 20, 3, 136-143, 1997
- 328. C Ronco,** M Feriani, G La Greca: Cinética de los intercambios peritoneales en CAPD. Insuficiencia renal crónica - diálisis y Trasplante Renal, II Edición, vol 2, cap 32, 953-998
- 329. C Ronco,** JP Bosch: Terapias continuas de depuración extrarrenal. Insuficiencia renal crónica - diálisis y Trasplante Renal, II Edición, vol 2, cap 42, 1279-1311
- 330. C Ronco,** R Bellomo, M Hensel: Kontinuierliche „High flux“-dialyse: ein effizientes nierenersatzverfahren für intensivpatienten. Zentralblatt für Chirurgie, 122, 387-382, 1997
- 331. R Dell'Aquila, M Feriani, E Mascalonzi, L Bragantini, C Ronco, G La Greca:** Oxalate removal by differing dialysis techniques. ASAIO Transactions, 38, 4, 797-800, 1992
- 332. F Locatelli, F Mastrangelo, B Badaelli, C Ronco, D Marcelli, G Orlandini, and c:** The effects of different membranes and dialysis technologies on the treatment tolerance and nutritional parameters of hemodialysis patients. Design of a prospective randomised multicenter trial. Journal of Nephrology, 7, 2, 123-129, 1994

1998

- 333. C Ronco**, R Bellomo: Critical Care Nephrology: the time has come. *Nephrol Dial Transplant*, 13, 264-267, 1998
- 334. C Ronco**, R Bellomo: Quo vadis CRRT? *Kidney International*, vol. 53, suppl. 66, S190-191, 1998
- 335.** R Bellomo, I Baldwin, L Cole, **C Ronco**: Preliminary experience with high-volume hemofiltration in human septic shock. *Kidney International*, vol. 53, suppl. 66, S182-182, 1998
- 336.** C Tetta, JM Cavaillon, G Camussi, G Lonneman, A Brendolan, **C Ronco**: Continuous plasma filtration coupled with sorbents. *Kidney International*, vol. 53, suppl. 66, S186-189, 1998
- 337. C Ronco**, R Bellomo: Continuous renal replacement therapy: evolution in technology and current nomenclature. *Kidney International*, vol. 53, suppl. 66, S160-164, 1998
- 338.** WR Clark, **C Ronco**: Renal replacement therapy in acute renal failure: solute removal mechanism and dose quantification. *Kidney International*, vol. 53, suppl. 66, S133-137, 1998
- 339.** R Bellomo, **C Ronco**: Continuous versus intermittent renal replacement therapy in the intensive care unit. *Kidney International*, vol. 53, suppl. 66, S125-128, 1998
- 340.** R Bellomo, **C Ronco**: Indications and criteria for initiating renal replacement therapy in the intensive care unit. *Kidney International*, vol. 53, suppl. 66, S106-109, 1998
- 341.** R Bellomo, L Cole, **C Ronco**: Hemodynamic support and the role of dopamine. *Kidney International*, vol. 53, suppl. 66, S 71-74, 1998
- 342.** R Bellomo, **C Ronco**: The kidney in heart failure. *Kidney International*, vol. 53, suppl. 66, S 58-61, 1998
- 343.** G Camussi, **C Ronco**, G Montrucchio, G Piccoli: Role of solute mediators in sepsis and renal failure. *Kidney International*, vol. 53, suppl. 66, S 38-42, 1998
- 344. C Ronco**, R Bellomo, M Feriani, G La Greca: Critical care nephrology: the time has come. *Kidney International*, vol. 53, suppl. 66, S 1-2, 1998
- 345. C Ronco**, R Bellomo: Continuous versus intermittent renal replacement therapy in the treatment of acute renal failure. *Nephrol Dial Transplant*, 13, 6, 79-85, 1998
- 346. C Ronco**, A Brendolan, G La Greca: The peritoneal dialysis system. *Nephrol Dial Transplant*, 1998
- 347. C Ronco**, PM Ghezzi, A Brendolan, C Crepaldi, G La Greca: The haemodialysis system: basic mechanism of water and solute transport in extracorporeal renal replacement therapies. *Nephrol Dial Transplant*, 13, 6, 3-9, 1998
- 348. C Ronco**, A Brendolan, M Dan, S Piccini: Tecniche dialitiche nelle unità operative di emergenza. IV Corso Nazionale di Aggiornamento Tecnici di Emodialisi. Ed. Goliardiche, 39-46, 1998
- 349.** E Pagani, V Tessore, F Ghiotto, **C Ronco**, C Tetta: Apparecchiatura per trattamento acuti. IV Corso Nazionale di Aggiornamento Tecnici di Emodialisi. Ed. Goliardiche, 213, 1998

- 350. C Ronco**, R Bellomo: Preface to Critical Care Nephrology. Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1998
- 351.** R Bellomo, **C Ronco**: The use of inotropic and vasopressor agents in patients at risk of renal dysfunction. Critical Care Nephrology, Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1133-1138, 1998
- 352. C Ronco**, R Bellomo: Nomenclature for continuous renal replacement therapy. Critical Care Nephrology, Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1169-1176, 1998
- 353. C Ronco**, R Bellomo: Principles of solute clearance during continuous renal replacement therapy. Critical Care Nephrology, Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1213-1224, 1998
- 354.** W Silvester, R Bellomo, **C Ronco**: Continuous versus intermittent renal replacement therapy in the critically ill. Critical Care Nephrology, Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1225-1238, 1998
- 355.** C Tetta, F Mariano, **C Ronco**, R Bellomo: Removal and generation of inflammatory mediators during continuous renal replacement therapies. Critical Care Nephrology, Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1239-1248, 1998
- 356. C Ronco**, A Brendolan, R Bellomo: Current technology for continuous renal replacement therapies. Critical Care Nephrology, Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1269-1308, 1998
- 357. C Ronco**, R Bellomo: Acute renal failure in infancy: treatment by continuous renal replacement therapy. Critical Care Nephrology, Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1335-1350, 1998
- 358. C Ronco**, R Bellomo: Complications of continuous renal replacement therapies. Critical Care Nephrology, Ed. by C Ronco, R Bellomo, Kluwer Academic Publishers, 1351-1356, 1998
- 359.** C Tetta, JM Cavaillon, M Schulze, **C Ronco**, PM Ghezzi, G Camussi, AM Serra, F Curti, G Lonneman: Removal of cytokines and activated complement components in an experimental model of continuous plasma filtration coupled with sorbent adsorption. Nephrol Dial Transplantation, 13, 1458-1464, 1998
- 360. C Ronco**, A Brendolan, M Irone, A Digito: Classificazione, nomenclatura e tecnologia applicata delle terapie renali sostitutive continue. Tecniche nefrologiche e dialitiche, 323-331, 1998
- 361.** G La Greca, A Brendolan, PM Ghezzi, R De Smet, C Tetta, R Gervasio, **C Ronco**: The concept of sorbent in hemodialysis. The International Journal of Artificial Organs, 21, 6, 303-308, 1998
- 362.** R Bellomo, **C Ronco**: Continuous renal replacement therapy: continuous blood purification in intensive care. Annals Academy of Medicine, 27, 3, 426-429, 1998
- 363.** R Bellomo, **C Ronco**: Adequacy of renal replacement in intensive care medicine: a case for continuous techniques. Current Topics in Intensive Care. Ed. H Burchardi, Dobb GJ, Bion J, Dellinger RP, 95-121, 1998
- 364. C Ronco**, G Orlandini, A Brendolan, A Lupi, G La Greca: Enhancement of convective transport by internal filtration in a modified experimental hemodialyzer. Kidney International, 54, 979-985, 1998

- 365. C Ronco**, R Bellomo: Renal replacement therapy in the critically ill patients: continuous from origin to actual trends. Sixth all-russian congress on anesthesiology and intensive care. Satellite Symposium. Continuous renal replacement therapy and anticoagulation for the treatment of critical states. Mosca, 6 ottobre 1998. Atti, 72-87.
- 366.** E Verrina, A Brendolan, R Gusmano, **C Ronco**: Chronic renal replacement therapy in children: which index is best for adequacy? *Kidney International*, 54, 1690-1696, 1998
- 367. C Ronco**, A Fabris: Diagnosis and assessment. Oxford textbook of Critical Care. Ed. Webb, Shapiro, Singer, Suter, 6.2, 407-409, 1998
- 368.** R Bellomo, **C Ronco**: Diagnosis. Oxford textbook of Critical Care. Ed. Webb, Shapiro, Singer, Suter, 6.3.2, 417-419, 1998
- 369.** R Bellomo, **C Ronco**: Management. Oxford textbook of Critical Care. Ed. Webb, Shapiro, Singer, Suter, 6.3.3, 419-422, 1998
- 370.** Piccinni P, M Dan, S Marafon, N Zamperetti, R Bellomo, **C Ronco**: Continuous renal replacement therapy in patients with HELLP syndrome. *Current Opinion in Critical Care*, 4, 384-388, 1998
- 371.** R Bellomo, **C Ronco**: Renal system. *Current Opinion in Critical Care*, 4, 339-340, 1998
- 372.** R Bellomo, **C Ronco**: Continuous renal replacement therapy and failing kidney. *Current Opinion in Critical Care*, 4, 389-392, 1998
- 373.** I Ledebø, A Alvestrand, C Jacobs, G Lonneman, E Ritz, **C Ronco**, P Zucchelli: Dialysis fluid composition and quality-professional opinion vs scientific evidence. *Nephrol Dial Transplantation*, 13, 1598-1602, 1998
- 374. C Ronco**: Preface. PMMA, A FLEXIBLE MEMBRANE FOR A TAILORED DIALYSIS. Contributions to Nephrology, n.125, VII, Karger, Basel, 1998.
- 375.** PM Ghezzi, S. Meinero, **C Ronco**: Structural and functional characteristics of currently available PMMA dialyzers. PMMA, A FLEXIBLE MEMBRANE FOR A TAILORED DIALYSIS. Contributions to Nephrology, n.125,25-40, Karger, Basel, 1998
- 376.** A Brendolan, **C Ronco**, PM Ghezzi, M. Scabardi, G La Greca: Hydraulic and flow dynamic characteristics of PMMA dialyzers. PMMA, A FLEXIBLE MEMBRANE FOR A TAILORED DIALYSIS. Contributions to Nephrology, n.125, 41-52, Karger, Basel, 1998.
- 377.** PM Ghezzi, G. Canepari, **C Ronco**: Behaviour of clearances and diffusive permeability during hemodialysis with PMMA dialyzers: clinical study. PMMA, A FLEXIBLE MEMBRANE FOR A TAILORED DIALYSIS. Contributions to Nephrology, n.125, 53-64, Karger, Basel, 1998.

1999

- 378.** DA Story, **C Ronco**, R Bellomo: Trace element and vitamin concentrations and losses in critically ill patients treated with continuous venovenous hemofiltration. *Crit Care Med*. 1999 Jan;27(1):220-3
- 379.** R Bellomo, M Farmer, S Bhonagiri, S Porceddu, M Ariens, D M'Pisi, **C Ronco**: Changing acute renal failure treatment from intermittent hemodialysis to continuous hemofiltration: impact on azotemic control. *The International Journal of Artificial Organs*, 22, 3, 145-150, 1999

- 380. C Ronco**, M Feriani, GB Virga, GP Amici, G La Greca: Peritoneal dialysis: adequacy beyond Kt/V. Proceedings of the ISPD '98. The VIII Congress of the ISPD, August 23/26 1998 Seoul, Korea. Peritoneal Dialysis International, 19,2, 32-37, 1999
- 381.** GP Amici, GB Virga, **C Ronco**: Automated peritoneal dialysis: when and to do it. Proceedings of the ISPD '98. The VIII Congress of the ISPD, August 23/26 1998 Seoul, Korea. Peritoneal Dialysis International, 19,2, 117-122, 1999
- 382. C Ronco**, P Ghezzi, R Bellomo: New perspective in the treatment of acute renal failure. Blood Purification, 17, 166-172, 1999
- 383. C Ronco**, R Bellomo, A Brendolan, V Pinna, G La Greca: Brain density changes during renal replacement in critically ill patients with acute renal failure. Journal of Nephrology, 12, 3, 173-178, 1999
- 384.** H Gao, S LewQ, **C Ronco**, GJ Mishkin, JP Bosch: The impact of residual renal function and total body water volume on achieving adequate dialysis in CAPD. Journal of Nephrology, 12, 3, 184-189, 1999
- 385. C Ronco**, A Brendolan, R Bellomo: On-line monitoring of blood volume in continuous and intermittent renal replacement therapies. Clinical Intensive Care, 10, 125-129, 1999
- 386.** N Lameire, C Tetta, **C Ronco**: Foreword . Blood Purification, 17, 55-57, 1999
- 387.** I Ledebó, **C Ronco**, R Schindler, R Greenwood, A Santoro, F Valderrábano: Progress in dialysis technology-clinical benefit vs increased complexity and risk. Report on the Dialysis Opinion Symposium at the ERA-EDTA Congress, 7 June 1998, Rimini. Nephrology Dialysis Transplantation, 14, 1999
- 388.** R Bellomo, **C Ronco**: Continuous renal replacement therapy in the intensive care unit. Intensive Care Med, 25, 781-789, 1999
- 389. C Ronco**, A Brendolan, P Everard, M Irone, M Ballestri, G Cappelli, P Inguaggiato, R Bellomo: Cellulose triacetate: another membrane for continuous renal replacement therapy. J Nephrol, 12, 241-247, 1999
- 390. C Ronco**, A Brendolan, M Irone, A Digito: Classificazione, nomenclatura e nuova tecnologia applicata delle terapie renali sostitutive continue. Giornale Italiano di Nefrologia, 16, 5, 1999
- 391. C Ronco**, A Brendolan, G Cappelli, M Ballestri, P Inguaggiato, L Fortunato, M Milan, G Pietribiasi, G La Greca: *In vitro* and *in vivo* evaluation of a new polysulfone membrane for hemodialysis. Reference methodology and clinical results (Part 1: *in vitro* study) The International Journal of Artificial Organs, 22, 9, 604-615, 1999
- 392. C Ronco**, A Brendolan, G Cappelli, M Ballestri, P Inguaggiato, L Fortunato, M Milan, G Pietribiasi, G La Greca: *In vitro* and *in vivo* evaluation of a new polysulfone membrane for hemodialysis. Reference methodology and clinical results (part. 2: *In vivo* study) The International Journal of Artificial Organs, 22, 9, 616-624, 1999
- 393. C Ronco**: Haemodialysis filters: what's new? Current Opinion in Nephrology and Hypertension, 8, 709-713, 1999
- 394. C Ronco**, D Marcelli: Opinions regarding outcome differences in European and US haemodialysis patients. Nephrol Dial Transplant, 14, 2616-2620, 1999

- 395. C Ronco**, A Brendolan, R Bellomo: Online monitoring in continuous renal replacement therapies. *Kidney International*, 56, 72, S8-S14, 1999
- 396. C Ronco**: Sostituición renal continua. Una terapia en constante evoluciòn. Fracaso renal agudo. Springer-Verlag Ibérica, 269-279, 1999
- 397. C Ronco**, PM Ghezzi, G La Greca: The role of technology in hemodialysis. XXX Course on advances in Nephrology and Dialysis. *J Nephrol*, 12, 2, S68-S81, 1999
- 398. C Ronco**, PM Ghezzi: Principios biofísicos de la diálisis. Tratado de hemodiálisis. cap. 3, 41-60, 1999
- 399.** A Brendolan, PM Ghezzi, C Tetta, R Gervasio, P Ingaggiato, L Sereni, **C Ronco**, G La Greca: Convezione, diffusione, adsorbimento: quali prospettive nella terapia emodialitica. *Giornale di Tecniche Nefologiche e Dialitiche*, n.4, Wichtig Ed, 1999
- 400.** G La Greca, **C Ronco**: Preface. Vitamin E Bonded Membrane. Contributions to Nephrology, Vol 127, IX, Kluwer Academic Publishers, 1999
- 401.** A Brendolan, **C Ronco**, PM Grezzi, G La Greca: Hydraulic and flow dynamic characteristics of vitamin E-bonded dialyzers. Vitamin E-Bonded Membrane. Contributions to Nephrology, Vol 127, IX, 79-88, Kluwer Academic Publishers, 1999
Karger, Basel, 1999
- 402. C Ronco**: Extracorporeal therapies: should we use plasma instead of blood? *The International Journal of Artificial Organs*, 22, 5, 342-346, 1999
- 403.** M Irone, M Dan, P Piccinni, **C Ronco**: Tecniche di depurazione extra-renale nel paziente critico. XVI Aggiornamento Professionale per Anestesisti Rianimatori. Evoluzione Gruppo San Marco, 1999
- 404.** R Bellomo, **C Ronco**: New paradigms in acid-base physiology. *Current Opinion in Critical Care*, 5, 427-428, 1999
- 405.** M Feriani, R Dell'Aquila, **C Ronco**, G La Greca: The acid-base effects of peritoneal dialysis. *Current Opinion in Critical Care*, 5, 448-451, 1999
- 406.** R Bellomo, **C Ronco**: The pathogenesis of lactic acidosis in sepsis. *Current Opinion in Critical Care*, 5, 452-457, 1999
- 407.** R Bellomo, **C Ronco**: Renal dysfunction in patients with cardiac disease and after cardiac surgery. *New Horizons*, 7, 4, 524-532, 1999
- 407/bis. C Ronco**: Peritoneal Dialysis: the state of the art in Europe. *American Journal of Kidney Diseases*, 33, 3, 1999

2000

- 408.** N Zamperetti, **C Ronco**, A Brendolan, R Bellomo, G Canato, M Irone, S Barbacini, R Carraro, G La Greca, Piccinni P, M Dan: Bioethical issues related to continuous renal replacement therapy in intensive care patients. *Intensive Care Medicine*, 26, 407-415, 2000
- 409. C Ronco**, R Bellomo, P Homel, A Brendolan, M Dan, P Piccinni, G La Greca: Effects of different doses in continuous veno-venous haemofiltration on outcomes of acute renal failure: a prospective randomised trial. *The Lancet*, 356, 26-30, 2000

- 410. C Ronco**, PM Ghezzi, A Morris, L Rosales, E Wang, F Zhu, G Metry, L De Simone, S Rhamati, R Adhikarla, A Bashir, C Manzoni, M Spittle, NW Levin: Blood flow distribution in sorbent beds: analysis of a new sorbent device for hemoperfusion. *The International Journal of Artificial Organs*, 23, 2, 125-130, 2000
- 411.** AL Martinez de Francisco, PM Ghezzi, A Brendolan, F Fiorini, G La Greca, **C Ronco**, M Arias, R Gervasio, C Tetta: Hemodiafiltration with online regeneration of the ultrafiltrate. *Kidney International*, 58, suppl 76, S66-S71, 2000
- 412.** F Galli, **C Ronco**: Oxidant stress in hemodialysis. *Nephron*, 84, 1-5, 2000
- 413. C Ronco**, M Ballestri, C Brendolan: New developments in hemodialyzers. *Blood Purification*, 18, 267-275, 2000
- 414. C Ronco**, A Brendolan, C Crepaldi, MP Rodighiero, P Everard, M Balestri, G Cappelli, M Spittle, G La Greca: Dialysate flow distribution in hollow fiber hemodialyzers with different dialysate pathway configurations. *The international Journal of Artificial Organs*, 23, 9, 601-609, 2000
- 415.** R Bellomo, **C Ronco**: Renal system. *Current Opinion in Critical Care*, 6, 6, 409-410, 2000
- 415-bis.** R Bellomo, **C Ronco**: Continuous haemofiltration in the intensive care unit. *Crit Care*. 2000;4(6):339-345.
- 416.** R Bellomo, I Baldwin, **C Ronco**: High volume hemofiltration. *Current Opinion in Critical Care*, 6, 6, 442-445, 2000
- 417.** R Bellomo, I Baldwin, **C Ronco**: Rationale for extracorporeal blood purification therapies in sepsis. *Current Opinion in Critical Care*, 6, 6, 446-450, 2000
- 418.** G La Greca, **C Ronco**, M Feriani: Preface. *Peritoneal Dialysis International*, proceedings of the 7th International Course on Peritoneal Dialysis, May 23-26, vol 20, 2, S6, 2000
- 419. C Ronco**: The Vicenza Peritoneal Dialysis Course: from the origin to the new millennium. *Peritoneal Dialysis International*, proceedings of the 7th International Course on Peritoneal Dialysis, May 23-26, vol 20, 2, S7-S10, 2000
- 420. C Ronco**, A.S. Klinger, G. Amici, G. Virga: Automated peritoneal dialysis: clinical prescription and technology. *Peritoneal Dialysis International*, proceedings of the 7th International Course on Peritoneal Dialysis, May 23-26, vol 20, 2, S70-S76, 2000
- 421.** R Amerling, **C Ronco**, NW Levin: Continuous-flow peritoneal dialysis. *Peritoneal Dialysis International*, proceedings of the 7th International Course on Peritoneal Dialysis, May 23-26, vol 20, 2, S172-S177, 2000
- 422.** AT Morris, **C Ronco**: Erythropoietin therapy in peritoneal dialysis patients. *Peritoneal Dialysis International*, proceedings of the 7th International Course on Peritoneal Dialysis, May 23-26, vol 20, 2, S178-S182, 2000
- 422-bis.** R Bellomo, **C Ronco**: How to feed patients with renal dysfunction. *Curr Opin Crit Care*. 2000 Aug;6(4):239-246.
- 423. C Ronco**, A Brendolan, M Milan, MP Rodighiero, M Zanella, G La Greca: Impact of biofeedback-induced cardiovascular stability on hemodialysis tolerance and efficiency. *Kidney International*, 58, 800-808, 2000

424. **C Ronco**, A Brendolan, M Dan, P Piccinni, R Bellomo, C De Nitti, P Inguaggiato, C Tetta: Adsorption in sepsis. *Kidney International*, 58, suppl 76, S148-S155, 2000
425. **C Ronco**, M Ballestri, G Cappelli: Dialysis membranes in convective treatments. *Nephrol Dial Transplant*, 15, suppl 2, 31-36, 2000
426. **C Ronco**, A Brendolan, A Lupi. G Metry: Effects of a reduced inner diameter of hollow fibers in hemodialyzers. *Kidney International*, 58, 809-817, 2000

2001

427. **C Ronco**, PM Ghezzi, G Metry, M Spittle, A Brendolan, MP Rodighiero, M Milan, M Zanella, G La Greca, Levin N.W: Effects of hematocrit and blood flow distribution on solute clearance in hollow-fiber hemodialyzers. *Nephron*, 89, 243-250, 2001
428. **C Ronco**, R Bellomo, G La Greca: Preface. *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*, 2001
429. R Bellomo, **C Ronco**: The renal effects on Noradrenaline and Dopamine. *Blood Purification in Intensive Care. Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 146-157, 2001
430. **C Ronco**, M Zanella, A Brendolan, M Milan, N Zamperetti, R Bellomo: Answers from the First International Course on Critical Care Nephrology Questionnaire. *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 196-209, 2001
431. **C Ronco**, A Brendolan, R Bellomo: Continuous renal replacement techniques. *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 236-251, 2001
432. JA Kellum, R Mehta, **C Ronco**: Acute dialysis quality initiative (ADQI). *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 258-265, 2001
433. WR Clark, **C Ronco**: Factors influencing therapy delivery in acute dialysis. *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 304-312, 2001
434. **C Ronco**, A Brendolan, M Dan, P Piccinni, R Bellomo: Machines for continuous renal replacement therapy. *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 323-334, 2001
435. R Bellomo, I Baldwin, **C Ronco**: Extracorporeal blood purification therapy for sepsis and systemic inflammation: its biological rationale. *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 367-374, 2001
436. R Bellomo, I Baldwin, **C Ronco**: High-volume hemofiltration. *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 375-382, 2001
437. A Brendolan, R Bellomo, C Tetta, P Piccinni, A Digito, ML Wratten, M Dan, M Irone, G La Greca, P Inguaggiato, **C Ronco**: Coupled plasma filtration adsorption in the treatment of septic shock. *Contribution to Nephrology*. Vol. 132. *Proceedings of Second International Course on Critical Care Nephrology*. 383-390, 2001

438. ML Wratten, A Brendolan, **C Ronco**, G La Greca, C Tetta: Should we target signal pathways instead of single mediators in the treatment of sepsis? Contribution to Nephrology. Vol. 132. Proceedings of Second International Course on Critical Care Nephrology. 400-414, 2001
439. NW Levin, **C Ronco**: Haemodialysis renal replacement therapy-do we need more research? Nephrol Dial Transplant, 16, 4, 698-700, 2001
440. **C Ronco**, J Kellum, R Mehta: Acute dialysis qualità iniziative (ADQI). Nephrol Dial Transplant, 16, 8, 1555-1558, 2001
441. RA Ward, JK Leypoldt, WR Clark, **C Ronco**, GJ Mishkin, EP Paganini: What clinically important advances in understanding and improving dialyzer function have occurred recently? Seminars in Dialysis, 14, 3, 160-174, 2001
442. **C Ronco**, WR Clark: Factors affecting hemodialysis and peritoneal dialysis efficiency. Seminars in Dialysis, 14, 4, 257-262, 2001
443. WR Clark, **C Ronco**: Reconciling differences in effective solute removal between intermittent and continuous therapies. Seminars in Dialysis, 14, 4, 289-293, 2001
444. G La Greca, S Chiamonte, A Brendolan, L Bragantini, R Dell'Aquila, M Milan, C Crepaldi, D Dissegna, MP Rodighiero, **C Ronco**: Practice pattern and treatment opinions for kidney patients in a single north italian Nephrology Center. Seminars in Nephrology, 21,4, 346-355, 2001
445. HK Tan, R Bellomo, DA M'Pis, **C Ronco**: Phosphatemic control during acute renal failure: intermittent hemodialysis hemofiltration. Int J Art Organs, 24,4, 186-191, 2001
446. **C Ronco**, A Brendolan, M Dan, P Piccinni, R Bellomo, ML Wratten, P Inguaggiato, C Tetta: Use of sorbents in acute renal failure and sepsis. Contrib Nephrol, 133, 180-193, 2001
447. HD Düngen, C von Heymann, **C Ronco**, WJ Kox, CD Spies: Renal replacement therapy: Physical properties of hollow fibers influence efficiency. Int J Art Organs, 24,6, 357-366, 2001
448. WR Clark, **C Ronco**: Determinants of haemodialyser performance and the potential effect on clinical outcome. Nephrol Dial Transplant, 16, 5, 56-60, 2001
449. **C Ronco**, R Bellomo, Z Ricci: Continuous renal replacement therapy in critically ill patients. Nephrol Dial Transplant, 16, 5, 67-72, 2001
450. **C Ronco**, JF Winchester: Preface. Dialysis, dialyzers and sorbents. Where are we going? Contribution to Nephrology. Vol. 133, VII, Karger, 2001
451. JF Winchester, JA Brady, **C Ronco**, E Yousha, A Smith, J Clemmer, TE Muller, G La Greca, NW Levin: The role of middle molecules in uremia – Preliminary report of an international survey of nephrologists and scientists. Dialysis, dialyzers and sorbents. Where are we going? Contribution to Nephrology. Vol. 133, 23-27, Karger, 2001
452. J Vienken, **C Ronco**: New developments in hemos. Dialysis, dialyzers and sorbents. Where are we going? Contribution to Nephrology. Vol. 133, 105-118, Karger, 2001
453. **C Ronco**, PM Ghezzi, NA Hoenich, P Delfino: Computerized selection of membranes and hemodialysers. Dialysis, dialyzers and sorbents. Where are we going? Contribution to Nephrology. Vol. 133, 119-130, Karger, 2001

454. JF Winchester, **C Ronco**, JA Brady, J Clemmer, TE Muller, V Davankov, M Tsyurupa, L Pavlova, M Pavliv, NW Levin: History of sorbents in uremia. Dialysis, dialyzers and sorbwnts. Where are we going? Contribution to Nephrology. Vol. 133, 131-139, Karger, 2001
455. HD Polaschegg, **C Ronco**, M Soli: Characterization of flow-dynamic pattern in a new sorbent cartridge for combined hemoperfusion-hemodialysis. Dialysis, dialyzers and sorbwnts. Where are we going? Contribution to Nephrology. Vol. 133, 154-165, Karger, 2001
456. **C Ronco**, A Brendolan, JF Winchester, E Golds, J Clemmer, HD Polaschegg, TE Muller, V Davankov, M Tsyurupa, L Pavlova, M Pavlov, G La Greca, NW Levin: First clinical experience with an adjunctive hemoperfusion device designed specifically to remove β 2-Microglobulin in hemodialysis. Dialysis, dialyzers and sorbwnts. Where are we going? Contribution to Nephrology. Vol. 133, 166-173, Karger, 2001
457. JF Winchester, **C Ronco**, JA Brady, A Brendolan, V Davankov, M Tsyurupa, L Pavlova, M Pavlov, J Clemmer, HD Polaschegg, TE Muller, G La Greca, NW Levin: Rationale for combined hemoperfusion/hemodialysis in uremia. Dialysis, dialyzers and sorbwnts. Where are we going? Contribution to Nephrology. Vol. 133, 174-179, Karger, 2001
458. NW Levin, **C Ronco**: Preface. Blood Purification, 19, 2, 137-138, 2001
459. **C Ronco**, R Bellomo: Dialysis: continuous versus intermittent renal replacement therapy in the treatment of acute renal failure. Acute Renal Failure. Molitoris & Finn Ed. 497-506, 2001
460. **C Ronco**, JA Diaz-Buxo: Automated peritoneal dialysis. Nephron, 87, 1-7, 2001
461. **C Ronco**, AR Nissenson: Does nanotechnology apply to dialysis? Blood Purification, 19, 347-352, 2001
462. GAKaysen, GM Chertow, R Adhikarla, B Young, **C Ronco**, NW Levin: Inflammation and dietary protein intake expert competing affects on serum albumin and creatinine in hemodialysis patients. Kidney International, 60, 333-340, 2001
463. **C Ronco**: Dialysis membranes in convective treatment. Replay. Nephrol Dial Transplant, 16, 1509, 2001
464. **C Ronco**, NW Levin, HD Polaschegg: Technical problems during hemodialysis. Dialysis Therapy, Ed. Nissen Fine, 156-165, 2001
465. NW Levin, **C Ronco**: Common clinical problems during hemodialysis. Dialysis Therapy, Ed. Nissen Fine, 171-179, 2001
466. N Zamperetti, **C Ronco**, S Marcante, P Piccinni, M Dan: The right to die without intensive care. Minerva Anesthesiol., 67 (suppl. 1al n.4), 95-5, 2001
467. **C Ronco**, R Bellomo, P Homel, et al.: Continuous hemofiltration at an ultrafiltration rate \geq 35 mL/h per kg of body weight improved survival in acute renal failure. ACP Journal Club, 134, n.2, 41, 2001
468. R Bellomo, I Baldwin, **C Ronco**, T Golper: Preface. Atlas of Hemofiltration – W.B. Saunders ed., 2001
469. R Bellomo, **C Ronco**: An introduction to continuous renal replacement therapy (CRRT). Atlas of Hemofiltration – W.B. Saunders ed., 1, 1-9, 2001

470. R Bellomo, **C Ronco**: Nomenclature for CRRT. Atlas of Hemofiltration – W.B. Saunders ed., 2, 11-14, 2001
471. R Bellomo, **C Ronco**: Anticoagulation during CRRT. Atlas of Hemofiltration – W.B. Saunders ed., 14, 63-68, 2001
472. R Bellomo, I Baldwin, T Golper, **C Ronco**: Trouble-shooting during CRRT. Atlas of Hemofiltration – W.B. Saunders ed., 15, 69-76, 2001
473. R Bellomo, **C Ronco**: Vascular access for CRRT. Atlas of Hemofiltration – W.B. Saunders ed., 16, 77-82, 2001
474. **C Ronco**, M Zanella, A Brendolan, M Milan, N Zamperetti, R Bellomo: Management of severe acute renal failure in critically ill patients: an international survey in 345 centres. Nephrol Dial Transplant, 230-237, 2001
475. **C Ronco**, Z Ricci, R Bellomo: Importance of increased ultrafiltration volume and impact on mortality: sepsis and cytokine storm and the role of continuous veno-venous haemofiltration. Current Opinion in Nephrology and Hypertension, 10, 755-761, 2001
476. **C Ronco**, A Brendolan, M Scabardi, F Ronco, H Nakamura: Blood flow distribution in a polymyxin coated fibrous bed for endotoxin removal. Effect of a new blood path design. The international Journal of Artificial Organs, 24, 3/01, 167-172, 2001
477. R Amerling, L De Simone, R Inciong-Reyes, A Pangilinan, T Folden, **C Ronco**, FA Gotch, NW Levin: Clinical experience with continuous flow and flow-through peritoneal dialysis. Seminars in Dialysis, 14, 5, 388-390, 2001
478. **C Ronco**: Continuous flow peritoneal dialysis: is there a need for it? Seminars in Dialysis, 14, 5, 395-400, 2001
479. JF Winchester, **C Ronco**, JA Brady, E Golds, J Clemmer, LD Cowgill, TE Muller, NW Levin: Sorbent augmented dialysis: minor addition or major advance in therapy? Blood Purif, 19, 255-259, 2001
480. **C Ronco**, A Brendolan, JF Winchester, E Golds, J Clemmer, HD Polaschegg, T Muller, G La Greca, Levin NW: First clinical experience with an adjunctive hemoperfusion device designed specifically to remove β_2 -microglobulin in hemodialysis. Blood Purif, 19, 260-263, 2001
481. **C Ronco**, S Bowry: Nanoscale modulation of the pore dimensions, size distribution and structure of a new polysulfone-based high-flux dialysis membrane. The International Journal of Artificial Organs, 24, 10, 726-735, 2001
482. R Mehrotra, R Bellomo, **C Ronco**: Preface. Cardiology, 96, 121, 2001
483. **C Ronco**, Z Ricci, R Bellomo, F Bedogni: Extracorporeal ultrafiltration for the treatment of overhydration and congestive heart failure. Cardiology, 96, 155-168, 2001
484. R Bellomo, J Raman, C Ronco: Intensive care unit management of the critically ill patient with fluid overload after open heart surgery. Cardiology, 96, 169-176, 2001
485. **C Ronco**, R Bellomo, Z Ricci: Hemodynamic response to fluid withdrawal in overhydrated patients treated with intermittent ultrafiltration and slow continuous ultrafiltration: role of blood volume monitoring. Cardiology, 96, 196-201, 2001

- 486. C Ronco**, Z Ricci, R Bellomo, F Bedogni, H Handley, R Gorsuch, NW Levin: A novel approach to the treatment chronic fluid overload with a new plasma separation device. *Cardiology*, 96, 202-208, 2001
- 487.** NW Levin, **C Ronco**: Preface. *Blood Purification*, 19, 137-138, 2001
- 488. C Ronco**, J Kellum, R Mehta: Acute dialysis quality initiative. *Blood Purification*, 19, 222-226, 2001
- 489.** S Rahmati, F Ronco, M Spittle, AT Morris, C Schleper, L Rosales, A Kaufman, R Amerling, **C Ronco**, NW Levin: Validation of the blood temperature monitor for extracorporeal thermal energy balance during in vitro continuous hemodialysis. *Blood Purification*, 19, 245-250, 2001
- 490.** JF Winchester, **C Ronco**, JA Brady, E Golds, J Clemmer, LD Cowgill, TE Muller, NW Levin: Sorbent augmented dialysis: minor addition or major advance in therapy? *Blood Purification*, 19, 255-259, 2001
- 491.** G Arrigo, C Tetta, A Santoro, P Ghezzi, **C Ronco**, G Colasanti, G La Greca, P Zucchelli, G D'Amico: Continuous urea monitoring in hemodialysis: a model approach aimed to forecast dialytic performance. Results of a multicenter study. *Journal of Nephrology*, 14, 6, 481, 487, 2001
- 492.** SK Bowry, **C Ronco**: Surface topography and surface elemental composition analysis of Helixone[®], a new high-flux polysulfone dialysis membrane. *The International Journal of Artificial Organs*, 24, 11, 757-764, 2001
- 493.** C De Nitti, R Giordano, R Gervasio, G Castellano, V Podio, L Sereni, PM Ghezzi, **C Ronco**, A Brendolan, P Inguaggiato, M Tonelli, G La Greca, C Tetta: Choosing new adsorbents for endogenous ultrapure infusion fluid: performances, safety and flow distribution. *The International Journal of Artificial Organs*, 24, 11, 765-776, 2001
- 494.** R Bellomo, J Kellum, **C Ronco**: Acute renal failure: time for consensus. *Intensive Care Medicine*, 27, 11, 1685-1688, 2001
- 495. C Ronco**, R Dell'Aquila: Continuous flow peritoneal dialysis. *Peritoneal Dialysis International*, 21, 3, S138-S143, 2001
- 496.** S Uchino, R. Bellomo, **C. Ronco**: Intermittent versus continuous renal replacement therapy in the ICU: impact on electrolyte and acid-base balance. *Intensive Care Medicine*, 27, 6, 1037-1043, 2001
- 497.** O Vargas Hein, C von Heymann, M Lipps, S Ziemer, **C Ronco**, HH Neumayer, S Morgera, M Welte, WJ Kox, C Spies: Hirudin versus heparin for anticoagulation in continuous renal replacement therapy. *Intensive Care Medicine*, 27, 4, 673-679, 2001
- 498.** R Bellomo, **C Ronco**: Blood purification in the intensive care unit: evolving concepts. *World Journal of Surgery*, 25, 5, 677-683, 2001.
- 499.** R Bellomo, **C Ronco**: Drug-induced renal dysfunction. *Current Opinion in Critical Care*, 7, 6, 377-378, 2001

2002

- 500.** K Reiter, R Bellomo, **C Ronco**, JA Kellum: Pro/con clinical debate: is high-volume hemofiltration beneficial in the treatment of septic shock? *Critical Care*, 6, 1, 18-21, 2002

501. R Bellomo, C Tetta, A Brendolan, **C Ronco**: Coupled plasma filtration adsorption. *Blood Purification*, 20, 289-292, 2002
502. C Tetta, R Bellomo, P Inguaggiato, ML Wratten, **C Ronco**: Endotoxin and cytokine removal in sepsis. *Therapeutic Apheresis*, 6, 2, 109-115, 2002
503. K Reiter, R Bellomo, **C Ronco**: High volume hemofiltration in sepsis. *Yearbook of Intensive Care and Emergency Medicine*, Ed. By J.L. Vincent, 2002
504. **C Ronco**, A Brendolan, G Lonneman, R Bellomo, P Piccinni, A Digito, M Dan, M Irone, G La Greca, P Inguaggiato, U Maggiore, C De Nitti, ML Wratten, Z Ricci, C Tetta: A pilot study of coupled plasma filtration with adsorption in septic shock. *Crit Care Med*, 30, 6, 1250-1255, 2002
505. **C Ronco**, A Brendolan, C Crepaldi, V D'Intini, O Sergeeva, NW Levin: Noninvasive transcutaneous access flow measurement before and after hemodialysis: impact of hematocrit and blood pressure. *Blood Purification*, 20, 376-379, 2002
506. **C Ronco**, A Brendolan, C Crepaldi, M Rodighiero, M Scabardi: Blood and dialysate flow distributions in hollow-fiber hemodialyzers analyzed by computerized helical scanning technique. *J Am Soc Nephrol*, 13, S53-S61, 2002
507. HKTan, R Bellomo, DAM'Pisi, **C Ronco**: Ionized serum calcium levels during acute renal failure: intermittent hemodialysis vs. continuous hemodiafiltration. *Renal Failure*, 24, 1, 19-27, 2002
508. **C Ronco**, G La Greca: Preface. *Contribution to Nephrology*, vol. 137, XI-XII, 2002
509. **C Ronco**, G La Greca: The role of technology in hemodialysis. *Contribution to Nephrology*, vol. 137, 1-12, 2002
510. W R Clark, D Gao, **C Ronco**: Membranes for dialysis. Composition, structure and function. *Contribution to Nephrology*, vol. 137, 70-77, 2002
511. **C Ronco**, A Brendolan, C Crepaldi, F Gastaldon, NW Levin: Flow distribution and cross filtration in hollow fiber hemodialyzers. *Contribution to Nephrology*, vol. 137, 120-128, 2002
512. **C Ronco**, PM Ghezzi, NA Hoenich, P Delfino: Computerized selection of membranes and hemodialyzers. *Contribution to Nephrology*, vol. 137, 146-157, 2002
513. **C Ronco**, V Bordoni, NW Levin: Adsorbents: from basic structure to clinical application. *Contribution to Nephrology*, vol. 137, 158-164, 2002
514. JF Winchester, **C Ronco**, J Salsberg, E Yousha, JA Brady, LD Cowgill, M Choquette, R Albright, J Clemmer, V Davankov, M Tsyurupa, L Pavlova, M Pavlov, G Cohen, W Hörl, F Gotc, NW Levin: Sorbent augmented dialysis systems. *Contribution to Nephrology*, vol. 137, 170-180, 2002
515. C Tetta, R Bellomo, M Formica, S Livigni, F Mariano, ML Wratten, G Carraio, **C Ronco**: Use of adsorbents in ARF therapy. *Contribution to Nephrology*, vol. 137, 181-188, 2002
516. **C Ronco**, NW Levin, M Milan: Information technology applied to hemodialysis. *Contribution to Nephrology*, vol. 137, 279-286, 2002
517. NW Levin, **C Ronco**: Chronic inflammation: an overview. *Contribution to Nephrology*, vol. 137, 364-370, 2002

518. **C Ronco**, NW Levin: End-stage renal disease: a slowly progressive systemic inflammatory response syndrome. *Contribution to Nephrology*, vol. 137, 379-385, 2002
519. NW Levin, T Folden, **C Ronco**: Dry weight determination. *Contribution to Nephrology*, vol. 137, 272-278, 2002
520. **C Ronco**, SK Bowry, A Brendolan, C Crepaldi, G Soffiati, A Fortunato, V Bordoni, A Granziero, G Torsello, G La Greca: Hemodialyzer: from macro-design to membrane nanostructure; the case of the FX-class of hemodialyzers. *Kidney International*, 61, 80, S126-S142, 2002
521. K Reiter, V Bordoni, G Dall'Olio, MG Ricatti, M Soli, S Ruperti, G Soffiati, E Galloni, V D'Intini, R Bellomo, **C Ronco**: In vitro removal of therapeutic drugs with a novel adsorbent system. *Blood Purification*, 20, 380-388, 2002
522. N Zamperetti, **C Ronco**, R Bellomo: Bioethical issues in critical care nephrology. *Nephron*, 91-1, 2002
523. E Wang, D Schneditz, **C Ronco**, NW Levin: Surveillance of fistula function by frequent recirculation measurements during high efficiency dialysis. *ASAIO Journal*, 48,4, 394-397, 2002
524. H Morimatsu, S Uchino, R Bellomo, **C Ronco**: Continuous veno-venous hemodiafiltration or hemofiltration: impact on calcium, phosphate and magnesium concentrations. *The International Journal of Artificial Organs*, 25, 6, 512-519, 2002
525. L Cole, R Bellomo, G Hart, D Journois, P Davenport, P Tipping, **C Ronco**: A phase II randomized, controlled trial of continuous hemofiltration in sepsis. *Critical Care Medicine*, 30, 1, 100-106, 2002
526. JF Winchester, **C Ronco**, JA Brady, LD Cowgill, J Salsberg, E Yousha, M Choquette, R Albright, J Clemmer, V Davankov, M Tsyruha, L Pavlova, M Pavlov, G Cohen, W Hörl, F Gotch, NW Levin: The next step from High-flux dialysis : application of sorbent technology. *Blood Purification*, 20, 81-86, 2002
527. S Uchino, R Bellomo, D Goldsmith, P Davenport, L Cole, I Baldwin, S Panagiotopoulos, P Tipping, **C Ronco**, P Everard: Cytokine removal with a large pore cellulose triacetate filter: an *ex vivo* study. *The International Journal of Artificial Organs*, 25, 1, 27-32, 2002
528. **C Ronco**, NW Levin: Preface. *Blood Purification*, 20, 5, 2002
529. **C Ronco**, A Gloukhoff, R. Dell'Aquila, NW Levin: Catheter design for continuous flow peritoneal dialysis. *Blood Purification*, 20, 40-44, 2002
530. HH Handley, R Gorsuch, NW Levin, **C Ronco**: Intravenous catheter for intracorporeal plasma filtration. *Blood Purification*, 20, 61-69, 2002
531. **C Ronco**, JA Kellum, R Mehta, R Bellomo, PM Palevsky: Introduction: acute dialysis quality initiative. *Advances in Renal Replacement Therapy*, 9,4, 227-228, 2002
532. **C Ronco**, R Bellomo, J Kellum: Continuous renal replacement therapy: opinions and evidence. *Advances in Renal Replacement Therapy*, 9,4, 229-244, 2002
533. **C Ronco**, J Kellum, R Mehta: The acute dialysis quality initiative: the New York Conference. *Advances in Renal Replacement Therapy*, 9,4, 248-251, 2002

534. R Bellomo, JA Kellum, R Mehta, P Palevsky, **C Ronco**: The acute dialysis initiative II: The Vicenza Conference. *Advances in Renal Replacement Therapy*, 9,4, 290-293, 2002
535. K Reiter, V D'Intini, V Bordonni, I Baldwin, R Bellomo, C Tetta, A Brendolan, **C Ronco**: High-Volume hemofiltration in sepsis. Theoretical basis and practical application. *Nephron*, 92, 251-258, 2002
536. L Cole, R Bellomo, P Davenport, P Tipping, S Uchino, C Tetta, **C Ronco**: The effect of coupled haemofiltration and adsorption on inflammatory cytokines in an ex vivo model. *Nephrol Dial Transplant*, 17, 1950-1956, 2002
537. **C Ronco**, R Bellomo, P Homel, A Brendolan, M Dan, P Piccinni, G La Greca: Effects of different doses in continuous veno-venous haemofiltration on outcomes of acute renal failure: A prospective randomised trial. *EDTA, ERCA Journal*, 2, 7-12, 2002
538. **C Ronco**, Z Ricci, R Bellomo : Importance of increased ultrafiltration volume and impact on mortality : Sepsis and cytokine storm and the role for CVVH. *EDTA, ERCA Journal*, 2, 13-18, 2002
539. **C Ronco**, R Bellomo: Acute renal failure and multiple organ dysfunction in the ICU: from renal replacement therapy (RRT) to multiple organ support therapy (MOST). *The International Journal of Artificial Organs*, 25, 8, 733-747, 2002
540. **C Ronco**, A Brendolan, M Milan, MP Rodighiero, M Zanella, G La Greca: Biofeedback-induced cardiovascular stability and its effect on efficiency. *Cardionephrology*, 7, Ed. Bios, 263-274, 2002
541. **C Ronco**, Z Ricci, V D'Intini: Importanza dell'incremento del volume di ultrafiltrazione in CRRT ed impatto fisiologico. *Minerva Anestesiologica*, 68,1,9, 69-74, 2002
542. JA Kellum, RL Mehta, DC Angus, P Palevsky, **C Ronco** for the ADQI Workgroup: The first international consensus conference on continuous renal replacement therapy. *Kidney International*, 62, 5, 1855-1863, 2002
543. **C Ronco**, R Bellomo: Editorial Commentary: Acute Dialysis Quality Initiative. *Current Opinion in Critical Care*, 8, 6, 499, 2002
544. JA Kellum, PM Palevsky, R Mehta, R Bellomo, **C Ronco**: Acute Dialysis Quality Initiative: methodology. *Current Opinion in Critical Care*, 8, 6, 500-501, 2002
545. **C Ronco**, JA Kellum, R Mehta: Acute Dialysis Quality Initiative: the New York conference. *Current Opinion in Critical Care*, 8, 6, 502-504, 2002
546. R Bellomo, JA Kellum, R Mehta, PM, **C Ronco**: Acute Dialysis Quality Initiative II: the Vicenza conference. *Current Opinion in Critical Care*, 8, 6, 505-508, 2002
547. JI Merello Godino, R Rentero, G Orlandini, D Marcelli, **C Ronco**: Results from EuClid (European Clinical Dialysis Database): impact of shifting treatment modality. *The International Journal of Artificial Organs*, 25, 11, 1049-1060, 2002
548. K Reiter, R Bellomo, **C Ronco**: Rationale and practical application of high volume hemofiltration in sepsis. *Revista Portuguesa de Nefrologia e Hipertensao*, 16, 1, 17-29, 2002
549. **C Ronco**, R Bellomo, P Homel, A Brendolan, M Dan, P Piccinni, G La Greca: Effetti di dosi differenti nell'emofiltrazione veno-venosa continua sulle esiti dell'insufficienza renale acuta: uno studio prospettico random. *EDTNA/ERCA Journal*, ed. italiana, suppl. 2, 7-13, 2002

- 550.** C Ronco, Z Ricci, R. Bellomo: Importanza dell'aumento dei volumi di ultrafiltrazione e impatto sulla mortalità: storia delle sepsi e delle citokine e il ruolo della CVVH. EDTNA/ERCA Journal, ed. italiana, suppl. 2, 14-19, 2002
- 550bis.** C Ronco, Z Ricci, R. Bellomo: Importance of increased ultrafiltration volume and impact on mortality. Sepsis and cytokine story and the role fro CVVH. EDTNA/ERCA Journal, ed. inglese, suppl. 2, 13-18, 2002
- 551.** R. Bellomo, C. Ronco: Blood Purification in sepsis:a reasonable hypothesis or waste of time? АНЕСТЕЗИОЛОГИЯ Ц РЕАНИМАТОЛОГИЯ, N. 2, 2002
- 552.** R Dell'Aquila, MP Rodighiero, V Bordoni, V D'Intini, **C Ronco**: APD prescription: achieving the adequacy goals. Semin Dial, 15, 6, 397-402, 2002
- 553.** G Metry, M Spittle, S Rahmati, C Giller, A Giller, A Kaufman, D Schneditz, E Manno, Z Brener, I Boniece, F Ronco, C Ronco, NW Levin: Online monitoring of cerebral hemodynamics during hemodialysis. American Journal of Kidney Disease, 40, 5, 996-1004, 2002
- 554.** N Zamperetti, R Bellomo, C Ronco: Setting limits in intensive care. Intensive care med, 28(7):997, 2002
- 555.** H Morimatsu, S Uchino, R Bellomo, C Ronco: Continuous renal replacement therapy: does technique influence azotemic control? Ren Fail. 2002 Sep;24(5):645-53

2003

- 556.** HH Handley, R Gorsuch, MW Levin, C Ronco: Slow continuous intracorporeal plasmapheresis for acute fluid overload. Blood Purification, 21, 1, 72-78, 2003
- 557.** J Winchester, JA Kellum, C Ronco, JA Brady, PJ Quartararo, JA Salberg, NW Levin: Sorbents in acute renal failure and the systemic inflammatory response syndrome. Blood Purification, 21, 1, 79-84, 2003
- 558.** F Zhu, S Sarkar, C Kaitwatcharachia, R Greenwood, C Ronco, NW Levin: Methods and reproducibility of measurement of resistivity in the calf using regional bioimpedance analysis. Blood Purification, 21, 1, 131-136, 2003
- 559.** S Poulin, A Brendolan, C Crepaldi, F Gastaldon, C Ronco: Blood volume monitoring during acute renal replacement therapy. The International Journal of Artificial Organs, 26, 1, 3-5, 2003
- 560.** J Rocktaschel, H Morimatsu, S Uchino, C Ronco, R Bellomo: Impact of continuous veno-venous hemofiltration on acid-base bilance. The International Journal of Artificial Organs, 26, 1, 19-25, 2003
- 561.** F Gastaldon, A Brendolan, C Crepaldi, P Frisone, S Zamboni, V D'Intini, S Poulin, R Hector, A Granziero, K Martins, R Gellert, P Inguaggiato, C Ronco: Effects of novel manufacturing technology on blood and dialysate flow distribution in a new low flux "a Polysulfone" hemodialyzer. The International Journal of Artificial Organs, 26, 2, 105-112, 2003
- 562.** H Morimatsu, S Uchino, R Bellomo, C Ronco: Continuous renal replacement therapy: does technique influence electrolyte and bicarbonato control? The International Journal of Artificial Organs, 26, 4, 289-296, 2003
- 563.** C Ronco, C Tetta, F Mariano, ML Wratten, M Bonello, V Bordoni, X Cardona, P Inguaggiato, L Pilotto, R Bellomo: Interpreting the mechanisms of CRRT in sepsis: the peak concentration hypothesis. Artificial Organs, 27, 9, 790-799, 2003

564. F Galli, L Ghibelli, U Buoncristiani, V Bordoni, V D'Intini, S Benedetti, F Canestrari, **C Ronco**, A Floridi: Mononuclear leukocyte apoptosis in haemodialysis patients: the role of cell thiols and vitamin E. *Nephrol Dial Transplant*. Aug;18(8), 1592-1600, 2003
565. S Uchino, L Cole, H Morimatsu, D Goldsmith, **C Ronco**, R Bellomo: Solute mass balance during isovolaemic high volume haemofiltration. *Intensive Care Med.*, 29, 1541-1546, 2003
566. R Amerling, I Glezerman, E Savransky, A Dubrow, **C Ronco**: Continuous flow peritoneal dialysis: principles and applications. *Semin Dial*. 16(4):335-340, 2003
567. F Zhu, NA Hoenich, G Kaysen, **C Ronco**, D Schneditz, L Murphy, S Santacroce, A Pangilinan, F Gotch, NW Levin: Measurement of intraperitoneal volume by segmental bioimpedance analysis during peritoneal dialysis. *Am J Kidney Dis*. Jul;42(1):167-72, 2003
568. R Bellomo, C Tetta, **C Ronco**: Coupled plasma filtration adsorption. *Intensive Care Med*. Aug;29(8):1222-8. Epub 2003 Jun 26, 2003
569. GJ Handelman, LM Rosales, D Barbato, J Luscher, R Adhikarla, RJ Nicolosi, FO Finkelstein, **C Ronco**, GA Kaysen, NA Hoenich, NW Levin: Breath ethane in dialysis patients and control subjects. *Free Radic Biol Med*. Jul 1;35(1):17-23, 2003
570. **C Ronco**, C Crepaldi, A Brendolan, L Bragantini, V D'Intini, P Ingaggiato, M Bonello, B Krause, R Deppisch, H Goehl, A Scabardi: Evolution of synthetic membranes for blood purification: the case of the Polyflux family. *Nephrol Dial Transplant*, 18, 7, 10-20, 2003
571. **C Ronco**, A Brendolan, V D'Intini, ML Wratten, R Bellomo: Coupled plasma filtration adsorption: rationale, technical development and early clinical experience. *Blood Purification*, 21, 409-416, 2003
572. RN Greenwood, **C Ronco**, F Gastaldon, A Brendolan, P Homel, L Usvyat, L Bruno, M Carter, NW Levin: Erythropoietin dose variation in different facilities in different countries: its relationship to drug resistance. *Kidney International Supp*. 87, 78-86, 2003
573. MA Ramati, S Ramati, N Hoenich, **C Ronco**, GA Kaysen, R Levin, NW Levin: On-line clearance: a useful tool for monitoring the effectiveness of the reprocedure. *ASAIO Journal*, 49, 5, 543-546, 2003
574. **C Ronco**, R Pohlmeier, C Tetta: Intermittent or continuous treatment of acute renal failure? *Critical Care Med*. 31, 9, 2417, 2003
575. **C Ronco**, F Locatelli: Discussion of the presentation made at the congress. *Nephrol Dial Transplantation*, 18, S7: 55-62, August 2003.
576. **C Ronco**: Replay. *Blood Purification*, 21, 4-5, 302, 2003
577. R Amerling, I Glezerman, E Savransky, A Dubrow, **C Ronco**: Continuous flow peritoneal dialysis: current perspective. *Contrib Nephrol*, 140, 294-304, 2003
578. R Dell'Aquila, MP Rodighiero, M Bonello, **C Ronco**: Automated peritoneal dialysis technology. *Contrib Nephrol*, 140, 278-293, 2003
579. **C Ronco**, R Dell'Aquila, MP Rodighiero, M Bonello, P Inguaggiato: Integration of peritoneal dialysis and adequacy beyond Kt/V. *Contrib Nephrol*, 140, 209-217, 2003
580. L Cole, R Bellomo, I Baldwin, M Hayhoe, **C Ronco**: The impact of lactate-buffered high-volume hemofiltration on acid-base balance. *Intensive Care Medicine*, 29, 7, 1113-1120, 2003

581. N Zamperetti, P Piccinni, R Carraro, P Demo, S Marafon, **C Ronco**, M Dan: When the ICU patient refuses vital supports. *Minerva Anesthesiol.* 69, 4, 184-189, 2003
582. **C Ronco**, R Bellomo, G Lonneman: Sepsis-theory and therapies. *New England Journal of Medicine* 348, 16, 1600-1602, 2003
- 582-bis. C Crepaldi, A Brendolan, V Bordoni, MR Carta, V D'Intini, F Gastaldon, P Inguaggiato, **C Ronco**: Iron management in hemodialysis patients: optimizing outcomes in vicenza Italy. *Hemodial Int.* 2003 Jun 1;7(3):216-221.
583. N Zamperetti, R Bellomo, **C Ronco**: Defining death in non-heart organ donors. *J. Med. Ethics*, 9, 182-185, 2003
584. C Tetta, R Bellomo, V D'Intini, C De Nitti, P Inguaggiato, A Brendolan, **C Ronco**: Do circulating cytokines really matter in sepsis? *Kidney International Supp.*, 84, S69-S71, 2003
585. C Tetta, R Bellomo, **C Ronco**: Artificial organ treatment for multiple organ failure, acute renal failure, sepsis: recent new trends. *Artificial Organs*, 27, 3, 202-213, 2003
586. **C Ronco**, C Crepaldi, A Brendolan, V Bordoni, V D'Intini, R Bellomo: Performance of DIAPES filters in CRRT. *Contribution to Nephrology*, 138, 144-152, 2003
587. A Brendolan, C Tetta, A Granziero, V D'Intini, V Bordoni, **C Ronco**: Flow dynamic characteristics of DIAPES hemodialyzers. *Contribution to Nephrology*, 138, 27-36, 2003
588. **C Ronco**, R Bellomo: Prevention of acute renal failure in the critically ill. *Nephron Clin Pract*, 93, 1, C13-20, 2003
589. JA Kellum, R Bellomo, R Mehta, **C Ronco**: Blood Purification in non-renal critical illness. *Blood Purification*, 21, 1, 6-13, 2003
590. C Tetta, V D'Intini, R Bellomo, M Bonello, V Bordoni, Z Ricci, **C Ronco**: Extracorporeal treatments in sepsis: are there new perspective? *Clinical Nephrology*, 60, 5, 299-304, 2003
591. L Wan, R Bellomo, D Di Giantomasso, **C Ronco**: The pathogenesis of septic acute renal failure. *Current Opinion in Critical Care*, 9,6, 496-502, 2003
592. **C Ronco**: From the new Editor: The Blue Journal, back to the future. *The International Journal of Artificial Organs*, 26, 10, 887-888, 2003
593. V Bordoni, I Bolgan, A Brendolan, C Crepaldi, F Gastaldon, V D'Intini, L Pilotto, P Ingaggiato, M Bonello, E Galloni, P Everard, R Bellomo, **C Ronco**: Caspase-3 and -8 activation and cytokine removal with a novel cellulose triacetate super-permeable membrane in an in vitro sepsis model. *The International Journal of Artificial Organs*, 26, 10, 897-905, 2003
594. V D'Intini, V Bordoni, A Fortunato, E Galloni, M Carta, F Galli, I Bolgan, P Ingaggiato, S Poulin, M Bonello, C Tetta, N Levin, **C Ronco**: Longitudinal study of apoptosis in chronic uremic patients. *Seminars in Dialysis*, 16, 16, 467-473, 2003
595. D Schneditz, **C Ronco**, N Levin: Temperature control by the blood temperature monitor. *Seminars in Dialysis*, 16, 16, 477-482, 2003

596. C Ronco, P Inguaggiato, V D'Intini, L Cole, R Bellomo, S Poulin, V Bordoni, C Crepaldi, F Gastaldon, A Brendolan, P Trairak, T Khajohn: The role of extracorporeal therapies in sepsis. *J Nephrol.* 16 Suppl 7, S34-41, 2003

597. C Ronco, R Dell'Aquila, M Bonello, A Gloukhoff, R Amerling, C Cruz, N Levin: Continuous flow peritoneal dialysis: a new double lumen catheter. *Int J Artif Organs.* 26 ,11, 984-990, 2003

598. C Ronco, NW Levin: Preface. *Blood Purification*, 21, 1, 5, 2003

2004

599. V D'Intini, V Bordoni, I Bolgan, M Bonello, A Brendolan, C Crepaldi, F Gastaldon, NW Levin, R Bellomo, **C Ronco**: Monocyte apoptosis in uremia is normalized with continuous blood purification modalities. *Blood Purification*, 22, 9-12, 2004

600. J F Winchester, J Silberzweig, **C Ronco**, V Kuntsevich, D Levine, T Parker, JA Kellum, JA Salsberg, P Quartararo, NW Levin: Sorbents in acute renal failure and end-stage renal disease: middle molecular and cytokine removal. *Blood Purification*, 22, 73-77, 2004

601. C Ronco, Z Ricci, A Brendolan, R Bellomo F Bedogni: Ultrafiltration in patients with hypervolemia and congestive heart failure. *Blood Purification*, 22, 150-163, 2004

602. C Ronco, M Bonello, V Bordoni, Z Ricci, V D'Intini, R Bellomo, NW Levin: Extracorporeal therapies in non-renal disease: treatment of sepsis and the peak concentration hypothesis. *Blood Purification*, 22, 164-174, 2004

603. C Ronco: Holistic approach to hemodialysis. The triangle of life: the patient, the technology and the physician. *The International Journal of Artificial Organs*, 27, 1, 1-2, 2004

604. AR Nissenson, **C Ronco**: Nanotechnology and dialysis. *The International Journal of Artificial Organs*, 27, 1, 3-5, 2004

605. C Ronco: The "right" weight of patients in hemodialysis: dry you fly and wet you or dry you're down and wet you're up and around? *The International Journal of Artificial Organs*, 27, 2, 81-82, 2004

606. C Ronco: Hospital acoustic pollution: seeking "the sound of silence". *The International Journal of Artificial Organs*, 27, 4, 259-260, 2004

607. C Ronco: Critical care nephrology: the journey has begun. *The International Journal of Artificial Organs*, 27, 5, 349-351, 2004

608. L Cole, R Bellomo, P Davenport, P Tipping, **C Ronco**: Cytokine removal during continuous renal replacement therapy: an ex vivo comparison of convection and diffusion. *The International Journal of Artificial Organs*, 27, 5, 388-397, 2004

609. A Brendolan, V D'Intini, Z Ricci, M Bonello, R Ratanarat, G Salvadori, V Bordoni, M De Cal, E Andrikos, **C Ronco**: Pulse high volume hemofiltration. *Int J Artif Organs.* 27,5,398-403, 2004

610. G Salvadori, Z Ricci, M Bonello, R Ratanarat, V D'Intini, A Brendolan, M Dan, P Piccinni, R Bellomo, **C Ronco**: First clinical trial for a new CRRT machine: the Prismaflex. *Int J Artif Organs*, 27,5, 404-409, 2004.

- 611.** GB Fiore, **C Ronco**: Internal hemodiafiltration (iHDF): a possible option to expand hemodiafiltration therapy. *Int J Artif Organs.*, 27, 5, 420-423, 2004
- 612.** **C Ronco**, R Bellomo, P Inguaggiato, M Bonello, V Bordonni, G Salvatori, V D'Intini, R Ratanarat: therapy in acute hyperuricemic renal dysfunction. *Contrib Nephrol.*, 144, 158-165, 2004
- 613.** M Dan, S Rossi, L Callegarin, **C Ronco**: How to manage vasopressors in acute renal failure and septic shock. *Contrib Nephrol.* 144, 182-90, 2004
- 614.** V D'Intini, M Bonello, G Salvatori, **C Ronco**: Management of vascular catheters for acute renal replacement therapy. *Contrib Nephrol.* 144, 191-202, 2004
- 615.** R Bellomo, **C Ronco**, JA Kellum, RL Mehta, P Palevsky, The ADQI workgroup: Acute renal failure - definition, outcome measures, animal models, fluid therapy and information technology needs: the Second International Consensus Conference of the Acute Dialysis Quality Initiative (ADQI) Group. *Crit Care.* 8, 4, R204-212, 2004
- 616.** **C Ronco**: Innoventions: cocktails of fantasy and science. *Int J Artif Organs.* 27, 6, 443-444, 2004
- 617.** S Uchino, GS Doig, R Bellomo, H Morimatsu, S Morgera, M Schetz, I Tan, C Bouman, E Macedo, N Gibney, A Tolwani, **C Ronco**, JA Kellum for the Beginning and Ending Supportive Therapy for the Kidney (B.E.S.T. Kidney) Investigators: Diuretics and mortality in acute renal failure. *Crit Care Med.* 32, 8, 1669-1677, 2004
- 618.** A Brendolan, **C Ronco**, Z Ricci, V Bordonni, M Bonello, V D'Intini, ML Wratten, R Bellomo: Coupled plasma filtration adsorption: rationale, technical development and early clinical experience. *Contrib Nephrol.* 144, 376-386, 2004
- 619.** C Tetta, R Bellomo, J Kellum, Z Ricci, R Pohlmeiere, J Passlick-Deetjen, **C Ronco**: High volume hemofiltration in critically ill patients: why, when and how? *Contrib Nephrol.* 144, 362-375, 2004
- 620.** T Pisitkun, K Tiranathanagul, S Poulin, M Bonello, G Salvatori, V D'Intini, Z Ricci, R Bellomo, **C Ronco**: A practical tool for determining the adequacy of renal replacement therapy in acute renal failure patients. *Contrib Nephrol.* 144, 329-349, 2004
- 621.** WR Clark, **C Ronco**: Continuous renal replacement techniques. *Contrib Nephrol.* 144, 264-277, 2004
- 622.** V D'Intini, **C Ronco**, M Bonello, R Bellomo: Renal replacement therapy in acute renal failure. *Best Practice & Research Clinical Anaesthesiology*, 18, 1, 145-157, 2004
- 623.** **C Ronco**, AG Wentling, R Amerling, C Cruz, NW Levin: New catheter design for continuous flow peritoneal dialysis. *Contrib Nephrol.* 142, 447-461, 2004
- 624.** R Dell'Aquila, MP Rodighiero, M Bonello, **C Ronco**: Conditions leading to catheter removal or substitution. *Contrib Nephrol.* 142, 435-446, 2004
- 625.** HH Jr Handley, R Gorsuch, H Peters, L Punzalan, TG Cooper, NW Levin, **C Ronco**: An experimental temporary vascular access catheter for intracorporeal plasma separation. *Contrib Nephrol.* 142, 376-386, 2004
- 626.** A Granata, V D'Intini, R Bellomo, **C Ronco**: Vascular access for acute extracorporeal renal replacement therapies. *Contrib Nephrol.* 142, 159-177, 2004

- 627.** M Bonello, NW Levin, **C Ronco**: History and evolution of the vascular access for hemodialysis. *Contrib Nephrol.* 142, 1-13, 2004
- 628.** Z Ricci, M Bonello, G Salvatori, R Ratanarat, A Brendolan, M Dan, R Bellomo, **C Ronco**: Continuous renal replacement technology: from adaptive technology and early dedicated machines towards flexible multipurpose machine platforms. *Blood Purification*, 22, 3, 269-276, 2004
- 629.** R Bellomo, JA Kellum, **C Ronco**: Defining acute renal failure: physiological principles. *Intensive Care Med.* 30, 1, 33-37, 2004
- 629-bis.** Z Ricci, M Bonello, G Salvatori, R Ratanarat, A Brendolan, M Dan, **C Ronco**: Continuous renal replacement technology: from adaptive devices to flexible multipurpose machines. *Crit Care Resusc.* 2004 Sep;6(3):180-7.
- 630.** **C Ronco**, A Brendolan, R, Bellomo: Couplet plasma filtration adsorption. *Yearbook of Intensive Care and Emergency Medicine.* J.L. Vincent ed. Springer Verlag, 2004, 180-192, 2004
- 631.** M Bonello, Z Ricci, **C Ronco**: Blood volume monitoring combined with bioelectrical impedance measurement during renal replacement therapy. *Yearbook of Intensive Care and Emergency Medicine.* J.L. Vincent ed. Springer Verlag, 2004, 558-564, 2004
- 632.** **C Ronco**, M. Bonello, A. Brendolan, V. Bordoni, R. Bellomo: Patogenesi dell'insufficienza renale acuta nel corso di sepsi. *Sepsi. Miriade di risposte. Aspetti controversi*
- 633.** **C Ronco**: No prophet is accepted in his own country. *Int J Artif Organs.* 27, 3, 163-164, 2004
- 634.** **C Ronco**, V D'Intini, V Bordoni, R Bellomo: Hemofiltración venovenosa continua y tratamientos mixtos para la sepsis. *Depuración extrarrenal en el paciente grave.* Masson Ed., 213-225, 2004
- 635.** D Gao, M A Kraus, **C Ronco**, W R Clark: The biology of dialysis. *Pediatric Dialysis Ed.* By Kluwer Academic Publishers, 13-34, 2004
- 636.** **C Ronco**: The morality of medicine. *Int J Artif Organs.*, 27, 8, 647-648, 2004
- 637.** **C Ronco**: Conjectures on knowledge "Under the Tuscan Sun". *Int J Artif Organs.*, 27, 9, 735-736, 2004
- 638.** **C Ronco**: Evidence based medicine: can we afford it?. *Int J Artif Organs.*, 27, 10, 819-820, 2004
- 639.** **C Ronco**: Early goal directed therapy and early goal ultrafiltration therapy for critically ill patients with acute kidney injury. *Int J Artif Organs.*, 27, 11, 911-912, 2004
- 640.** **C Ronco**: Prevention of Acute Renal Failure: Fading dream or approaching reality? *Int J Artif Organs.*, 27, 12, 1009-1012, 2004
- 641.** OV Hein, C von Heymann, T Diehl, S Ziemer, **C Ronco**, S Morgera, G Siebert, WJ Kox, HH Neumayer, C Spies: Intermittent hirudin versus continuous heparin for anticoagulation in continuous renal replacement therapy. *Ren Fail.* 2004 May;26(3):297-303
- 642.** **C Ronco**, NW Levin: Preface. *Blood Purification*, 22-5, 2004

2005

643. E Menegatti, **C Ronco**, JF Winchester, A Dragonetti, D Di Simone, A Davit, G Mengozzi, G Marietti, G Loduca, M Mansouri, GP Sancipriano, LM Sena, D Roccatello: Absence of NF-kappaB activation by a new polystyrene-type adsorbent designed for hemoperfusion. *Blood Purif.* 2005;23(1):91-8
644. E Andrikos, E. Buoncristiani, V D'Intini, V Bordonio, M Bonello, N Levin, U Buoncristiani, M Pappas, **C Ronco**: Effect of daily hemodialysis on monocytes apoptosis. *Blood Purification*, 23, 1, 79-82, 2005
645. R. Ratanarat, A Brendolan, G Volker, M Bonello, G Salvatori, E Andrikos, A Yavuz, C Crepaldi, **C Ronco**: Phosphate kinetics during different dialysis modalities. *Blood Purification*, 23, 1, 83-90, 2005
646. **C Ronco**: Extracorporeal therapies in acute rhabdomyolysis and myoglobin clearance. *Critical Care*, 9, 141-142, 2005
647. V Bordonio, M De Cal, M Rassa, S Cazzavillan, C Segala, M Bonello, R. Ranista, E Andrikos, A Yavuz, G Salvatori, E Galloni, I Bolgan, R Bellomo, N Levin, **C Ronco**: Protective effect of urate oxidase on uric acid induced-monocyte apoptosis. *Current Drug Technologies*, 2, 29-36, 2005
648. E Menegatti, **C Ronco**, JF Winchester, A Dragonetti, D Di Simone, A David, G Mengozzi, G Marietti, G Loduca, M Mansouri, GP Sansipriano, L M Sena, D Roccatello: Absence of NK-kB activation by a new polystyrene-type adsorbent designed for hemoperfusion. *Blood Purification*, 23, 91-98, 2005
649. R Ratanarat, A Brendolan, **C Ronco**: Pulse high volume hemofiltration: rationale and early clinical experience. *Yearbook of Intensive Care and Emergency Medicine*, 686-694, 2005
650. R Bellomo, **C Ronco**: Acute renal replacement therapy: haemofiltration or haemodiafiltration or haemodialysis? *International Journal of Intensive Care*, 30-37, 2005
651. Z Ricci, G Salvatori, M Bonello, T Pisitkun, I Bolgan, G D'Amico, M Dan, P Piccinni, **C Ronco**: In vivo validation of the adequacy calculator for continuous renal replacement therapies. *Critical Care*, 9, 266-273, 2005
652. **C Ronco**: Oral water load and the "Internal Tsunami". *Int J Artif Organs.*, 28, 3, 189, 2005
653. **C Ronco**: Peritoneal dialysis and peritoneal sclerosis. *Int J Artif Organs.*, 28, 2, 81-84, 2005
654. **C Ronco**, NW Levin: Mechanisms of solute transport in extracorporeal therapies. *Cardiovascular Disorders in Hemodialysis. Contrib Nephrol.*, Basel, Karger, 149, 10-17, 2005
655. GB Fiore, **C Ronco**: Mathematical model to characterize internal filtration. *Cardiovascular Disorders in Hemodialysis. Contrib Nephrol.*, Basel, Karger, 149, 27-34, 2005
656. M Amato, A Brendolan, G Campolo, D Petras, M Bonello, C Crepaldi, **C Ronco**: Sequential hemofiltration-hemodiafiltration technique: all in one? *Cardiovascular Disorders in Hemodialysis. Contrib Nephrol.*, Basel, Karger, 149, 115-120, 2005
657. NW Levin, F Zhu, E Seibert, **C Ronco**, MK Kuhlmann: Use of segmental multifrequency bioimpedance spectroscopy in hemodialysis. *Cardiovascular Disorders in Hemodialysis. Contrib Nephrol.*, Basel, Karger, 149, 162-167, 2005

- 658.** SK Bowry, U Kuchinke-Kiehn, **C Ronco**: The cardiovascular burden of the dialysis patients: the impact of dialysis technology. Cardiovascular Disorders in Hemodialysis. Contrib Nephrol., Basel, Karger, 149, 230-239, 2005
- 659.** D Crommelin, T Bermejo, M Bissig, J Damiaans, I Kramer, P Rambourg, G Scroccaro, B Strukelj, R Tredree, **C Ronco**: Biosimilars, generic versions of the first generation of therapeutic proteins: do they exist? Cardiovascular Disorders in Hemodialysis. Contrib Nephrol., Basel, Karger, 149, 287-294, 2005
- 660.** HH Handley, R Gorsuch, H Peters, TG Cooper, RH Bien, NW Levin, **C Ronco**: Slow continuous intravenous plasmapheresis (SCIP TM): clinical applications and hemostability of extracorporeal ultrafiltration. Cardiovascular Disorders in Hemodialysis. Contrib Nephrol., Basel, Karger, 149, 334-342, 2005
- 661.** AR Nissenson, **C Ronco**, G Pergamit, M Edelstein, R Watts: The human nephron filter: toward a continuously functioning, implantable artificial nephron system. Blood Purification, 23, 4, 269-274, 2005
- 662.** F Mariano, V Fonsato, G Lanfranco, R Pohlmaier, **C Ronco**, G Triolo, G Camussi, C Tetta, J Passlick-Deetjen: Tailoring high-cut-off membranes and feasible application in sepsis-associated acute renal failure: in vitro studies. Nephrol Dial Transplant, 6, 1116-1126, 2005
- 663.** NH Lameire, CD Flombaum, D Moreau, **C Ronco**: Acute renal failure in cancer patients. Ann Med. 37, 1, 13-25, 2005
- 664.** D Petras, A Fortunato, G Soffiati, A Brendolan, M Bonello, C Crepaldi, R Ratanarat, G Campolo, M Amato, **C Ronco**: Sequential convective therapies (SCT): a prospective study on feasibility, safety, adequacy and tolerance of on-line hemofiltration and hemodiafiltration in sequence. Int J Artif Organs, 28, 5, 482-488, 2005
- 664-bis.** S Chiamonte, D Dissegna, **C Ronco**: Monitoring of immunosuppressive therapy in renal transplanted patients. Contrib Nephrol. 2005 ;146 :73-86.
- 665.** WR Clark, E Paganini, D Weinstein, R Bartlett, G Sheinfeld, **C Ronco**: Extracorporeal ultrafiltration for acute exacerbations of chronic heart failure: report from the Acute Dialysis Quality Initiative. Int J Artif Organs, 28, 5, 466-476, 2005
- 666.** R Bellomo, PM Honore', J Matson, **C Ronco**, J Winchester: Extracorporeal blood treatment (EBT) methods in SIRS/Sepsis. Int J Artif Organs, 28, 5, 450-458, 2005
- 667.** JA Kellum, R Bellomo, **C Ronco**, R Mehta, W Clark, NW Levin: The 3rd International Consensus Conference of the Acute Dialysis Quality Initiative (ADQI). Int J Artif Organs, 28, 5, 441-444, 2005
- 668.** **C Ronco**: Acute Dialysis Quality Initiative (ADQI): The PASSPORT project. Int J Artif Organs, 28, 5, 438-440, 2005
- 669.** **C Ronco**: Regenerative medicine today. Int J Artif Organs, 28, 4, 280-281, 2005
- 670.** P Di Loreto, S Chiaramonte, D Dissagna, O Banzato, D Zuccarotto, **C Ronco**: Gravidanza dopo trapianto di rene: casistica del Centro Trapianti dell'Azienda Ospedaliera di Vicenza. Giornale Italiano di Nefrologia, 22, suppl 31, 153-155, 2005
- 671.** Z Ricci, **C Ronco**: Renal replacement II: dialysis dose. Crit Care Clin. 21, 2, 357-366, 2005

- 671-bis.** C Tetta, V Fonsato, **C Ronco**, G Camussi: Recent insight into the pathogenesis of severe sepsis. *Crit Care Resusc.* 2005 Mar;7(1):32-9.
- 672.** A Brendolan, F Nalesso, A Fortunato, C Crepaldi, M de Cal, S Cazzavillan, D Cruz, N Techawathanawanna, **C Ronco**: Dialytic performance evaluation of Rexeed: A new polysulfone-based dialyzer with improved flow distributions. *The International Journal of Artificial Organs*, vol 28 n.10,2005: 966-975
- 673.** R Ratanarat, A Brendolan, P Piccinni, M Dan, G Salvatori, Z Ricci, **C Ronco**: Pulse high-volume haemofiltration for treatment of severe sepsis: effects on hemodynamics and survival. *Critical Care Nephrology*, 9, 294-302, 2005
- 674.** A Yavuz, C Tetta, F Fevzi Ersoy, V D'Intini, R Ratanarat, M De Cal, M Bonello, V Bordoni, G Salvatori, E Andrikos, G Yakupoglu, N W Levin, **C Ronco**: Uremic Toxins: A New Focus on an Old Subject. *Seminars In Dialysis.* 18, 3, 203-211, 2005
- 674-bis.** R Bellomo, I Baldwin, N Toshio, L Wan, N Fealy, **C Ronco**: Long-term intermittent renal replacement therapy at an intensive care unit. *Anesteziol Reanimatol.* 2005 Mar-Apr; (2):74-78.
- 675.** D Kindgen-Milles, D Journois, R Fumagalli, S Vesconi, J Maynar, A Marinho, I Bolgan, A Brendolan, M Formica, S Livigni, M Maio, M Marchesi, F Mariano, G Monti, E Moretti, D. Silego, **C. Ronco**: Study protocol: the DOse Response Multicentre International collaborative initiative (DO-RE-MI). *Critical Care*, 9-396-406, 2005
- 676.** S Uchino, R Bellomo, H Morimatsu, S Morgera, M Schetz, I Tan, C Bouman, E macero, N Gibney, A Tolwani, GS Doig, H Oudemans van Straaten, **C Ronco**, JA Kellum: External validation of severity scoring system for acute renal failure using a multinational database. *Critical Care Medicine*, 33, 8, 1961-1967, 2005
- 677.** **C Ronco**, M Bonello: Sepsi e disfunzione renale: fisiopatologia e terapia. *Le infezioni endoaddominali*, 49-64, 2005
- 678.** **C Ronco**, V D'Intini, R Bellomo, Z Ricci, M Bonello, R Ratanarat, G Salvatori, V Bordoni, E Andrikos, A Brendolan: Rationale for the use of extracorporeal treatments for sepsis. *Anesthesiology and Intensive Care*, Moscow, 2, 87-91, 2005
- 679.** S Uchino, JA Kellum, R Bellomo, GS Doig, H Morimatsu, S Morgera, M Schetz, I Tan, C Bouman, E Macedo, N Gibney, A Tolwani, **C Ronco** for the Beginning and Ending Supportive Therapy for the Kidney (BEST Kidney) Investigators: Acute Renal Failure in Critically Ill Patients. A multinational, multicenter study. *JAMA*, 294, 7, 813-818, 2005
- 680.** R Bellomo, **C Ronco**: Renal Failure and Support. *Critical Care. The Requisites in Anesthesiology.* Roberta L. Hines Series Editor, 307-316, 2005
- 681.** Z Ricci, **C Ronco**: Pre-versus Post-dilution CVVH. *Blood Purification*, 23, 338, 2005
- 682.** **C Ronco**: The place of early haemoperfusion with polymyxin B fibre column in the treatment of sepsis. *Critical Care*, 9, 631-633, 2005
- 683.** A Morelli, Z Ricci, R Bellomo, **C Ronco**, M Rocco, G Conti, A De Gaetano, U Picchini, A Orecchioni, M Portieri, F Coluzzi, P Porzi, P Serio, A Bruno, P Pietropaolo: Prophylactic fenoldopam for renal protection in sepsis: A randomized, double-blind, placebo-controlled pilot trial. *Critical Care Medicine*, 33, 11, 2451-2456, 2005
- 684.** **C Ronco**: Biosimilars: how similar are they? *Int J Artif Organs*, 28, 6, 552-553, 2005

- 684-bis. C Ronco:** Fluid balance in CRRT: a call to attention! *Int J Artif Organs*. 2005 Aug; 28(8):763-4.
- 685.** AR Nissenson, **C Ronco**, G Pergamit, M Edelstein, R Watts: Continuously functioning artificial nephron system: the promise of nanotechnology. *Hemodial Int*, 9, 3, 210-217, 2005
- 686. C Ronco**, C Tetta: Dialysis patients and cardiovascular problems: can technology solve the complex equation? *Expert Review of Medical Devices*, 2, 6, 681-687, 2005
- 687. C Ronco**, Z Ricci, R Bellomo, I Baldwin, J Kellum: Management of fluid balance in CRRT: a technical approach. *Int J Artif Organs*, 28, 8, 765-776, 2005
- 688. C Ronco:** Organ donation and transplantation : a lesson from Mr. Green. *Int J Artif Organs*. 2005 November ; 28(11):1057-1059.
- 689.** R Ratanarat, A Brendolan, Z Ricci, G Salvatori, F Nalesso, M de Cal, S Cazzavillan, D Petras, M Bonello, V Bordoni, D Cruz, N Techawathanawanna, **C Ronco:** Pulse high-volume hemofiltration in critically ill patients: a new approach for patients with septic shock. *Seminars in Dialysis*, 19, 1, 69-74, 2006
- 690.** Z Ricci, **C Ronco**, G D'Amico, R De Felice, S Rossi, I Bolgan, M Bonello, N Zamperetti, D Petras, G Salvatori, M Dan, P Piccini: Practice patterns in the management of acute renal failure in the critically ill patient: an international survey. *Nephrol Dial Transplant*, 6, 2006 Mar ;21(3):690-696.
- 691. C Ronco**, P Ingaggiato, V Bordoni, M De Cal, M Bonello, E Andrikos, Y Assuman, R Ratanarat, R Bellomo: Rasburicase therapy in acute hyperuricemia and renal dysfunction. *Contrib Nephrol., Basel, Karger*, 147, 115- 123, 2005
- 692.** Z Ricci, **C Ronco:** Year in review: Critical Care 2004 – nephrology. *Critical Care*, 9, 523-527, 2005
- 692-bis.** R Bellomo, **C Ronco:** New ideas in science and medicine and the renal control of acid-base balance. *Int J Artif Organs*. 2005 Oct;28(10):957-60.
- 693.** JA Kellum, **C Ronco**, R Metha, R Bellomo: Consensus development in acute renal failure: the Acute Dialysis Quality Initiative. *Current Opinion Critical Care*, 11, 6, 527-532, 2005
- 694.** JA Kellum, M Leblanc, RT Gibney, J Tumlin, W Lieberthal, **C Ronco:** Primary prevention of acute renal failure in the critically ill. *Current Opinion Critical Care*, 11, 6, 537-541, 2005
- 695. C Ronco**, R Ratanarat, R Bellomo, G Salvatori, D Petras, M De Cal, F Nalesso, M Bonello, A Brendolan: Multiple organ support therapy for the critically ill patient in intensive care. *Journal of Organ Dysfunction*, 1, 57-68, 2005
- 696.** E Andrikos, A Yavuz, V Bordoni, R Ratanarat, M De Cal, M Bonello, G Salvatori, N Levin, G Yakupoglu, M Pappas, **C Ronco** : Effect of cyclosporine, mycophenolate mofetil, and their combination with steroids on apoptosis in a human cultured monocytic U937 cell line. *Transplantation Proceedings*, 37, 3226-3229, 2005
- 697. C Ronco**, R Ratanarat: Pulse high volume haemofiltration (PHVHF): novel treatment for sepsis. *ICU Management*, 3, 26, 2005
- 698.** R Sessa, M Di Pietro, R Ratanarat, M Rassa, **C Ronco:** La Chlamydia pneumoniae come fattore di rischio cardiovascolare nei pazienti in dialisi: *Nephro News*, 6,75-79, 2005

699. D.A. Story, A.Tosolini, R Bellomo, M Leblanc, L Bragantini, **C Ronco**: Plasma acid-base changes in chronic renal failure: a Stewart analysis, *The International Journal of Artificial Organs*, vol 28 n.10,2005: 961-965

700. **C Ronco**, NW Levin: Mechanisms of solute transport in extracorporeal therapies. *Contrib Nephrol.* 2005;149:10-17

701. **C Ronco**: Can information technology help in acute dialysis therapy? *Int J Artif Organs.* 2005 Dec;28(12):1193-6.

702. Z Ricci, G Salvatori, M Bonello, R Ratanarat, E Andrikos, M Dan, P Piccinni, **C Ronco**: A new machine for continuous renal replacement therapy: from development to clinical testing. *Expert Rev. Med. Devices*, 2, 1, 47-55, 2005

703. **C Ronco**: Evolutionary artificial neural networks: efficient analysis model or mathematical chimera? *Int J Artif Organs.*, 28, 1, 1-2, 2005

704. R Sessa, M Di Pietro, R Ratanarat, M Rassa, **C Ronco**: Chlamydia pneumonite as risk factor of cardiovascular disease in dialysis patients: *Int J Artif Organs.*, 28, 1, 3-7, 2005

2006

705. F Mariano, C Tetta, **C Ronco**, G Triolo: Is there a reale alternative anticoagulant to heparin in continuous treatments? *Expert Rev Med Devices*, 3, 1, 5-8, 2006

705-bis. **C Ronco**: Is the peritoneal catheter a barrier for a wider utilization of PD? Let's go ahead with research and development! *IntJ Artif Organs.* 2006 Jan;29(1):1.

706. N Zamperetti, R Bellomo, M Dan, **C Ronco**: Ethica, political and social aspects of high-technology medicine. *Eos and Care. Intensive Care Med.* 2006 Jun;32(6):830-5. Epub 2006 Apr 14.

707. NA Hoenich, NW Levin, **C Ronco**: The current status and future directions of hemodialysis machine technology. *Hemodialisys Orizons*, 38-44, 2006

708. Z Ricci, R Bellomo, **C Ronco**: Dose of dialysis in acute renal failure. *Clinical J. Am Soc Nephrology* 1, 380-388, 2006

709. Z.Ricci, **C Ronco**, A Bachetoni, G D'Amico, S Rossi, E Alessandri, M Rocco, P Pietropaoli: Solute removal during continuous renal replacement therapy in critically ill patients: convection versus diffusion. *Critical Care*, 2006 Apr 28;10(2):R67

709-bis. R Bellomo, **C Ronco**: Renal replacement therapy in the intensive care unit. *Crit Care Resusc.* 1999 Mar;1(1):13-24.

710. R Bellomo, C Tetta, **C Ronco**: Coupled plasma filtration adsorption. *International Journal of Care Med.* 11, 18, 2006

711. Z Ricci and **C Ronco**: Renal-dose fenoldopam for early-stage renal dysfunction in critically ill patients. *Nature Clinical Practice Nephrology*, Oct 2006 vol.2, no.10 pp. 548-549

712. **C Ronco**, N Levin, A Brendolan, F Nalesso, D Cruz, C Ocampo, D Kuang, M Bonello, M De Cal, V Corradi, Z Ricci: Flow distribution analysis by helical scanning in polysulfone hemodialyzers: Effects of

fiber structure and design on flow patterns and solute clearances, *Hemodialysis International* 10: 380-388, 2006

713. G Fiore, G Guadagni, A Lupi, Z Ricci, **C Ronco**: A new semiempirical mathematical model for prediction of internal filtration in hollow fiber hemodialyzers, *Blood purification* 2006; 24: 555-568

714. **C Ronco**, Z Ricci, R Bellomo: Current worldwide practice of dialysis dose prescription in acute renal failure, *Current Opinion in Critical Care* 12 2006: 551-556

715. W R Clark, J J Letteri, S Uchino, R Bellomo, **C Ronco**: Recent Clinical Advances in the Management of Critically Ill Patients with Acute Renal Failure, *Blood Purification* 24(5-6) 2006: 487-498

716. **C Ronco**, R Dell'Aquila, M.P. Rodighiero, P.Di Loreto, E Spanò, F Nalesso, R Parkhill, R Amerling, N Levin, : The "Ronco" Catheter for continuous flow peritoneal dialysis, *The International Journal of Artificial Organs*, vol 29 n.1,2006: 101-112

717. R Dell'Aquila, S Chiaramonte, M.P. Rodighiero, P.Di Loreto, E Spanò, F Nalesso, D Cruz, D Kuang, **C Ronco**: The Vicenza "short" peritoneal catheter: a twenty year experience, *The International Journal of Artificial Organs*, vol 29 n.1,2006: 123-127

718. N Zamperetti, R Bellomo, **C Ronco**, I Bolgan, Z Ricci: Informed consent for therapy and research in continuous renal replacement therapy: An international survey, *The International Journal of Artificial Organs*, vol 29 n.3, 2006: 269-279

719. **C Ronco**: Disease management in CKD: panacea or futility? *Int J Artif Organs*. 2006 Feb;29(2):153

720. **C Ronco**: Toward improving quality in cardiovascular imaging: One woman's contribution. *Int J Artif Organs*. 2006 Apr;29(4):339-40

721. **C Ronco** Nice to meet you, Mr. GFR! *Int J Artif Organs*. 2006 Jun;29(6):557-558

722. **C Ronco**: Scientific journals: who impacts the impact factor? *Int J Artif Organs*.2006 Jul;29(7):645-8

723. **C Ronco**: Elderly patients in the intensive care unit: Ideal candidates for multiple organ failure. *Int J Artif Organs*. 2006 Aug;29(8):733-5

724. **C Ronco**: Quote but do not misquote the literature. *Int J Artif Organs*. 2006 Oct;29(10):919

725. Z Ricci, **C Ronco**: Year in review 2005: critical care--nephrology. *Crit Care*. 2006;10(4):226.

726. **C Ronco**: Recent evolution of renal replacement therapy in the critically ill patient. *Crit Care*. 2006 Feb;10(1):123

727. **C Ronco**, R Dell'Aquila, MP Rodighiero, P Di Loreto, E Spano': Integration of peritoneal dialysis in the treatment of uremia. *Contrib Nephrol*. 2006;150: 226-234.

728. R Dell'Aquila, MP Rodighiero, P Di Loreto, E Spano' A Brendolan, C Crepaldi, F Nalesso, V Corradi, M de Cal, P Bragano, **C Ronco**: A new home based bioimpedance system for PD. *Contrib Nephrol*. 2006;150: 326-335.

729. **C Ronco**, R Amerling: Continuous flow peritoneal dialysis: current state-of-the-art and obstacles to further development. *Contrib Nephrol*. 2006;150: 310-320.

730. JF Winchester, R Amerling, N Harbord, V Capponi, **C Ronco**: The potential application of sorbents in peritoneal dialysis. *Contrib Nephrology*, 150: 336-343, 2006.
731. **C Ronco**, R Amerling, R Dell'Aquila, MP Rodighiero, P Di Loreto: Evolution of technology for automated peritoneal dialysis. *Contrib Nephrol.* 2006;150: 291-309.
732. **C Ronco**, R Ratanarat, A Brendolan, M Bonello, G Salvatori, V Bordoni, M De Cal, F Nalesso, V D'Intini: Perspectives in renal replacement therapy in critically ill patients. *Les circulations extracorporelles en reanimation.* Elsevier SAS, 367-385, 2006
733. **C Ronco**: Sorbents: from bench to bedside. Can we combine membrane separation processes and adsorbent based solute removal? *Int J Artif Organs.* 2006 Sep;29(9): 819-822.
734. DN Cruz, MA Perazella, R Bellomo, V Corradi, M de Cal, D Kuang, C Ocampo, F. Nalesso, **C Ronco**: Extracorporeal blood purification therapies for prevention of radiocontrast-induced nephropathy: a systematic review. *Am J Kidney Dis.* 2006 Sep;48(3): 361-371
735. **C Ronco**: The international Vicenza Course on Peritoneal Dialysis: a tradition of education and science. *Perit Dial Int.* 2006 May-Jun;26(3): 289-291
736. S Uchino, R Bellomo, D Goldsmith, S Bates, **C Ronco**: An assessment of the RIFLE criteria for acute renal failure in hospitalized patients. *Crit Care Med.* 2006 Jul;34(7):1913-7
737. Dell'Aquila R, Rodighiero MP, Spano E, Feriani M, **Ronco C**: Acid-base balance in peritoneal dialysis. *J Nephrol.* 2006 Mar-Apr;19 Suppl 9:S104-7.
738. P Piccinni, M Dan, S Barbacini, R Carraro, E Lieta, S marafon, N Zamperetti, A Brendolan, V D'Intini, C Tetta, R Bellomo, **C Ronco**: Early isovolaemic haemofiltration in oliguric patients with septic shock. *Intensive Care Med.* 2006 Jan;32(1):80-6. Epub 2005 Nov 18
739. **C Ronco**: Peritoneal Dialysis: a clinical update. Factors affecting hemodialysis and peritoneal dialysis Efficiency. *Contrib Nephrology Basel, Karger, vol 150, pp 1-12, 2006*
740. **C Ronco**: The monthly thought of the Editor - March 9 th : World Kidney Day. *Int J Artif Organs.* 2006 Mar;29(3):261-3
- 740-bis. **C Ronco**: Nexialism and translational research. *Int J Artif Organs.* 2006 Dec;29(12):1103-4.
741. **Ronco C**: Do not dialyze. *Int J Artif Organs.* 2006 November 2006;29(11):1021-1022.
742. **C Ronco** Nice to meet you, Mr. GFR! *Rivista Italiana della Medicina di Laboratorio*, 2, 275-277, 2006
743. P Piccinni, Z Ricci, **C Ronco**: Dose d'hemofiltration. *Les circulations extracorporelles en reanimation.* Elsevier SAS, 237-248, 2006
744. **C Ronco**, NW Levin: Preface. *Blood Purification*, 24, 5, 2006
745. RA Ward, **C Ronco**: Dialyzer and Machine Technologies: application of recent advances to clinical practice. *Blood Purification*, 24, 6-10, 2006
746. NA Hoenich, **C Ronco**, R Levin: The importance of water quality and haemodialysis fluid composition. *Blood Purification*, 24, 11-18, 2006

747. C Ronco, S Bowry, C Tetta: Dialysis patients and cardiovascular problems: can technology help solve the complex equation? *Blood Purification*, 24(1), 39-45, 2006

748. V Bordoni, M Piroddi, F Galli, M de Cal, M Bonello, D Petras, G Salvatori, R Rattanarat, N Levin, C Ronco: Oxidant and carbonyl stress-related apoptosis in end stage kidney disease: impact of membrane flux. *Blood Purification*, 24, 149-156, 2006

749. C Ronco, B Breuer, S K Bowry: Hemodialysis membranes for high-volume hemodialytic therapies: the application of nanotechnology. *Hemodialysis International*, 10, S48-S50, 2006

2007

750. DN Cruz, C Ocampo, A Brendolan, G Menara, V Corradi, M de Cal, N Polanco, D Kuang, F Nalesso, C Crepaldi, C Ronco: Effectiveness of sodium hypochlorite in the prevention of catheter related infections. *Contrib Nephrol.* 2007;154: 97-102.

751. PM Grezzi, M Bonello, C Ronco: Disinfection of dialysis monitors. *Contrib Nephrol.* 007;154: 39-60.

752. D Kuang, A Verbine, C Ronco: Pharmacokinetics and antimicrobial dosing adjustment in critically ill patients during continuous renal replacement therapy. *Clinical Nephrology*, vol 67, no.5/2007, 267-284

753. C Ronco: A call to action on World Kidney Day, March 8, 2007. *Int J Artif Organs.* 2007 Jan;30(1): 3-5

754. C Ronco, Critical care nephrology: can we clone the 'Vicenza Model'? *Int J Artif Organs.* 2007 Mar;30(3):181-2

755. DN Cruz, MA Perazella, R Bellomo, M de Cal, N Polanco, V Corradi, P Lentini, F Nalesso, T Ueno, VM Ranieri, C Ronco: Effectiveness of polymyxin B-immobilized fiber column in sepsis: a systematic review. *Crit Care.* 2007 Apr 20;11(2):R47

756. R Bellomo, S Bagshaw, C Langenberg, C Ronco : Pre-Renal Azotemia: A Flawed Paradigm in Critically Ill Septic Patients? *Contrib Nephrol.* 2007;156:1-9.

757. JA Kellum, R Bellomo, C Ronco: The Concept of Acute Kidney Injury and the RIFLE Criteria. *Contrib Nephrol.* 2007;156: 10-16.

758. E Licari, P Calzavacca, C Ronco, R Bellomo: Fluid resuscitation and the septic kidney: the evidence. *Contrib Nephrol.* 2007;156: 167-77.

759. Z Ricci, C Ronco: Information Technology for CRRT and Dose Delivery Calculator. *Contrib Nephrol.* 2007;156: 197-202.

760. SM Bagshaw, A Delaney, D Jones, C Ronco, R Bellomo: Diuretics in the Management of Acute Kidney Injury: A Multinational Survey. *Contrib Nephrol.* 2007;156: 236-249.

761. Z Ricci, S Picardo, C Ronco: Results from international questionnaires. *Contrib Nephrol.* 2007;156: 297-303.

762. C Ronco, D Cruz, R Bellomo: Continuous renal replacement in critical illness. *Contrib Nephrol.* 2007;156:309-19

763. M Haase, A Haase-Fielitz, SM Bagshaw, **C Ronco**, R Bellomo: Cardiopulmonary bypass-associated acute kidney injury: a pigment nephropathy? *Contrib Nephrol.* 2007;156:340-53.
764. F Nalesso, A Brendolan, C Crepaldi, DN Cruz, M de Cal, R Bellomo, **C Ronco**: Albumin dialysis and plasma filtration adsorption dialysis system. *Contrib Nephrol.* 2007;156:411-8.
765. DN Cruz, R Bellomo, **C Ronco**: Clinical effects of polymyxin B-immobilized fiber column in septic patients. *Contrib Nephrol.* 2007;156:444-51.
766. **C Ronco**: Can peritoneal dialysis be considered an option for the treatment of acute kidney injury? *Perit Dial Int.* 2007 May-Jun;27(3):251-3
767. **C Ronco**: Renal replacement therapy for acute kidney injury: let's follow the evidence. *Int J Artif Organs.* 2007 Feb;30(2):89-94
768. Z Huang, JJ Letteri, WR Clark, W Zhang, D Gao, **C Ronco**: Ultrafiltration rate as a dose surrogate in pre-dilution hemofiltration. *Int J Artif Organs.* 2007 Feb;30(2):124-32.
769. **C Ronco**: Medical devices for dialysis: high-tech commodities? *Int J Artif Organs.* 2007 Feb;30(2):87-8
770. **C Ronco**, D Cruz: Hemodiafiltration history, technology, and clinical results. *Adv Chronic Kidney Dis.* 2007 Jul;14(3):231-43. Review.
771. A Levin, DG Warnock, RL Mehta, JA Kellum, SV Shah, BA Molitoris, **C Ronco**: Acute Kidney Injury Network Working Group. Improving outcomes from acute kidney injury: report of an initiative. *Am J Kidney Dis.* 2007 Jul;50(1):1-4.
772. **C Ronco**, R Bellomo: Dialysis in intensive care unit patients with acute kidney injury: continuous therapy is superior. *Clin J Am Soc Nephrol.* 2007 May;2(3):597-600. Epub 2007 Mar 14
773. SM Bagshaw, S Uchino, R Bellomo, H Morimatsu, S Morgera, M Schetz, I Tan, C Bouman, E Macedo, N Gibney, A Tolwani, HM Oudemans-van Straaten, **C Ronco**, JA Kellum: Beginning and Ending Supportive Therapy for the Kidney (BEST Kidney) Investigators. Septic acute kidney injury in critically ill patients: clinical characteristics and outcomes. *Clin J Am Soc Nephrol.* 2007 May;2(3):431-9. Epub 2007 Mar 21
774. DN Cruz, I Bolgan, MA Perazella, M Bonello, M de Cal, V Corradi, N Polanco, C Ocampo, F Nalesso, P Piccinni, **R Ronco**: North East Italian Prospective Hospital Renal Outcome Survey on Acute Kidney Injury (NEiPHROS-AKI) Investigators. North East Italian Prospective Hospital Renal Outcome Survey on Acute Kidney Injury (NEiPHROS-AKI): targeting the problem with the RIFLE Criteria. *Clin J Am Soc Nephrol.* 2007 May;2(3):418-25. Epub 2007 Mar 27
775. DN Cruz, **C Ronco**: Acute kidney injury in the intensive care unit: current trends in incidence and outcome. *Crit Care.* 2007 Jul 24;11(4):149
776. S Uchino, R Bellomo, JA Kellum, H Morimatsu, S Morgera, MR Schetz, I Tan, C Bouman, E Macedo, N Gibney, A Tolwani, HM Oudemans-Van Straaten, **C Ronco**; Beginning and Ending Supportive Therapy for the Kidney (B.E.S.T. Kidney) Investigators Writing Committee. Patient and kidney survival by dialysis modality in critically ill patients with acute kidney injury. *Int J Artif Organs.* 2007 Apr;30(4):281-92.
777. **C Ronco**. The monthly thought of the Editor: ADQI, AKIN, and beyond. *Int J Artif Organs.* 2007 May;30(5):371-372

- 778.** JA Kellum, R Bellomo, **C Ronco**: Classification of acute kidney injury using RIFLE: What's the purpose? *Crit Care Med.* 2007 Aug;35(8):1983-1984
- 779.** A Bagga, A Bakkaloglu, P Devarajan, RL Mehta, JA Kellum, SV Shah, BA Molitoris, **C Ronco**, DG Warnock, M Joannidis, A Levin: Acute Kidney Injury Network. Improving outcomes from acute kidney injury: report of an initiative. *Pediatr Nephrol.* 2007 Oct;22(10):1655-8. Epub 2007 Jul 31. PMID: 17665221
- 780.** BA Molitoris, A Levin, DG Warnock, M Joannidis, RL Mehta, JA Kellum, **C Ronco**, SV Shah: Acute Kidney Injury Network working group. Improving outcomes of acute kidney injury: report of an initiative. *Nat Clin Pract Nephrol.* 2007 Aug;3(8):439-42
- 781.** S Uchino, R Bellomo, H Morimatsu, S Morgera, M Schetz, I Tan, C Bouman, E Macedo, N Gibney, A Tolwani, H Oudemans-van Straaten, **C Ronco**, JA Kellum: Continuous renal replacement therapy: A worldwide practice survey : The Beginning and Ending Supportive Therapy for the Kidney (B.E.S.T. Kidney) Investigators. *Intensive Care Med.* 2007 Sep;33(9):1563-70. Epub 2007 Jun 27
- 782.** **C Ronco**, A Levin, DG Warnock, R Mehta, JA Kellum, S Shah, BA Molitoris; AKIN Working Group. Improving outcomes from acute kidney injury (AKI): Report on an initiative. *Int J Artif Organs.* 2007 May;30(5):373-6.
- 783.** **C Ronco**: Mesotheliology: a new area of research? *Int J Artif Organs.* 2007 Jun;30(6):453-5.
- 784.** **C Ronco**: CRRT protects the kidney during acute renal failure. *Int J Artif Organs.* 2007 Apr;30(4):279-80
- 785.** R Ratanarat, C Permpikul, **C Ronco**: Renal replacement therapy in acute renal failure: which index is best for dialysis dose quantification? *Int J Artif Organs.* 2007 Mar;30(3):235-43
- 786.** **C Ronco**, L Fecondini: The Vicenza Wearable Artificial Kidney for Peritoneal Dialysis (ViWAK PD). *Blood Purif.* 2007 Sep 3;25(4):383-388
- 787.** Z Ricci, A Polito, C Giorni, L Di Chiara, **C Ronco**, S Picardo: Continuous hemofiltration dose calculation in a newborn patient with congenital heart disease and preoperative renal failure. *Int J Artif Organs.* 2007 Mar;30(3):258-61.
- 788.** **C Ronco**: Hemodiafiltration: From elite therapy to gold standard. *Int J Artif Organs.* 2007 Jul;30(7):563
- 789.** MP Rodighiero, R Dell'Aquila, M Bonello, E Spano, PD Loreto, R Nalesso, **C Ronco**: Successful use of sodium hypochlorite pack plus systemic and local antibiotic therapy for the treatment of pseudomonas infection of peritoneal dialysis catheter exit-site. *Contrib Nephrol.* 2007;154:125-128
- 790.** **C Ronco**: Happy birthday, dear Blue Journal! *Int J Artif Organs.* 2007 January 2007;30(1):1-2.
- 791.** Z Ricci, **C Ronco** : Kidney diseases beyond nephrology--intensive care. *Nephrol Dial Transplant.* 2007 Mar;22(3):708-11. Epub 2007 Jan 23
- 792.** R Bellomo, JA Kellum, **C Ronco**: Defining and classifying acute renal failure: from advocacy to consensus and validation of the RIFLE criteria. *Intensive Care Med.* 2007 Mar;33(3):409-13
- 793.** G Monti, M Herrera, D Kindgen-Milles, A Marinho, D Cruz, F Mariano, G Gigliola, E Moretti, E Alessandri, R Robert, **C Ronco**: Dose Response Multicentre International Collaborative Initiative Scientific Committee. The DOse REsponse Multicentre International Collaborative Initiative (DO-RE-MI). *Contrib Nephrol.* 2007;156:434-443

- 794.** RL Mehta, JA Kellum, SV Shah, BA Molitoris, **C Ronco**, DG Warnock, A Levin: Acute Kidney Injury Network (AKIN): report of an initiative to improve outcomes in acute kidney injury. Crit Care. Mar 1;11(2): R31, 2007
- 795.** GB Fiore, **C Ronco**: Principles and practice of internal hemodiafiltration. Contrib Nephrol. 2007;158:177-184
- 796.** **C Ronco**: Fluid mechanics and crossfiltration in hollow-fiber hemodialyzers. Contrib Nephrol. 2007;158:34-49
- 797.** WR Clark, E Rocha, **C Ronco**: Solute removal by hollow-fiber dialyzers. Contrib Nephrol. 2007;158:20-33
- 798.** **C Ronco**: Evolution of hemodiafiltration. Contrib Nephrol. 2007;158:9-19
- 799.** R Bellomo, JA Kellum, **C Ronco**: Comment on "RIFLE classification in patients with acute kidney injury in need of renal replacement therapy" by Maccariello et al. Intensive Care Med. 2007 Oct;33(10):1850; author reply 1851-2.
- 800.** BA Molitoris, A Levin, DG Warnock, M Joannidis, RL Mehta, JA Kellum, C Ronco, S Shah; Acute Kidney Injury Network. Improving outcomes from acute kidney injury. J Am Soc Nephrol. 2007 Jul;18(7):1992-4.
- 801.** R Amerling, J Winchester, **C Ronco**: Guideline for Guidelines, Blood Purification 25 2007: 36-38
- 802.** N Hoenich, **C Ronco**: Haemodialysis Fluid: Composition and Clinical Importance, Blood Purification 25 2007: 62-68
- 803.** S Cazzavillan, R Ratanarat C Segala V Coradi M de Cal D Cruz C Ocampo N Polanco M Rassu N Levin **C Ronco**: Inflammation and Subclinical Infection in Chronic Kidney Disease: A molecular Approach, Blood Purification 25 2007: 69-76
- 804.** R Ratanarat S Cazzavillan Z Ricci M Rassu C Segala, M De Cal, D Cruz, V Corradi, S Manfro, E Roessler, N Levin, **C Ronco**: Usefulness of a Molecular Strategy for the Detection of Bacterial DNA in Patients with Severe Sepsis Undergoing Continuous Renal Replacement Therapy, Blood Purification 25 2007:106-111
- 805.** **C Ronco**: Continuous dialysis is superior to intermittent dialysis in acute kidney injury of the critically ill patient. Nature Clinical Practice Nephrology, 3, 3, 118-119, 2007
- 806.** **C Ronco**: Happy birthday, Dr. Gotch. Int J Artif Organs. 2007 January 2007;30(11)
- 807.** **C Ronco**: N-GAL: Diagnosis AKI as soon as possible. Critical Care, 2007, 11:173
- 808.** **C Ronco**, C. Tetta: Extracorporeal blood purification: more than diffusion and convection. Does this help? Current Opinion in Critical Care, 2007, 13: 662-667
- 809.** **C Ronco**: Evolution of hemodialysis. Contribution to Nephrology, 158, 9-19, 2007
- 810.** WR Clark, E Rocha, **C Ronco**: Solute Removal by hollow-fiber dialyzers. Contribution to Nephrology, 158, 20-33, 2007
- 811.** **C Ronco**: Fluid mechanics and crossfiltration in hollow-fiber hemodialyzers. Contribution to Nephrology, 158, 34-49, 2007

- 812.** GB Fiore, **C Ronco**: Principles and practice of internal hemodiafiltration. Contribution to Nephrology, 158, 177-184, 2007
- 813.** Z Ricci, S Morelli, **C Ronco**, A Polito. GV Stazi, C Giorni, L Di Chiara, S Picaro: Inotropic support and peritoneal dialysis adequacy in neonates after cardiac surgery. Interactive cardiovascular and Thoracic Surgery. 2008 Feb;7(1):116-20.
- 814.** Z Ricci, D Cruz, **C Ronco**: The RIFLE criteria and mortalità in acute kidney injury: A systematic review. Kidney International, 2007
- 815.** V Gura, **C Ronco**, F Nalesso, A Brendolan, M Beizai, C Ezon, A Davenport, E Rambod: A wearable hemofilter for continuous ambulatory ultrafiltration. Kidney International. 2008 Feb;73(4):497-502.
- 816.** R Dell'Aquila, MP Rodighiero, E Spano', P Di Loreto, CO Kohn, D Cruz, N Polanco, D Kuang, V Corradi, M De Cal, **C Ronco**: Advances in the technology of automated, tidal, and continuous flow peritoneal dialysis. Peritoneal Dialysis International, 2007, 27, 2, S130-137
- 817.** R Dell'Aquila, S Chiaramonte, MP Rodighiero, E Spano', P Di Loreto, CO Kohn, D Cruz, N Polanco, D Kuang, V Corradi, M De Cal, **C Ronco**: Rational choice of peritoneal dialysis catheters. Peritoneal Dialysis International, 2007, 27, 2, S119-125
- 818.** K Rifai, C Tetta, **C Ronco**: Prometheus: from legend to the real liver support therapy. Int J Artificial Organs, 2007, 30, 10, 858-863
- 818-bis.** BJ Lipps, **C Ronco**, NW Levin, P Kotanko: Celebrating Dr. Gotch's 80th birthday. Int J Artif Organs. 2007 Nov;30(11):951-2.
- 819.** **C Ronco**: The immunomodulatory effect of extracorporeal therapies in sepsis: a reconciliation of three theories. International J Artificial Organs, 2007, 30, 10, 855-857
- 819-bis.** AA House, **C Ronco**: Cardiovascular risk in hemodialysis patients: a mechanistic approach. Int J Artif Organs. 2007 Nov;30(11):1020-7.
- 820.** **C Ronco**: Hemodialysis 1947-2007: six decades of achievements and challenges. Int J Artif Organs. 30, 12, 1029-1030, 2007
- 820-bis.** A Davenport, V Gura, **C Ronco**, M Beizai, C Ezon, E Rambod: A wearable haemodialysis device for patients with end-stage renal failure: a pilot study. Lancet. 2007 Dec 15;370(9604):2005-10.
- 821.** AA House, SS Oliveira, **C Ronco**: Anti-inflammatory drugs and the kidney. Int J Artif Organs. 30, 12, 1042-1046, 2007
- 822.** M Bonello, AA House, D Cruz, Y Asuman, E Andrikos, D Petras, M Strazzabosco, F Ronco, A Brendolan, C Crepaldi, F Nalesso, **C Ronco**: Integration of blood volume, blood pressure, heart rate and bioimpedance monitoring for the achievement of optimal dry body weight during chronic hemodialysis. Int J Artif Organs. 30, 12, 1098-1108, 2007

2008

- 823.** **C Ronco**, NW Levin: Preface. Blood Purification 26, 5, 2008.

- 823-bis.** Z Ricci, D Cruz, **C Ronco**: The RIFLE criteria and mortality in acute kidney injury: a systematic review. *Kidney Int.* 2008 Mar;73(5):538-46.
- 824.** N Hoenich, S Thijssen, T Kitzler, R Levin, **C Ronco**: Impact of water quality and dialysis fluid composition on dialysis practice. *Blood Purification* 26, 6-11, 2008
- 824-bis.** **C Ronco**, NW Levin: Dialysis: Advances in chronic kidney disease. Preface. *Blood Purif.* 2008;26(1):5.
- 825.** AA House, **C Ronco**: Extracorporeal blood purification in sepsis and sepsis-related acute kidney injury. *Blood Purification* 26, 30-35, 2008
- 826.** R Amerling, JF Winchester, **C Ronco**: Guidelines have done more harm than Good. *Blood Purification* 26, 73-76, 2008
- 827.** F Locatelli, A Gaulty, S Czekalski, T Hannedouche, SH Jacobson, A Laouairo, A Martin-Malo, M Papadimitriou, J Passlick-Deetjen, **C Ronco**, R vanholder, V Wizemann for the Membrane Permeability Outcome (MPO) Study Group: The MPO Study: just a european HEMO Study or something very different? *Blood Purification* 26, 100-104, 2008
- 828.** M De Cal, S Silva, D Cruz, F Basso, V Corradi, P Lentini, F Nalesso, D Dissegna, V Goepel, S Chiaramonte, **C Ronco**: Oxidative stress and "Monocyte Reprogramming" after kidney transplant: a longitudinal study. *Blood Purification* 26, 105-110, 2008
- 829.** N Gibney, E Hoste, EA Burdmann, T Bunchman, V Kher, R Viswanathan, RL Mehta, **C Ronco**: Timing of Initiation and Discontinuation of Renal Replacement Therapy in AKI: Unanswered Key Questions. *Clin J Am Soc Nephrol.* 2008 May: 876-80.
- 830.** A Tolwani, E Paganini, M Joannidis, N Zamperetti, A Verbine, V Vidyasagar, W Clark, **C Ronco**: Treatment of patients with cardiac surgery associated-acute kidney injury. *Int J Artif Organs.* 2008 Feb;31(2):190-6.
- 831.** M Schetz, T Bove, A Morelli, S Mankad, **C Ronco**, JA Kellum: Prevention of cardiac surgery-associated acute kidney injury. *Int J Artif Organs.* 2008 Feb;31(2):179-89.
- 832.** R Bellomo, S Auriemma, A Fabbri, A D'Onofrio, N Katz, PA McCullough, Z Ricci, A Shaw, **C Ronco**: The pathophysiology of cardiac surgery-associated acute kidney injury (CSA-AKI). *Int J Artif Organs.* 2008 Feb;31(2):166-78.
- 833.** EA Hoste, DN Cruz, A Davenport, L R Mehta, P Piccinni, C Tetta, G Viscovo, **C Ronco**. The epidemiology of cardiac surgery-associated acute kidney injury. *Int J Artif Organs.* 2008 Feb;31(2):158-65.
- 834.** **C Ronco**, JA Kellum, R Bellomo: Cardiac surgery-associated acute kidney injury. *Int J Artif Organs.* 2008 Feb;31(2):156-157.
- 835.** N Gibney, J Cerda, A Davenport, J Ramirez, K Singbartl, M Leblanc, **C Ronco**: Volume management by renal replacement therapy in acute kidney injury. *Int J Artif Organs.* 2008 Feb;31(2):145-55.
- 836.** JA Kellum, **C Ronco**, RL Mehta: Fluid management in acute kidney injury. *Int J Artif Organs.* 2008 Feb;31(2):94-95.

- 837.** JA Kellum, R Bellomo, **C Ronco**: Acute Dialysis Quality Initiative (ADQI): Methodology. Int J Artif Organs. 2008 Feb;31(2):90-3.
- 838.** **C Ronco**, R Bellomo, JA Kellum: Acute Dialysis Quality Initiative: Further steps toward improved practice in acute kidney injury. Int J Artif Organs. 2008 Feb;31(2):89.
- 839.** **C Ronco**: Cardiorenal and renocardiac syndromes: Clinical disorders in search of a systematic definition. Int J Artif Organs. 2008 January 2008;31(1):1-2.
- 840.** Z Ricci, **C Ronco**: Kidney diseases beyond nephrology: intensive care. Nephrol Dial Transplant. 2008 Mar;23(3):820-6. Epub 2008 Feb 18.
- 841.** S Silva, M de Cal, D Cruz, P Lentini, V Corradi, G Gallo, G Salvatori, A Verbine, L Pogoshyan, F Nalesso, A Brendolan, P Piccinni, **C Ronco**: Oxidative Stress and 'Monocyte Reprogramming' in Septic Patients with Acute Kidney Injury Requiring CRRT. Blood Purif. 2008 Feb 15;26(2):188-192.
- 842.** BK Krämer, DD Castillo, R Margreiter, H Sperschneider, Olbricht CJ, Ortuño J, Sester U, Kunzendorf U, Dietl KH, Bonomini V, Rigotti P, **Ronco C**, Taberner JM, Rivero M, Banas B, Mühlbacher F, Arias M, Montagnino G; for the European Tacrolimus versus Ciclosporin Microemulsion Renal Transplantation Study Group: Efficacy and safety of tacrolimus compared with ciclosporin A in renal transplantation: three-year observational results. Nephrol Dial Transplant. 2008 Feb 7, 2386-2392
- 843.** **C Ronco**, AA House, M Haapio: Cardiorenal syndrome: refining the definition of a complex symbiosis gone wrong. Intensive Care Med. 2008 May;34(5):957-962.
- 844.** **C Ronco**, JA Kellum, R Bellomo, AA House: Potential interventions in sepsis-related acute kidney injury. Clin J Am Soc Nephrol. 2008 Mar;3(2):531-44. Epub 2008 Jan 30.
- 845.** JA Kellum, RL Mehta, A Levin, BA Molitoris, DG Warnock, SV Shah, M Joannidis, **C Ronco**; for the Acute Kidney Injury Network (AKIN). Development of a Clinical Research Agenda for Acute Kidney Injury Using an International, Interdisciplinary, Three-Step Modified Delphi Process. Clin J Am Soc Nephrol. 2008 May; 3(3):887-94.
- 846.** **C Ronco**: NGAL: an emerging biomarker of acute kidney injury. Int J Artif Organs. 2008 Mar;31(3):199-200.
- 847.** TS Ing, **C Ronco C**, CR Blagg: High-intensity hemodialysis: the wave of the future? Int J Artif Organs. 2008 Mar;31(3): 201-12
- 848.** **C Ronco**, SM Bagshaw, RT Gibney, R Bellomo: Outcome comparisons of intermittent and continuous therapies in acute kidney injury: what do they mean? Int J Artif Organs. 2008 Mar;31(3):213-20.
- 849.** de Cal M, DN Cruz, V Corradi, F Nalesso, N Polanco, P Lentini, A Brendolan, C Tetta, **C Ronco**: HLA-DR expression and apoptosis: a cross-sectional controlled study in hemodialysis and peritoneal dialysis patients. Blood Purif. 2008;26(3):249-54. Epub 2008 Mar 29.
- 850.** **C Ronco**, AA House, M Haapio: Cardiorenal and renocardiac syndromes: the need for a comprehensive classification and consensus. Nat Clin Pract Nephrol. 2008 Jun;4(6):310-1. Epub 2008 Apr 8.
- 851.** Z Ricci, **C Ronco**: Dose and efficiency of renal replacement therapy: continuous renal replacement therapy versus intermittent hemodialysis versus slow extended daily dialysis. Crit Care Med. 2008 Apr;36(4 Suppl):S229-37.

- 852.** DN Cruz, R Bellomo, JA Kellum, M de Cal, **C Ronco**: The future of extracorporeal support. *Crit Care Med.* 2008 Apr;36(4 Suppl):S243-52.
- 853.** N Zamperetti, R Bellomo, **C Ronco**: Bioethical aspects of end-of-life care. *Eur J Anaesthesiol* February 2008.S42;51-7.
- 854.** **C Ronco**: Dialysis and the central nervous system. *Int J Artif Organs.* 2008 Apr;31(4):287.
- 855.** D Gong, D Ji, B Ren, J Tao, B Xu, **C Ronco**, L Li: Significant decrease in dialysate albumin concentration during molecular adsorbent recirculating system (M.A.R.S.) therapy. *Int J Artif Organs.* 2008 Apr;31(4):333-9.
- 856.** M Haapio, **C Ronco**: BNP and a renal patient: emphasis on the unique characteristics of B-type natriuretic peptide in end-stage kidney disease. *Contrib Nephrol.* 2008;161:68-75.
- 857.** DN Cruz, M de Cal, **C Ronco**: Oxidative stress and anemia in chronic hemodialysis: the promise of bioactive membranes. *Contrib Nephrol.* 2008;161:89-98.
- 858.** **C Ronco**: Is the advent of biosimilars affecting the practice of nephrology and the safety of patients? *Contrib Nephrol.* 2008;161:261-70
- 859.** A Umgelter, W Reindl, J Lutz, B Kreyman, **C Ronco**, W Huber, H Frank, RM Schmid, U Heemann: Treatment of septic patients with an arginine-based adsorber column improves hemodynamics and reduces oxidative stress: results of a feasibility study. *Blood Purif.* 2008;26(4):333-9. Epub 2008 May 16.
- 860.** **C Ronco**: Noise pollution in hemodialysis centers. *Nat Clin Pract Nephrol.* 2008 Jun;4(6):289.
- 861.** **C Ronco**: The complex task of editing a journal and the freedom to open up new avenues of thoughts. *Int J Artif Organs.* 2008 Jun;31(6):465-466
- 862.** DN Cruz, MA Perazella, **C Ronco**: The role of extracorporeal blood purification therapies in the prevention of radiocontrast-induced nephropathy. *Int J Artif Organs.* 2008 Jun;31(6):515-24.
- 863.** Z Huang, JJ Letteri, WR Clark, **C Ronco**, D Gao: Operational characteristics of continuous renal replacement modalities used for critically ill patients with acute kidney injury. *Int J Artif Organs.* 2008 Jun;31(6):525-34.
- 864.** DN Cruz, M De Cal, F Garzotto, A Brendolan, F Nalesso, V Corradi, **C Ronco**: The Effect of vitamin E-coated dialysis membranes on anemia in patients with chronic kidney disease: an Italian multicenter study. *Int J Artif Organs.* 2008 Jun;31(6):545-52
- 865.** JC Kim, JH Kim, HC Kim, KG Kim, JC Lee, E Kang, HC Kim, BG Min, **C Ronco**: Three-dimensional dialysate flow analysis in a hollow-fiber dialyzer by perfusion computed tomography. *Int J Artif Organs.* 2008 Jun;31(6):553-60.
- 866.** M De Cal, S Cazzavillan, M Rassa, **C Ronco**: Residual of bacterial DNA in hemodialyzers: the proof of subclinical infection sustaining chronic inflammation. *Int J Artif Organs.* 2008 May;31(5):395-404.
- 867.** **C Ronco**: What if the ATN trial...? *Int J Artif Organs.* 2008 May;31(5):379-81.
- 868.** V Gura, **C Ronco**, A Davenport : Response to 'A wearable hemofilter for continuous ambulatory ultrafiltration' *Kidney Int.* 2008 Aug;74(4):537-538.

- 869.** SM Bagshaw , PD Brophy , D Cruz, **C Ronco**: Fluid balance as a biomarker: impact of fluid overload on outcome in critically ill patients with acute kidney injury. Crit Care. 2008;12(4):169.
- 870.** **C Ronco**, A Davenport, V Gura: A wearable artificial kidney: dream or reality? Nat Clin Pract Nephrol. 2008 Nov;4(11):604-5.
- 871.** Z Ricci , GV Stazi, L Di Chiara, S Morelli, V Vitale, C Giorni, **C Ronco**, S Picardo: Fenoldopam in newborn patients undergoing cardiopulmonary bypass: controlled clinical trial. Interact Cardiovasc Thorac Surg. 2008 Dec;7(6):1049-53.
- 872.** **C Ronco**, A Davenport, V Gura: Toward the wearable artificial kidney. Hemodial Int. 2008 Jul; 12 Suppl 1: S40-7
- 873.** **C Ronco**, CR Blagg: James E. Cimino, M.D.: Recipient of the 2008 International Society for Hemodialysis Belding Scribner Trailblazer Award. Hemodial Int. 2008 Jul; 12 Suppl 1: S66-7.
- 874.** **C Ronco**, Z Ricci: Renal replacement therapies: physiological review. Intensive Care Med. 2008 Dec; 34(12): 2139-46.
- 875.** JA Kellum, R Bellomo, **C Ronco**: Definition and classification of acute kidney injury. Nephron Clin Pract. 2008; 109(4): c182-7.
- 876.** Z Ricci, D Cruz, **C Ronco**: The RIFLE classification for acute kidney injury definition. Am J Surg. 2009 Jul;198(1):152-153..
- 877.** R Dell'Aquila, **C Ronco**: PD and HD in combination. Nefrologia. 2008; 28 Suppl 6:67-70.
- 878.** **C Ronco**, P Honoré: Renal support in critically ill patients with acute kidney injury. N Engl J med. 2008 Oct 30; 359(18):1959.
- 879.** **C Ronco**, D Cruz, HO van Straaten, P Honore, A House, D Bin, N Gibney: Dialysis dose in acute kidney injury: no time for therapeutic nihilism – a critical appraisal of the Acute Renal Failure Trial Network study. Crit care. 2008; 12(5):308.
- 880.** Z Ricci, **C Ronco**: Year in review 2007: Critical Care – nephrology. Crit Care. 2008; 12(5):230.
- 881.** V Gura, **C Ronco**, A Davenport: The Wearable Artificial Kidney, Why and How: From Holy Grail to Reality. Semin Dial. 2009 Jan-Feb;22(1):13-17.
- 882.** **C Ronco**, M Haapio, AA House, N Anavekar, R Bellomo: Cardiorenal syndrome. J Am Coll Cardiol. 2008 Nov 4; 52(19):1527-39.
- 883.** D Gong, D Cruz, **C Ronco**: Depurative capacity of molecular adsorbent recycling system (MARS): A focus on bilirubin removal. Int J Artif Organs. 2008 Oct. 31(10):875-81.
- 884.** I Ledebro, **C Ronco**: The best dialysis therapy? Results from an international survey among nephrology professionals. NDT Plus. 2008 Dec; 1(6): 403-408.
- 885.** JC Kim, JH Kim, HC Kim, E Kang, KG Kim, c Kim, BG Min, **C Ronco**: Effect of fiber structure on dialysate flow profile and hollow-fiber hemodialyzer reliability: CT perfusion study. Int J Artif Organs. 2008 Nov; 31(11):944-50.

2009

- 886.** F Locatelli, A Martin-Malo, T Hannedouche, A Loureiro, M Papadimitriou, V Wizemann, SH Jacobson, S Czekalski, **C Ronco**, R Vanholder; for the Membrane Permeability Outcome (MPO) Study group. Effect of Membrane Permeability on Survival of Hemodialysis Patients. *J Am Soc Nephrol*. 2009 Mar;20(3):645-654.
- 887.** JF Winchester, **C Ronco**: Sorbent Augmented Hemodialysis Systems: Are we there yet? *J Am Soc Nephrol Express*. 2009 Jan 7.
- 888.** Z Ricci, **C Ronco**: Kidney diseases beyond nephrology: intensive care. *Nephrol Dial Transplant*. 2009 Feb;24(2):391-5.
- 889.** NW Levin, P Kotanko, **C Ronco**: RRI's 11th International Conference on Dialysis, Advances in CKD 2009, emphasizes new developments in both technology and process. *Blood Purif*. 2009;27(1):5.
- 890.** RA Ward, **C Ronco**: Improvements in technology: a path to safer and more effective hemodialysis. *Blood Purif*. 2009;27(1):6-10.
- 891.** NA Hoenich, R Levin, **C Ronco**: How do changes in water quality and dialysate composition affect clinical outcomes? *Blood Purif*. 2009;27(1):11-5.
- 892.** **C Ronco**, CY Chionh, M Haapio, NS Anavekar, A House, R Bellomo: The cardiorenal syndrome. *Blood Purif*. 2009;27(1):114-26.
- 893.** Z Ricci, **C Ronco**: Today's approach to the critically ill patient with acute kidney injury. *Blood Purif*. 2009;27(1):127-34
- 894.** G Remuzzi, S Chiaramonte, N Perico, **C Ronco**: Humoral immunity in kidney transplantation: what clinicians need to know. Preface. *Contrib Nephrol*. 2009;162:vii-ix.
- 895.** **C Ronco**: Hemodialysis International editorship: a message from the ISHD president. *Hemodial Int*. Jan 2009; 13(1):2.
- 896.** DN Cruz, S Soni, C Ronco: NGAL and cardiac surgery-associated acute kidney injury. *Am J Kidney Dis*. 2009 Mar;53(3):565-6; author reply 566.
- 897.** Z Ricci, **C Ronco**: Preventing hypophosphatemia during pediatric CRRT. *Nature Reviews Nephrology*, May 2009.(5)
- 898.** SM Bagshaw, S Uchino, R Bellomo, H Morimatsu, S Morgera, M Schetz, I Tan, C Bouman, E Macedo, N Gibney, A Tolwani, HM Oudemans-van Straaten, C Ronco, JA Kellum: Beginning and Ending Supportive Therapy for the Kidney (BEST Kidney) Investigators. Timing of renal replacement therapy and clinical outcomes in critically ill patients with severe acute kidney injury. *J Crit Care*. 2009 Mar;24(1):129-40.
- 899.** Z Ricci, C Garisto, S Morelli, L Di Chiara, **C Ronco**, S Picardo: Brain natriuretic peptide is removed by continuous veno-venous hemofiltration in pediatric patients. *Interact Cardiovasc Thorac Surg*. 2009 Jul;9(1):33-6.
- 900.** SM Bagshaw, S Uchino, D Cruz, R Bellomo, H Morimatsu, S Morgera, M Schetz, I Tan, C Bouman, E Macedo, N Gibney, A Tolwani, HM Oudemans-van Straaten, **C Ronco**, JA Kellum; for the Beginning and Ending Supportive Therapy for the Kidney (BEST Kidney) Investigators: A comparison

of observed versus estimated baseline creatinine for determination of RIFLE class in patients with acute kidney injury. *Nephrol Dial Transplant*. 2009 Sep;24(9):2739-44.

901. S Vesconi, DN Cruz, R Fumagalli, D Kindgen-Milles, G Monti, A Marinho, F Mariano, M Formica, M Marchesi, R Rene, S Livigni, **C Ronco**, DO-Re-Mi Study group T: Delivered dose of renal replacement therapy and mortality in critically ill patients with acute kidney injury. *Crit Care*. 2009 Jul; 13(2):R57.

902. F Ronco, **C Ronco**: La sindrome cardio-renale oggi. *Recenti Progressi in med*.100(4). April 2009.

903. F Dammacco, MP Abbracchio, L Gesualdo, F Goffredo, **C Ronco**, A Zanella: Biosimilars and safety issues. *Leuk Lymphoma*. 2009 Apr;50(4):656-8.

904. V Gura, A Davenport, M Beizai, C Ezon, **C Ronco**: Beta(2)- Microglobulin and phosphate clearances using a wearable artificial kidney: a pilot study. *Am J Kidney Dis*. 2009 Jul;54(1):104-111.

905. L Gesualdo, MP Abbracchio, F Dammacco, F Goffredo, A Zanella, **C Ronco**: The advent of biosimilars: new rules to guarantee patient safety. *G Ital Nefrol*. 2009 Mar-Apr;26(2):161-70.

906. Z Ricci, **C Ronco**: Dialysis: preventing hypophosphatemia during pediatric CRRT. *Nat Rev Nephrol*. 2009 May;5(5):251-2.

907. J Cerdà, **C Ronco**: Modalities of continuous renal replacement therapy: technical and clinical considerations. *Semin Dial*. 2009 Mar-Apr;22(2):114-22.

908. D Cruz, I Bobek, P Lentini, S Soni, CY Chionh, **C Ronco**: Machines for continuous renal replacement therapy. *Semin Dial*. 2009 Mar-Apr;22(2):123-32.

909. JH Kim, JC Kim, JH Moon, JY Park, KK Lee, E Kang, HC Kim, BG Min, **C Ronco**: Development of a cold dialysate regeneration system for home hemodialysis. *Blood Purif*. 2009;28(2):84-92.

910. **C Ronco**, G Sorin, F Nachon, R Foucault, L Jean, A Romieu, PY Renard: Synthesis and structure-activity relationship of Huprine derivatives as human acetylcholinesterase inhibitors. *Bioorg Med Chem*. 2009 Jul 1;17(13):4523-36.

911. C Crepaldi, S Soni, CY Chionh, P Wabel, DN Cruz, **C Ronco**: Application of body composition monitoring to Peritoneal Dialysis patients. *Contrib Nephrol*. 2009;163:1-6.

912. M Haapio, E Honkanen, **C Ronco**: Brain natriuretic peptide in Peritoneal Dialysis patients. *Contrib Nephrol*. 2009;163:110-116.

913. CY Chionh, S Soni, DN Cruz, **C Ronco**: Peritoneal Dialysis for acute kidney injury: techniques and dose. *Contrib Nephrol*. 2009;163:278-284.

914. **C Ronco**: The wearable artificial kidney: is Peritoneal Dialysis the solution? *Contrib Nephrol*. 2009;163:300-305.

915. DN Cruz, M Antonelli, R Fumagalli, F Foltran, N Brienza, A Donati, V Malcangi, F Petrini, G Volta, FM Bobbio Pallavicini, F Rottoli, F Giunta, **C Ronco**: Early use of polymyxin B hemoperfusion in abdominal septic shock: the EUPHAS randomized controlled trial. *JAMA*. 2009 Jun 17; 301(23):2445-52.

916. **C Ronco**, DN Cruz, F Ronco: Cardiorenal syndromes. *Curr Opin Crit Care*. 2009 Oct;15(5):384-91.

- 917.** F Ronco, **C Ronco**: Cardiorenal syndrome, current understanding. *Recenti Prog Med.* 2009 Apr; 100(4):202-13. Italian.
- 918.** SS Soni, D Cruz, I Bobek, CY Chionh, F Nalesso, P Lentini, M de Cal, V Corradi, G Virzi, **C Ronco**: NGAL: a biomarker of acute kidney injury and other systemic conditions. *Int Urol Nephrol.* 2009 jul 7.
- 919.** SS Soni, **C Ronco**, N Katz, DN Cruz: Early Diagnosis of Acute Kidney Injury: The Promise of Novel Biomarkers. *Blood Purif.* 2009 Jul 8;28(3):165-174.
- 920.** D Kuang, H You, F Ding, J Xue, J Chen, **C Ronco**, Y Gu: Intima-Media thickness of the carotid artery and its correlation factors in maintenance hemodialysis patients: a cross-sectional study. *Blood Purif.* 2009 jul 8;28(3):181-186.
- 921.** N Zamperetti, R Bellomo, **C Ronco**: Cardiac death or circulatory arrest? Facts and values in organ retrieval after diagnosis of death by cardio-circulatory criteria. *Intensive Care Med.* 2009 Oct;35(10):1673-7.
- 922.** S Uchino, R Bellomo, H Morimatsu, S Morgera, M Schetz, I Tan, C Bouman, E Macedo, N Gibney, A Tolwani, H Oudemans-van Straaten, **C Ronco**, JA Kellum: Discontinuation of continuous renal replacement therapy: a post hoc analysis of a prospective multicenter observational study. *Crit Care Med.* 2009 Sep;37(9):2576-82.
- 923.** DN Cruz, Z Ricci, **C Ronco**: Clinical review: RIFLE and AKIN -- time for reappraisal. *Crit Care.* 2009;13(3):211.
- 924.** E Andrikos, P Tseke, O Balafa, DN Cruz, A Tsinta, M Androulaki, M Pappas, **C Ronco**: Epidemiology of Acute Renal Failure in ICUs: a multi-center prospective study. *Blood Purif.* 2009 Aug 14;28(3):239-244.
- 925.** JC Kim, JH Kim, J Sung, HC Kim, E Kang, SH Lee, JK Kim, HC Kim, BG Min, **C Ronco**: Effects of arterial port design on blood flow distribution in hemodialyzers. *Blood Purif.* 2009 Aug 14;28(3):260-267.
- 926.** Z Ricci, **C Ronco**: Pathogenesis of acute kidney injury during sepsis. *Curr Drug Targets.* 2009 dec.
- 927.** M de Cal, S Cazzavillan, D Cruz, F Nalesso, A Brendolan, M Rassa, **C Ronco**: *Methylobacterium radiotolerans* bacteremia in hemodialysis patients. *G Ital Nefrol.* 2009 Sep-Oct;26(5):616-20
- 928.** V Corradi, F Gastaldon, GM Virzi, M de Cal, S Soni, C Chionh, DN Cruz, M Clementi, **C Ronco**: 1Department of Nephrology, Dialysis and Transplantation, San Bortolo Hospital, Vicenza and 1 Department of Pediatrics, Clinical Genetics University of Padova, Italy: Clinical pattern of adult polycystic kidney disease in a northeastern region of Italy. *Clin Nephrol.* 2009 Oct;72(4):259-67.
- 929.** Z Ricci, **C Ronco**: Year in review 2008: Critical Care – nephrology. *Crit Care.* 2009 Oct 21;13(5):227.
- 930.** SM Bagshaw, DN Cruz, RN Gibney, **C Ronco**: A proposed algorithm for initiation of renal replacement therapy in adult critically ill patients. *Crit Care.* 2009 Nov 11;13(6):317.
- 931.** P Lentini, D Cruz, F Nalesso, M de Cal, I Bobek, F Garzotto, M Zanella, A Brendolan, P Piccinni, **C Ronco**: A pilot study comparing pulse high volume hemofiltration (pHVHF) and coupled plasma filtration adsorption (CPFA) in septic shock patients. *G Ital Nefrol.* 2009 Nov-Dec;26(6):695-703.

- 932.** M Joannidis, W Druml, LG Forni, AB Groeneveld, P Honore, HM Oudemans-van Straaten, **C Ronco**, MR Schetz, AJ Woittiez: Prevention of acute kidney injury and protection of renal function in the intensive care unit: Expert opinion of the working group for nephrology, ESICM. Intensive Care Med. 2009 Nov 17
- 933.** Z Ricci, **C Ronco**: Pulmonary/renal interaction. Curr Opin Crit Care. 2010 Feb;16(1):13-8.
- 934.** DN Cruz, M de Cal, F Garzotto, MA Perazella, P Lentini, V Corradi, P Piccinni, **C Ronco**: Plasma neutrophil gelatinase-associated lipocalin is an early biomarker for acute kidney injury in an adult ICU population. Intensive Care Med. 2009 Dec 3.
- 935.** JR Prowle, JE Echeverri, EV Ligabo, **C Ronco**, R Bellomo; Medscape: Fluid balance and acute kidney injury. Nat Rev Nephrol. 2009 Dec 22.
- 936.** N Khreich, P Lamourette, B Lagoutte, **C Ronco**, X Franck, C Créminon, H Volland: A fluorescent immunochromatographic test using immunoliposomes for detecting microcystins and nodularins. Anal Bioanal Chem. 2009 Dec 22.
- 937.** **C Ronco**, P McCullough, SD Anker, I Anand, N Aspromonte, SM Bagshaw, R Bellomo, T Berl, I Bobek, DN Cruz, L Daliento, A Davenport, M Haapio, H Hillege, AA House, N Katz, A MAisel, S Mankad, P Zanco, A Mebazaa, A Palazzuoli, F Ronco, A Shaw, G Sheinfeld, S Soni, G Vescovo, N Zamperetti, P Ponikowski; for the Acute Dialysis Quality Initiative (ADQI) consensus group: Cardio-renal syndromes: report from the consensus conference of the Acute Dialysis Quality Initiative. Eur. Heart J. 2009 Dec 25.